

SA&I 1-4040 (2000)

Canadian \_\_\_\_\_ County, Oklahoma  
COUNTY PURCHASING OFFICE  
Canadian \_\_\_\_\_ County Court House  
El Reno \_\_\_\_\_, Oklahoma  
Phone: ( 405 ) 422-2441

INVITATION TO BID

DATE ISSUED  
July 11, 2011  
Page 1 of 2

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE  
SIDE RELATING TO SUBMISSION OF THIS BID.  
Notarized Affidavit completions and signature required on reverse side.

BID NUMBER Aggregate Base Type A Rock /  
#2011-12-02 Canadian County District #3  
BID CLOSING DATE AND HOUR  
July 29, 2011 at 4:00pm  
REQUIRED DELIVERY DATE  
SEE SPECIFICATIONS  
\_\_\_\_ Days after award of Purchase Order

TERMS  
Net, FOB this bid will open August 1, 2011 at 9:30am  
DATE OF DELIVERY:

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
1 or more			<p>Canadian County District #3 is seeking bids for Aggregate Base Type A Rock.</p> <p><b>**Must meet ODOT 2009 Specifications 703.01.</b></p> <p>The Board of Canadian County Commissioners reserves the right to reject any and all bids or to award all or any portion of the items bid.</p> <p><u>The reverse of this sheet must be completed and returned or the bid will be rejected.</u></p> <p>Contact person: Jack Stewart, Commissioner District #3 201 North Choctaw El Reno, OK 73036 (405) 295-6135</p>		<p>\$ _____</p> <p>Total (Price per ton)</p>

APPROVED  
Date 7-2-11  
*Jack Stewart*  
Officer of Department Head

**TERMS AND CONDITIONS**

1. Sealed bids will be opened in the Commissioner's Conference Room, Canadian County Courthouse, 201 North Choctaw Avenue, El Reno, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Canadian County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until 12/31/2011  
(DATE)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this \_\_\_\_\_ day

of \_\_\_\_\_, 20 \_\_\_\_\_

(SEAL)

Firm: \_\_\_\_\_

My commission expires \_\_\_\_\_

Signed by: \_\_\_\_\_ Title: \_\_\_\_\_  
(Manual Signature of Undersigned)

\_\_\_\_\_  
NOTARY PUBLIC (CLERK OR JUDGE)

Address: \_\_\_\_\_ Phone: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip: \_\_\_\_\_

Please mail sealed bids to:  
Canadian County Clerk's Office  
Attn: Purchasing  
PO Box 458  
El Reno, OK 73036

Street Address:  
201 N Choctaw Avenue  
El Reno, OK 73036



Date Issued: July 11, 2011  
Bid Number: **2011-12-02**  
Closing Date: July 29, 2011 at 4:00pm  
                  PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036  
Opening Date: August 1, 2011 at 9:30am  
                  Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

---

~ SPECIFICATIONS~

**Aggregate Base Type A Rock / Canadian County District #3**

Canadian County District #3 is seeking bids for Aggregate Base Type A Rock.

**\*\*Must meet ODOT 2009 Specifications 703.01. (See Attached)**

Price Per Ton \$ \_\_\_\_\_.

For Information Contact:

Jack Stewart, Commissioner District #3

Phone: (405) 295-6135

Hours: Monday – Friday 8:00am to 3:00pm

Address: 201 North Choctaw, El Reno, OK 73036

---

If you have any questions or need additional information, please contact:  
**Sherry Murray**, Purchasing Agent, 405.295.6125 or 405.422.2441  
smurray@okcana.cogov.net

## SECTION 703 BASES AND MISCELLANEOUS AGGREGATES

### 703.01 AGGREGATE FOR AGGREGATE BASE

#### A. General Requirements

Provide aggregate base course material consisting of a mixture of coarse and fine graded aggregate that is free of vegetation and other deleterious materials.

Coarse aggregate is the material retained on a No. 10 [2.00 mm] sieve. Provide coarse aggregate consisting of the following durable particles or fragments:

- Gravel,
- Stone,
- Disintegrated granite,
- Crushed concrete, or

Provide fine aggregate made of sand, stone dust, or other inert, finely-divided mineral.

Ensure at least 40 percent of the completed Type A or Type B mixture retained on the No. 4 [4.75 mm] sieve contains uniformly graded, mechanically crushed particles with at least one fractured face.

Ensure 100 percent of the completed Type C or Type D mixture retained on the No. 4 [4.75 mm] sieve contains uniformly graded, mechanically crushed particles with at least two fractured faces. Ensure the completed Type C mixture contains no more than 15 percent natural sand.

#### B. Physical Properties

Ensure the coarse aggregate retained on the  $\frac{3}{8}$  in [9.5 mm] sieve of the completed mixture has no more than 50 percent wear in accordance with the Los Angeles Abrasion Test in accordance with AASHTO T 96. Ensure the aggregate has an Aggregate Durability Index of at least 40 in accordance with AASHTO T 210.

#### C. Gradation and Other Requirements

Sample the uniform mixture from the project site before compacting. Ensure samples are in accordance with Table 703:1 for Gradation, Plasticity Index, and Liquid Limit for the provided aggregate base type.

Table 703:1

Aggregate Base Gradation				
Sieve Size	Percent Passing per Type			
	Type A	Type B	Type C	Type D
3 in [75 mm]	—	100	—	—
2 in [50 mm]	—	—	100	—
1½ in [37.5 mm]	100	40 – 100	90 – 100	100
1 in [25.4 mm]	—	—	80 – 100	95 – 100
¾ in [19.0 mm]	40 – 100	30 – 75	—	—
½ in [12.5 mm]	—	—	60 – 80	25 – 60
¾ in [9.5 mm]	30 – 75	25 – 60	—	—
No. 4 [4.75 mm]	25 – 60	20 – 50	40 – 60	0 – 10

<b>Table 703:1</b>				
<b>Aggregate Base Gradation</b>				
Sieve Size	Percent Passing per Type			
	Type A	Type B	Type C	Type D
No. 8 [2.36 mm]	—	—	—	0 – 5
No. 10 [2.0 mm]	20 – 43	15 – 35	25 – 45	—
No. 40 [425 µm]	8 – 26	7 – 22	15 – 30	—
No. 200 [75 µm] <sup>a</sup>	4.0 – 12.0	3.0 – 10.0	0 – 5.0	0 – 2.0
<b>Other Requirements:</b>				
Plasticity Index <sup>b</sup>	≤6	≤6	≤6	—
Liquid Limit <sup>b</sup>	≤25	≤25	≤25	—
<sup>a</sup> Ensure the material passing the No. 200 [75 µm] sieve comprises no greater than two-thirds of the quantity of material passing the No. 40 [425 µm] sieve. <sup>b</sup> The Department will allow blending of separate aggregates to produce an aggregate mixture if no individual aggregate has a plasticity index higher than 8.				

#### D. Sampling and Testing

Test aggregate in accordance with Table 703:2.

<b>Table 703:2</b>	
<b>Aggregate Testing Methods</b>	
Test Item	Test Method
Los Angeles Abrasion, wear	AASHTO T 96
Sieve analysis	AASHTO T 27
Sampling	AASHTO T 2
Determining plastic limit & plasticity Index	AASHTO T 90
Fractured faces	OHD L-18
Method of preparation of samples	AASHTO T 87
Determining liquid limit	AASHTO T 89
Maximum density	AASHTO T 180, Method D
Aggregate durability index	AASHTO T 210
Material passing No.200 [75µm] sieve	AASHTO T 11
Soft particles	OHD L-38



Date Issued: July 11, 2011  
Bid Number: **2011-12-02**  
Closing Date: July 29, 2011 at 4:00pm  
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036  
Opening Date: August 1, 2011 at 9:30am  
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

-----  
~ AFFIDAVIT ~

**Aggregate Base Type A Rock / Canadian County District #3**

State of Oklahoma )  
County of Canadian ) §

I, Sherry Murray, Purchasing Agent, in and for said County and State, do hereby certify that "Invitations to Bid" were sent to the following:

Asphalt & Fuel  
4200 E Shelly Drive, Suite 600  
Tulsa, OK 74135-3210

Asphalt & Fuel Supply  
11282 Hemlock Street  
Overland Park, KS 66210

Asphalt Maintenance  
604 South Main  
Coats, KS 67028

Atlas Products Inc  
Attn: Tyle  
PO Box 75727  
Oklahoma City, OK 73147

Atlas Paving Co  
Attn: Tyle  
PO Box 75727  
Oklahoma City, OK 73147

Bid News Construction  
5727 Garnett Road, Suite H  
Tulsa, OK 74146

Boral Aggregates  
1400 S Holly  
Yukon, OK 73099

Breshears Trucking  
11001 Ranch Road  
Mustang, OK 73064

Bridge & Highway Materials  
PO Box 228  
Enid, OK 73702

Dale Brown Inc  
PO Box 18724  
Oklahoma City, OK 73154

Diamond Gypsum  
PO Box 622  
Okarche, OK 73762

Dolse Bros Co  
PO Box 677  
Oklahoma City, OK 73101-0677

ePlan  
3338 Brown Station Road  
Columbia, MO 65202

Ergon Asphalt & Emulsions Inc  
Attn: Johnny  
9301 SW Koch Street  
Lawton, OK 73505

Francis Tuttle Vo-Tech Center  
Attn: Bid Assistance – Judy Robbins  
12777 North Rockwell  
Oklahoma City, OK 73142

Hanson Aggregates  
300 East John Carpenter Freeway  
Irving, TX 75062

Haskell Lemon Construction  
PO Box 75608  
Oklahoma City, OK 73147

J & S Stabilization  
PO Box 750  
Wheatland, OK 73097

Joe Brown Co Inc  
PO Box 1669  
Ardmore, OK 73402

Logan County Asphalt  
2905 Commerce Blvd  
Guthrie, OK 73044

Markwell Paving  
PO Box 82005  
Oklahoma City, OK 73148

Martin Marietta Materials  
229 North Service Road, Suite 1  
Moore, OK 73160

MMS  
PO Box 324  
Dover, OK 73134

Online Data Services  
8460 Holcomb Bridge Road, Suite 100  
Alpharetta, GA 30322

Poindexter Transportation LLC  
10055 Southridge Drive  
Oklahoma City, OK 73159

Road Construction Specialties LLC  
PO Box 720112  
Oklahoma City, OK 73172

Schwarz Paving  
8251 West Reno  
Oklahoma City, OK 73127

Schwarz Ready Mix  
PO Box 850450  
Yukon, OK 73085

Silver Star Construction  
2401 South Broadway  
Moore, OK 73160


Sorco Products  
PO Box 1230  
Cushing, OK 74023

TJ Campbell Construction  
PO Box 15129  
Oklahoma City, OK 73155

Western Aggregates LLC  
8251 West Reno Ave  
Oklahoma City, OK 73127

Wilds Trucking  
603 South Radio Road  
El Reno, OK 73036

Witness my hand and seal this 11<sup>th</sup> day of July, 2011.

  
Sherry Murray, Purchasing Agent  
(SEAL)





Date Issued: July 11, 2011  
Bid Number: 2011-12-02  
Closing Date: July 29, 2011 at 4:00pm  
                  PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036  
Opening Date: August 1, 2011 at 9:30am  
                  Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

---

**TO HELP PREVENT BIDS FROM BEING REJECTED FOR LACK OF COMPLETION  
PLEASE CHECK FOR THE FOLLOWING:**

- Is the Invitation to Bid Signed and Notarized? \_\_\_\_\_
- Are all applicable spaces filled in? \_\_\_\_\_
- Are all necessary papers enclosed? \_\_\_\_\_
- Is the Bid # and Closing Date on outside of return envelope? \_\_\_\_\_

Thank You,

Sherry Murray, Purchasing Agent