

Six
Month
Bid



July 1, 2011
Thru
December 31, 2011

APPROVED THIS 9th DAY OF May, 2011.

Phil Carson
PHIL CARSON, DISTRICT #1 COMMISSIONER

David Anderson
DAVID ANDERSON, DISTRICT #2 COMMISSIONER

Jack Stewart
JACK STEWART, DISTRICT #3 COMMISSIONER

11237



**Canadian County
Purchasing**

**Six Month Bids
July 1 – December 31, 2011**

Date Issued: May 9, 2011
Bid Number: **SIX MONTH BIDS**
Closing Date: June 3, 2011 at 4:00pm
 PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036
Opening Date: June 6, 2011 at 9:30am
 Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ NOTICE TO BIDDERS~

Sealed bids will be received by the Canadian County Purchasing Agent of Canadian County, Oklahoma at the Court House in El Reno until 4:00pm on the 3rd day of June, 2011. Bids will open at 9:30am on the 6th day of June, 2011.

Bids will be opened by the Board of Canadian County Commissioners on that date for the six month period of:

July 1, 2011 through December 31, 2011

All bids must be made on forms furnished by the County, signed and notarized and shall conform to the regulations and conditions contained herein.

The Canadian County Board of County Commissioners reserves the right to reject any all bids or to award all or any portion of the items bid.

Please mail sealed bids to:
Sherry Murray, Purchasing Agent
Canadian County Clerk's Office
PO Box 458
El Reno, OK 73036

Street Address: 201 N. Choctaw Avenue, El Reno, OK 73036

Please mark your envelope "Six Month Bid"

_____ _____ _____	Sherry Murray, Purchasing Agent Canadian County Clerk's Office PO Box 458 El Reno, OK 73036
SIX MONTH BID Closes: June 3, 2011 at 4:00pm	

If you have any questions or need additional information, please contact:
Sherry Murray, Purchasing Agent, 405.295.6125 or 405.422.2441



~TABLE OF CONTENTS~

ITEM:	PAGE:
Bid Regulations and Conditions.....	4
Bid Contents.....	5
Vendor Performance	6
Affidavit of Non-Collusion	8
Armor Coat – Rubberized	18
Asphalt Reclaiming.....	14
Asphaltic Materials	24
Bituminous Materials	24
Bituminous Seal Coat.....	19
Bleed Control Emulsion.....	19
Bridge Construction	11
Bridge Planks	11
Chicken – For Jail.....	20
Concrete – Furnished and Unloaded.....	13
Corr. Metal Arched Pipe (See State Contract)	S/C
Corr. Culvert Pipe (See State Contract)	S/C
Delineator Posts – Flexible	11
End Wings.....	10
End Wings-Round Corr. (See State Contract).....	S/C
End Wings-Metal Arched Pipe (See State Contract)	S/C
Fir (ACZ).....	9
Forming-Stay in Place.....	9
Ground Beef – For Jail.....	20
Guard Rail – Galvanized.....	10
GYP – Processed.....	25



~TABLE OF CONTENTS~

GYP – Picked up by County25

H-Piling..... 10

Hauling of Rip Rap 12

Hauling of Rock..... 12

Hot Mix24

Kiln Dust..... 14

Liquid Calcium Chloride21

Magnesium Chloride.....21

Metal Costs – Delivered for Kiln Dust..... 15

Mowing 19

Oil and Chipping.....22-23

Pipe Piling – New 10

Pipe Piling – Used..... 10

Prime Oil..... 13

Railroad Flat Cars 14

Railroad Tank Cars 14

Rental of Equipment20

Roadbond Liquid Stabilizer (BN-1)23

Road Rock.....24-25

Rock – Picked up by County.....25-26

Shale – Processed.....26

Steel Pipe – Used 10

Steel Sheet Piling – Interlocking..... 11

Structural Steel..... 10

Surge Rock.....25

Weed Spraying.....20



~BID REGULATIONS AND CONDITIONS~

BIDDERS LIST:

- A. Vendors wishing to do business with the County should be included on the "Bidders List" maintained by the County Purchasing Agent. All vendors are eligible for consideration.
- B. Vendors wishing to be added to the "Bidders List" should contact the County Purchasing Office.
- C. Removal from the "Bidders List".
 1. Removal or Suspension. The Purchasing Agent may remove any vendor on the Bidders List for such period of time deemed necessary by the Purchasing Agent.
 2. Cause for Removal or Suspension. The following shall be deemed sufficient grounds for removal or suspension:
 - a) Three consecutive failures to respond to the Notice to Bidders.
 - b) Failure to submit certificate of compliance when required.
 - c) Consistent failure to conform to bid regulations, conditions, and/or specifications.
 - d) Failure to make timely deliveries.
 - e) Failure to keep bid firm for the time specified on the Notice of Bid.
 - f) Collusion with other bidders or prospective bidders to restrain competitive bidding.
 - g) Bankruptcy or other evidence of insolvency of the bidder.
 - h) Giving false or misleading information in an application for inclusion of the "Bidders List".
 - i) Any violation of these rules and regulations or other information suggesting that the bidder is no longer responsible and qualified to do business with the County.
 3. Notice of removal or suspension from the Bidders List will be sent to affected vendor. This action may be contested in writing to the Purchasing Agent within five working days.

BIDDING PROCEDURES:

- A. Solicitation of Bids.
 1. Concerning Solicitation. The Purchasing Agent provides fair and impartial consideration to all qualified bidders and seeks to obtain the highest practicable degree of full and free competition. All interested vendors are urged to apply for inclusion on the Bidders List.
 2. Bid Selection. The County Commissioners may reject any or all bids. The Purchasing Agent will solicit phone bids from three or more vendors selected at random, if this occurs.
- B. Bid Form:
 1. Bids are submitted on the forms containing items and/or goods a vendor wished to bid. Return of bid constitutes a valid offer good for 30 days from the date of opening.
 2. Formal Requirements.
 - a) Written in Ink or Typewritten. All bids must be written legibly in ink or preferably typewritten.
 - b) Authorized Signature. The bid must bear the signature in ink by the person so authorized.
 - c) Notary Seal. Each bid must bear the signature and seal of an authorized Notary Public on the Affidavit of Non-Collusion.
 - d) Labeled and sealed envelope. Bidders name and address and closing date must appear on the face of the envelope.



HOLD HARMLESS AGREEMENT:

All bidders shall defend, indemnify and hold the County of Canadian County, State of Oklahoma, its commissioners, officers, deputies and employees harmless from and against any and all liability, loss, expense (including reasonable attorney's fees), or claims for injury or damages arising from, relating to, or connected with the performance of the bidding work.

BID CONTENTS:

1. **Entire Agreement.** The Bid Regulations and Conditions of this section together with the Notice of Bid and any other sheets or documents made a part of the bid package, shall constitute the entire agreement between parties.
2. **Modification.** An addendum will be issued, when deemed necessary, for any changes in, additions to, or waivers of specifications, or regulations and conditions of the bid. The Purchasing Agent must issue this addendum.
3. **Offer firm for thirty days.** Return of bid constitutes a valid offer guaranteed for a minimum of 30 days by vendor until bid is awarded. After bid is awarded offer is firm for six months.
4. **Items to be new or current.** Unless otherwise stated within the bid, goods and materials offered in the bid are to be new and of current design.
5. **Non-Acceptance of Split Award – “All or None Bid” –** The County Commissioners reserve the right to make and award on items or groups of items listed on the bid. If the vendor wishes to bid “All or None”, this must be clearly shown of the bid.
6. **Shipping Instructions.** Goods and materials are to be shipped F.O.B., the receiving officer or department. All freight is to be borne by the vendor and included in the bid price.
7. **Title and Risk of Loss.** Title of goods shall not pass from the vendor until such goods are received by requisitioning departments receiving officer. Risk of such loss prior to such receipt shall be borne by the vendor.
8. **Delivery.** Time is of the essence and deliveries are to be made within ten days after receipt of an order.
9. **Inspection and Rejection.** All goods and materials shall be subject to inspection by the receiving officer at the time of delivery. Any goods not in complete conformance with the specifications, defective in materials of workmanship, or found to contain latent defects will be rejected. Such goods are to be removed and replaced by and at the cost of the vendor promptly after notifications of rejection. Risk or loss as to such rejected goods shall be borne by the vendor.
10. **Payment.** Payment by the County for goods received shall not constitute acceptance if subsequent reveals latent defects or a failure to meet bid specifications. Payment for a period delivery shall not be deemed acceptance of undelivered goods.
11. **Exemption from Taxes.** Purchases made by the County are exempt from State Sales Tax and from Federal Excise Tax. These taxes should not be included in bid prices. When required, the Purchasing Agent will supply the proper tax exemption certificate.

SUBMISSION PROCEDURES:

- A. **Sealed envelopes.** Bids must be submitted in a sealed envelope with the name and address of the vendor and date and time of closing clearly marked on the outside of the envelope.
- B. **Late Bids.** Bids received after the time and date of closing listed on Notice to Bidders will not be opened. These late bids will remain unopened and become a permanent part of the bid file.



AWARDING OR BIDS:

- A. Acceptance. The Purchasing Agent will compile the bids submitted. The County Commissioners will open and award all bids. The Purchasing Agent will notify all successful bidders in writing prior to onset of the bidding period.

Purchases of items and supplies that are on this Six Month Bid list must be made from the vendor listed. This is an exclusive contract between Canadian County and the vendor for the time period mentioned on the "NOTICE TO BIDDERS". The county must be as sincere in fulfilling its obligation by buying from the vendor as it expects the vendor to be in holding the price stable to the bid period.

B. Grounds for Rejection:

1. Non-Responsive Bid. Any bid which does not meet the requirements or specifications of the bid, or is unsuitable for the intended use, or does not comply with these regulations and conditions may be rejected. The County Commissioners reserve the right to reject any or all bids when such is deemed in the best interest of the County.
2. Affidavit. The Non-Collusion Affidavit not signed and notarized and/or included with the bid.

PERFORMANCE BY SUCCESSFUL BIDDER:

A. Delivery of Goods:

1. Deliveries shall be made within ten days from the date ordered.
2. Deliveries are to be made to the requisitioning department and the vendor will be advised of such time of order.

SPECIAL CONDITIONS FOR ROAD MATERIALS:

- A. The County Commissioners request that all hauling orders be started within 48 hours after receipt of order of hauling. All boundary line hauling will be paid the lower bid price for that area.
- B. All materials must meet current ODOT Specifications.
- C. Bidder agrees to deliver asphaltic materials in truck tank lots within 24 hours notice from the County Purchasing Office. THE MATERIAL SHALL BE MAINTAINED AT SATISFACTORY TEMPERATURE UNTIL IT IS LOADED INTO THE COUNTY EQUIPMENT. DEMURRAGE OR DELIVERY CHARGES WILL BE ALLOWED IN CASES OF DELAY OR FAILURE OF THE COUNTY TO ACCEPT THE MATERIALS BECAUSE OF BREAK DOWN OF COUNTY EQUIPMENT WEATHER CONDITIONS. PLACE OF COUNTY DELIVERY SHALL BE LISTED ON THE INVOICE. FAILURE BY THE VENDOR/SUPPLIER TO DELIVER MATERIALS AT THE PROPER TIME AND PLACE AS ORDERED BY THE COUNTY CAN RESULT IN LOSS OF TIME CHARGE AFFECTED BY THE COUNTY ON THE SUPPLIER.
- D. CANADIAN COUNTY WILL NOT BE RESPONSIBLE FOR, AND WILL NOT PAY FOR ANY FUEL SURCHARGES, EMERGENCY OR OTHERWISE. THIS WILL BE PAID BY THE VENDOR OR CARRIER AND WILL NOT BE PASSED ON TO THE COUNTY FOR PAYMENT.

SUB-LETTING:

- A. Any bid submitted with sub-letting to firm other than the bidding vendor will or shall be CLEARLY SPECIFIED ON THE BID SHEET.



THE USE OF RECYCLED MATERIALS:

- A. If a vendor has products using recyclable materials and regular materials, the vendor shall submit separate bids, using one bid for recyclable materials only and using one bid for regular materials.

CHANGING OF BID SPECIFICATIONS:

- A. Bid forms shall be filled out as specified. If a Vendor chooses to change the bid specifications, the bid will be subject to rejection by the Board of Canadian County Commissioners.

ALUMINIZED STEEL TYPE "2" PIPE SPECIFICATIONS:

- A. This proposal for furnishing Corrugated Aluminized Steel Type "2" Pipe as per Oklahoma State Highway Specifications, Section 726, 1999 Edition and Supplements, delivered F.O.B. to specified locations in Canadian County. Steel Sheet, aluminum-coated (type 2) by the hot-dip process for sewer and drainage pipe shall conform to the AASHTO M 274.



AFFIDAVIT MUST BE INCLUDED WITH YOUR BID OR BID WILL BE REJECTED BY THE BOARD OF CANADIAN COUNTY COMMISSIONERS.

RETURN THIS PAGE WITH THE BID.

~AFFIDAVIT OF NON-COLLUSION OF BIDS~

STATE OF _____)

COUNTY OF _____)

I, the undersigned of lawful age, being first duly sworn on oath say that he or she is the agent authorized by the bidder to submit the attached bid. Affidavit further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or contract, or in any discussions between bidders and any state official concerning exchange of money or other things of value for special consideration in letting of a contract, that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma or other public entity thereof, any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

BUSINESS NAME: _____

ADDRESS: _____

PHONE NUMBER: _____ FAX NUMBER: _____

SIGNATURE: _____

TITLE: _____

(NOTARIZATION)

SUBSCRIBED AND SWORN BEFORE ME THIS _____ DAY OF _____, 20__.

(NOTARY PUBLIC)

(COMMISSION EXPIRATION DATE)

(SEAL)



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

Table with columns: SIZE, LENGTH, ACZA FIR (price per thousand feet), SIZE, LENGTH, Southern Yellow Pine - Creosote Treated. Rows include dimensions like 3" x 4", 3" x 6", 3" x 8", 3" x 12", 4" x 12", 4" x 14", 8" x 16", 12" x 12" with corresponding length ranges and price lines.

***ACZA FIR: LUMBER SHALL BE DOUGLAS FIR OF THE COASTAL REGION. LUMBER SHALL BE #2 GRADE OR BETTER LUMBER AND SHALL BE CHEMONITE (ACZA) TREATED WITH .40 TREATMENT RETENTION. LUMBER DRESSING SHALL BE S1S1E. LUMBER SHALL COMPLY WITH OKLAHOMA STATE STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION, 1988 EDITION.

****SOUTHERN YELLOW PINE TREATED WITH #1 CREOSOTE PER AWPA AND OKLAHOMA HIGHWAY DEPARTMENT SPECIFICATIONS.

STAY IN FORMING OR TENSEL FORM: price per square foot: (New prime material: PAINTED)

GAUGE:
22 gauge _____
24 gauge _____
26 gauge _____

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

NEW PIPE PILING: outside diameter – price per foot:

- .50 (1/2) wall thickness
- 7" _____
- 7 5/8" _____
- 9 5/8" _____
- 10 3/4" _____
- 12" _____
- 14" _____

USED PIPE PILING: outside diameter – price per foot:

- .50 (1/2) wall thickness
- 7" _____
- 7 5/8" _____
- 9 5/8" _____
- 10 3/4" _____
- 12" _____
- 14" _____

GALVANIZED GUARD RAILS: (NEW) _____ per 12.6 ft. section: _____ per 25 ft. section.
 (USED) _____ per 12.6 ft. section: _____ per 25 ft. section.

END WING: (NEW) _____ price for each. (USED) _____ price for each.

STRUCTURAL STEEL: NEW _____ price per pound for angles, channels and flats (A 36 GRADE OR BETTER)
 USED _____ price per pound
 NEW _____ price per pound for 6" to 24" wide flange beams
 NEW _____ price per pound for 27" to 36" wide flange beams

10 x 10 x 42 # H-PILING:

NEW: _____

USED STEEL PIPE: .250 minimal thickness: price per foot:

- 16" _____
- 18" _____
- 20" _____
- 22" _____
- 24" _____

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

INTERLOCKING STEEL SHEET PILING: price per square foot:

Table with 5 columns: GAUGE, (18" BLACK), (18" GALVANIZED), (21.7" BLACK), (21.7" GALVANIZED). Rows include 7 gauge, 8 gauge, 10 gauge, and 12 gauge.

FLEXIBLE DELINEATOR POSTS: price per dozen:

(4-inch width - 3 inch x 12 inch reflector sheeting on top)
4" x 62"
4" x 72"

BRIDGE CONSTRUCTION:

(DISTRICT #1 ONLY)

(This will be awarded to the combined lowest and best bid).

Crane with pile-driver and operator: price/hour travel time not included: _____

Does this include travel time? _____

Welding Unit and Operator to do bridge construction: price/hour travel time not included: _____

Does this include travel time? _____

Welder Helper: price per hour: _____ Forklift: price per hour: _____

VENDOR SHALL SUPPLY GENERAL LIABILITY AND WORKERS-COMPENSATION INSURANCE VERIFICATION, AND SHALL ALSO SUPPLY A PERFORMANCE BOND.

GALVANIZED BRIDGE PLANKS: 6X2 (LAYS 24"):

Table with 3 columns: GAUGE, WEIGHT PER SQ. FOOT, PRICE PER SQ. FOOT. Rows include 12, 10, and 7 gauges.

BLACK BRIDGE PLANKS: 6x2 (LAYS 24"):

Table with 3 columns: GAUGE, WEIGHT PER SQ. FOOT, PRICE PER SQ. FOOT. Rows include 12, 10, and 7 gauges.

ALL GAUGES AVAILABLE IN BLACK OR HOT-DIPPED GALVANIZED STEEL. GAUGE 10-12: ASTM DESIGNATED a446 GRADE B, ZINC COATED TO CLASS G210 PER ASTM DESIGNATED A525. GAUGE 7: ASTM DESIGNATED A570 GRADE 36, ZINC COATED TO ASTM DESIGNATED A123 EXCEPT THAT THE ZINC SHALL BE APPLIED AT A RATE OF 2.0 OZ./SQ.FT. TOTAL BOTH SIDES.

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

**BID PROPOSAL
CANADIAN COUNTY**

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

HAULING OF ROCK - END DUMP TRAILER - PRICE PER LOADED MILE:

FROM RICHARD SPUR: \$ _____	FROM CYRIL: \$ _____	FROM COOPERTON: \$ _____
FROM GREENFIELD: \$ _____	FROM HYDRO: \$ _____	FROM DAVIS: \$ _____
FROM GRANITE: \$ _____	FROM MILL CREEK: \$ _____	FROM CARNEGIE: \$ _____
FROM WATONGA: \$ _____		

HAULING OF ROCK - BELLY DUMP TRAILER - PRICE PER LOADED MILE:

FROM RICHARD SPUR: \$ _____	FROM CYRIL: \$ _____	FROM COOPERTON: \$ _____
FROM GREENFIELD: \$ _____	FROM HYDRO: \$ _____	FROM DAVIS: \$ _____
FROM GRANITE: \$ _____	FROM MILL CREEK: \$ _____	FROM CARNEGIE: \$ _____
FROM WATONGA: \$ _____		

ATTENTION VENDOR: FOR ALL THE ABOVE HAULING LIST NUMBER OF BELLY AND END DUMP TRAILERS THAT ARE AVAILABLE: _____ BELLY

_____ END

THIS MAY DETERMINE BID AWARD. (MUST HAVE A MINIMUM OF (6) SIX TRUCKS)

HAULING OF ALL SIZES OF RIP RAP: END DUMP; PRICE PER LOADED MILE:

FROM RICHARD SPUR: \$ _____	FROM CYRIL: \$ _____	FROM COOPERTON: \$ _____
FROM GREENFIELD: \$ _____	FROM HYDRO: \$ _____	FROM DAVIS: \$ _____
FROM GRANITE: \$ _____	FROM MILL CREEK: \$ _____	FROM WEATHERFORD: \$ _____
FROM SOUTHARD: \$ _____	FROM WATONGA: \$ _____	FROM OKARCHE: \$ _____

ATTENTION VENDOR: FOR ALL RIP RAP HAULING LIST NUMBER OF BELLY AND END DUMP TRAILERS THAT ARE AVAILABLE: _____ BELLY

_____ END

THIS MAY DETERMINE BID AWARD.

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

PRIME OIL APPLICATION: PRICE PER MILE: 18' ROADWAY 20' ROADWAY 22' ROADWAY

- | | | | |
|---|----------|----------|----------|
| 1) Vendor will furnish equipment,
labor and oil. | \$ _____ | \$ _____ | \$ _____ |
| 2) Vendor will furnish equipment and
labor. County will furnish oil. | \$ _____ | \$ _____ | \$ _____ |

VENDOR TO FURNISH TRAFFIC CONTROL

CONCRETE: FURNISHED AND UNLOADED; PRICE PER CUBIC YARD:

PSI STRENGTHS:	2500	3000	3500	4000	3500 High Early
GEARY:	_____	_____	_____	_____	_____
OKARCHE:	_____	_____	_____	_____	_____
PIEDMONT:	_____	_____	_____	_____	_____
CALUMET:	_____	_____	_____	_____	_____
EL RENO:	_____	_____	_____	_____	_____
YUKON:	_____	_____	_____	_____	_____
MAPLE:	_____	_____	_____	_____	_____
WALNUT:	_____	_____	_____	_____	_____
UNION CITY:	_____	_____	_____	_____	_____
MUSTANG	_____	_____	_____	_____	_____

VENDOR'S PRICE PER HOUR OF HOLDING TIME: \$ _____

WHEN DOES HOLDING TIME BEGIN? _____

IS THERE A MINIMUM ORDER AMOUNT TO PREVENT FREIGHT CHARGES? ___ YES ___ NO

WHAT IS THE MINIMUM ORDER AMOUNT? _____

VENDOR'S TIME FOR DELIVERY ONCE ORDER IS PLACED? _____

VENDORS BIDDING ON CONCRETE SHALL USE THE ENCLOSED TRUCKING DISTRICT MAPS FOR EACH LOCATION.
THE PRICE BID PER LOCATION LISTED WILL BE USED IN THE BOUNDARY AREA.

INSURANCE: SUCCESSFUL BIDDER WILL BE REQUIRED TO PROVIDE ASSURANCE TO INDEMNIFY AND SAVE HARMLESS THE COUNTY FROM ANY LIABILITY OR DAMAGE TO PRIVATE OR PUBLIC PROPERTY OF LIFE SUSTAINED IN THE PROCESS OF TRANSPORTING.

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

ASPHALT RECLAIMING: IN PLACE: price/sq yard: 3" to 6" depth: _____ 6" to 9" depth: _____
Vendor to furnish equipment and operator. Awarded vendor will need to furnish proof of liability insurance. Vendor will have 48 hours notice for each job required by the County Commissioner.

RAILROAD TANK CARS WITH THE ENDS REMOVED-TANK CARS SHALL BE READY TO INSTALL. PRICE SHOULD INCLUDE DELIVERY.

Table with 2 columns: PRICE PER FOOT and dimensions (6', 7', 8', 9').

RAILROAD FLATCARS: PRICE PER FOOT: 8' _____ 9' _____ 10' _____

10' DIAMETER 1/2 TANK DELIVERED WITH MINIMUM 15" WIDE CHANNEL IRON FOOTERS, MINIMUM 3/4" THICK.

Table with 4 columns: PRODUCT And AREA, PRICE PER TON, PRICE/0 - 10,000 SQ. YDS, OVER 10,000 SQ. YDS. Lists products like KILN DUST, Geary, Okarche, etc.

SPECIFICATIONS FOR SUBGRADE MODIFICATION:

DESCRIPTION: This work shall consist of constructing one or more courses of a mixture of soil, fly ash, lime or cement kiln dust as required and water, in accordance with these specifications and in reasonably close conformity with the lines, grades and typical cross sections shown on the Plans or established by the Engineer.

MATERIALS: Materials shall meet the requirements specified in the following Sections and Subsections of Section 700-Materials
CEMENT KILN DUST AS PER SPECIFICATIONS

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

DELIVERED MATERIAL COSTS:

Delivered cost to any designated area in the following delivery zones. The total delivered cost shall include the cost of the material, all applicable hauling costs including but not limited to, dump or spread fees, fuel surcharges, loading, unloading and or weighing costs. Use trucking district map enclosed for detail on zone area.

Notice required by vendor prior to delivery: _____ hours

We agree to deliver within a 2 hour time window of the specified delivery time. YES _____ NO _____

List any exceptions to specifications: _____

Material Manufacturer: _____

Location: _____

Dealer Name: _____ Contact Person: _____

MATERIAL:

Cement Kiln Dust for soil stabilization: The cement kiln dust is to be used for soil stabilization in lieu of lime or fly ash: Cement Kiln Dust is required to meet the following chemical composition:

S102 14.30%	AL203 3.50%	Fe203 1.79%	CaO 48.46%	MgO 1.65%	SO3 4.25%
Na20 0.32%	K2O 3.08%	LOI 20%			

The material should have a free lime content of 8 to 10% with a bulk density of 70 to 80lbs. a cubic foot. The material should be free of clumps or partially set CKD. Material that has become wet or partially set will not be accepted for payment and will be removed from the roadway at the cost of the vendor. The material should be delivered in closed or tarped trucks to the jobsite. The vendor is advised that timely delivery will be required. The successful bidder may be required to deliver as many as ten loads per day, all within a two hour time window. Untimely delivery will be considered grounds for revocation of this bid contract.

EQUIPMENT:

GENERAL: All earthwork equipment necessary for construction of stabilized sub-grade shall be in good operating condition, and equipped with all safety equipment required by law. The following equipment is subject to the specifications below and furnished in accordance with the requirements of the contract.

TRAVELING PLANTS: Traveling plants used for asphalt pulverization and soil mixing shall be equipped with carbide teeth and shall be capable of mixing up to one foot in depth in a single pass.

COMPACTORS: Equipment for compaction shall meet the requirements of section 301 subsection C2 and C3 (ODOT Standard Specifications, 1988 Edition) with the following additions. The soil compactor shall be vibratory and have a minimum drum width of 84 inches. The contractor shall also have a self-propelled pneumatic roller, not less than 5 tons in weight that covers a rolling width of 60 inches.

WATERING EQUIPMENT: Water trucks or water wagons will have positive and rapidly working valves and a pressurized water spray system that delivers the water in a uniform spray pattern. Gravity feed water systems will not be allowed.

RESPECTFULLY SUBMITTED BY: _____



BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

CONSTRUCTION METHODS:

GENERAL: It is the primary requirement of these specifications to secure a completed course or courses of sub-grade materials containing a uniform mixture of the stabilization additive required, with uniform density and moisture content, free from loose or segregated area and well bound for its full depth with a smooth surface suitable for placing subsequent courses. It shall be the responsibility of the contractor to regulate the sequence of his work, to use the prescribed amount of stabilization additive, to maintain the work and re-work the courses as necessary to meet the above requirements.

WEATHER LIMITATIONS: Stabilization operations shall not be performed when the sub-grade is frozen or when the air temperature in the shade is less than 40 degrees F. The contractor shall be responsible for the protection and quality of the modified sub-grade mixture under any weather conditions.

PREPARATION OF EXISTING ROADBED: Prior to stabilization, the roadbed shall be thoroughly pulverized to the point that all the processed and broken asphalt will pass a 3-inch sieve. Except by special permission from the Engineer, the length of roadway that may be pulverized at any time shall not exceed the length in which stabilization and compaction can be completed in two calendar days. The road bed will then be shaped and graded to be in reasonably close in conformity with the typical section, lines and grades as shown on the plans or as established by the Engineer. The contractor may be required to proof roll the sub-grade and to correct any soft areas that this rolling may reveal.

SCARIFYING AND LOOSENING: In some instances, scarifying and loosening may be required prior to stabilization to achieve the desired results as determined by the Engineer. Precautions shall be taken to avoid forming furrows of loosened material below the depth specified for the bottom of the modified sub-grade. Except by special permission from the Engineer, the length of roadway scarified and loosened at any time shall not exceed the length in which mixing compaction can be completed in two calendar days. In sub-grade extents designated on the Plans or by the Engineer as having excessive rock, the dimensions or quantities of which 25 percent or more are greater than 2.5 inches in size makes compliance with these specifications impractical, the Engineer may waive certain portions of the work as described below. The Engineer may require exploratory scarifying by the Contractor before designation of extents for which full compliance of these specifications is waived.

APPLICATION OF STABILIZATION MATERIALS: The proportion of the material indicated on the plans is approximate. The material shall be applied at the rate prescribed by the Engineer based on tests of the sub grade soil. Equipment necessary for proper control of the application rate shall be provided by the Contractor. Where tests indicate a significant change in the sub-grade soil, the Engineer will establish a new rate as deemed necessary for the section of road affected and prescribe a new application rate. Dry methods of application shall be utilized for placement of the cement kiln dust and fly ash onto the sub grade. Equipment for spreading shall be approved types which demonstrate the ability to distribute the material uniformly. Stabilization shall not be attempted when wind conditions are such that blowing dust becomes objectionable to traffic or adjacent property owners. Materials shall be placed only on that area of roadway where mixing, compaction and finishing can be completed in the same day. (Initial Mixing for lime) During the interval of time between application and completion of the first mixing operations, fly ash or cement kiln dust that has been exposed to weather conditions resulting in excessive wetting or excessive loss by blowing will not be accepted for payment. Stabilization material unacceptable as the result of wetting shall be removed from the roadway at the direction of the Engineer.

MIXING:

GENERAL: Spreading and mixing of fly ash or cement kiln dust material and the sub-grade soil shall be a continuous construction operation. The work area for a single traveling plant shall not exceed 4,000 square yards per day unless otherwise authorized by the Engineer.

FIRST MIXING: The moisture content of the sub-grade soil shall not exceed 80 percent of the optimum as determined as AASHTO T 99 at the time of first mixing. The soil and stabilization additive shall be mixed until a uniform mixture is obtained in which all clods and non-aggregate lumps are reduced to a maximum of 2.5 inch diameter size. The addition of water will not be permitted during the first mixing. First mixing operations shall begin no later than four hours after application of the additive. When deemed necessary by the Engineer, any portion of the work area shall be rescarified and additional material added to ensure adequate soil modification.



BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

CURING PERIOD: There will be a mandatory curing period of 48 hours when lime is used for stabilization. The sub-grade will be kept damp during the curing period and free of ruts or depressions that hold any excessive water on the sub-grade. There will be no curing period or delay allowed between the first and final mixing of fly ash or cement kiln dust, these products must be installed in a continuous operation.

FINAL MIXING: After the soil and stabilization materials have been satisfactorily mixed, additions of water shall be made in the final mixing operations to complete the stabilization process. The method of mixing shall be an approved procedure utilizing a traveling mixing plant, which demonstrates uniform dispersion of stabilization material and water throughout the soil materials. The quantity of water necessary for the final mixing operations will vary with the nature of the materials normally 1 to 3 percentage points above the optimum moisture content of the compacted modified soil. Sufficient water in any case shall be added in the final mixing process to insure chemical action between the stabilization material and the soil. To insure proper moisture and density control, the contractor shall employ a qualified technician with a nuclear density gauge to confirm the moisture content of the sub-grade during the final mixing process. All clods (exclusive of aggregate) shall be reduced in size by mixing until the soil-cement kiln dust mixture meets the following size requirements when tested with laboratory sieves:

SIEVE SIZE:	PERCENT PASSING
1 ½ inch	100 for lime, fly ash or cement kiln dust
¾ inch	50 minimum for fly ash or cement kiln dust
#4	50 minimum for lime

COMPACTION:

Compaction of the stabilized base shall be performed immediately after final mixing, where in the compaction operation shall be a continuation of the final mixing operation. The sub-grade shall be compacted without delay and before any applicable loss of mixing moisture occurs. Mixing and compaction operations shall be performed in such a manner that the mixture will be compacted within plus 3 percentage points or minus 1-percentage points of optimum moisture content. However, during the course of construction, changes or adjustments in the specified moisture requirements to meet field conditions may be authorized by the engineer. Compaction shall continue until the entire depth of the mixture is uniformly compacted to not less than 95% of standard proctor density. The rate of operation and the number of rollers shall be sufficient to uniformly compact the section of roadway being processed within 3 hours of final mixing for fly ash or kiln dust.

The material shall be continually sprinkled and rolled. All irregularities, depressions or weak spots which develop shall be corrected immediately by scarifying the area affected, adding or removing material as required and reshaping and re-compacting by sprinkling and rolling.

In addition to the requirements specified for density, the full depth of the material shown on the plans shall be uniformly compacted to the extent necessary to remain firm and stable under construction equipment. After each section is completed, density tests as necessary will be made by the Engineer for acceptance. If the material fails to meet the density requirements, it shall be reworked as necessary to meet these requirements. Throughout this entire operation the shape of the base course shall be maintained and the surface upon completion shall be smooth and in conformity with the typical section shown on the plans and to the established lines and grades. Should the material, due to any reason or cause, lose the required stability, density or finish before the next course is placed of the work accepted; it shall be reworked and refinished at the sole expense of the Contractor.

In areas designated by the Engineer as excessive rock areas, it is the intent that compaction be in substantial compliance with these specifications. However, it is recognized that in some instances the mixture may not be uniform and some variation is possible in both the target density and optimum moisture. In the event the in-place density tests are not practical due to varying amounts of aggregate in the stabilization mixture, the Engineer may waive the density and moisture content requirements, and approve the sub grade compaction by visual observation with a approved test roller that has a minimum loaded weight of 25 tons.

FINISHING AND CURING: After the final layer of the modified sub grade has been compacted, it shall be brought within reasonable compliance to the lines, grades and typical sections. The completed section shall then be finished with a suitable roller sufficiently light to prevent hair cracking. The modified materials shall be maintained at a moisture content satisfactory for proper curing by sprinkling for a period of 14 days or until a prime, seal, or succeeding course is placed, whichever occurs first.



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

SURFACE TOLERANCE:

The finished surface tolerance shall be in conformity with Section 301 (ODOT Standard Specifications, 1988 Edition).

METHOD OF MEASUREMENT:

- (a) Cement Kiln Dust will be measured by the ton.
- (b) Modified sub-grade will be measured by the square yards of sub-grade modification completed in place.
- (c) Water will not be measured for payment.

BASIS OF PAYMENT: Accepted quantities for modified sub-grade measured as provided above, will be paid for at the contract unit price for:

- (d) Cement Kiln Dust TON
- (e) Sub-grade Modification SQ. YARD

which shall be full compensation for furnishing all materials, equipment, labor and incidentals to complete the work as specified. Payment for quick lime shall be based upon a 90 percent available lime index by rapid sugar method, calculated as percent CaO by weight. Payment for hydrated lime shall be based upon a 90 percent available lime index, by rapid sugar method, calculated as percent Ca(OH)₂ by weight. When the available lime index percentage falls below 90 percent, payment will be made at an adjusted price. The adjusted price shall be reduced at the rate of one percent of the contract unit bid price for lime and for each percent, or fraction thereof, from 90.0 percent down to and including an available lime index of 80.0 percent. When the available lime index falls below 80.0 percent for the type of lime used, the contractor shall add a sufficient quantity of additional lime of the same type to bring the total amount to the required 90.0 percent of the available lime index at no additional cost to the department.

Bidder agrees to furnish and deliver the materials called for in bid specifications at the various locations and Districts listed above for the unit prices indicated. Delivery will be in truckload lots.

RUBBERIZED ARMOR COAT BINDER: applied in place:

The contractor shall furnish computerized distributor, computerized chip spreader, two dump trucks, and personnel required to armor coat existing base, including personnel familiar with product use and application, or, manufacturer's representative. The County shall provide armor coat binder, two dump trucks, and 3/8" or 5/8" at county discretion washed cover aggregate conforming to ODOT Specifications 703.02 and 703.03, and shall provide all other equipment including the required traffic control personnel, signs and equipment.

BID PRICE FOR ARMOR COAT APPLICATION \$ _____ PRICE PER SQ. YARD.

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

BITUMINOUS SEAL COAT: MATERIAL APPLIED AND FURNISHED PER MILE:
18' ROADWAY 20' ROADWAY 22' ROADWAY

SPECIFICATIONS: Seal Coat to be applied at the minimum rate of 0.05, to a maximum of 0.10 gallons of residual per square yard of surface area. The residual per square yard will be determined by the COUNTY by the surface condition. Seal coat will be capable of enhancing the existing bituminous chip materials as listed below:

- a) Penetration increases a minimum of three (3) points.
b) Absolute viscosity reduced a minimum of 20%.
c) Ductility increased a minimum of 30%.
d) Material to increase high temperature stability.
e) Delay the aging of the existing bituminous materials.
f) Improve low temperature flexibility.
g) Improve adhesion to reduce aggregate loss.
h) Eliminate moisture penetration.
i) Penetrate into the first layer of chip to give more flexibility.
j) Decrease cracking and bleeding problems.
k) Eliminate hairline cracks of less than 1/4 inch.
l) The sealer will not track or bleed after it has cured.

The County reserves the right to test the existing road surface (oil material) before and after the Seal Coat application to determine the changed induced by the Seal Coat. Bid price to include the cost per square yard to furnish and apply the material. Material to be guaranteed for one (1) year when applied according to Manufactures Construction Methods. Traffic control to be furnished by the Vendor.

SPECIFICATION: Refer to current ODOT Specifications, Section 402, Special Bituminous Surface Treatment, 402.01 Special Description. Minimum of 1/2 mile.

BLEED CONTROL EMULSION: MATERIAL APPLIED PER GALLON IN PLACE: \$ _____
MATERIAL PER GALLON \$ _____

MOWING/LAWN CARE: (To include Judicial Building, Courthouse, Yukon Health Department, Sheriff's Office, Free Fair and OSU Extension) ALSO WORK TO BE DONE ON COUNTY OWNED LOTS - INCLUDING TREASURER'S PROPERTY. WORK TO INCLUDE MOWING, WEED-EATING, EDGING, HEDGING, TRASH REMOVAL, BRUSH HOG AND TRACTOR. LOTS AND LAWNS WILL BE INSPECTED BEFORE PAYMENT IS MADE. NO SUB-CONTRACTING WILL BE ALLOWED. (This Bid will be awarded to the combined lowest and best bid). 1-HOUR MINIMUM. Vendor is also required to have proof of Insurance. List all equipment.

BRUSH HOG AND TRACTOR PER HOUR \$ _____
HAND MOWING PER HOUR \$ _____
RIDING MOWER PER HOUR \$ _____
WEED-EATING PER HOUR \$ _____
EDGING PER HOUR \$ _____
HEDGING PER HOUR \$ _____
TRASH REMOVAL PER HOUR \$ _____

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

SPRAYING FOR WEEDS FOR ALL COUNTY BUILDINGS: (To include Judicial Building, Courthouse, Yukon Health Department, Sheriff's Office and Juvenile Detention Center) \$ _____ per sq. yd.

LOTS AND LAWNS WILL BE INSPECTED BEFORE PAYMENT IS MADE. NO SUB-CONTRACTING WILL BE ALLOWED.

BILLS WILL BE PRESENTED AT TWO WEEK INTERVALS-PAYMENT WILL BE MADE WITHIN 2 WEEKS.

FOOD FOR CANADIAN COUNTY JAIL AND/OR CANADIAN COUNTY JUVENILE JUSTICE DETENTION CENTER: JAIL LOCATION: 208 W. ROGERS EI RENO, OK / DETENTION CENTER: 7905 E. HWY. 66 EL RENO, OK

GROUND BEEF: price per pound: \$ _____; purchase for jail and detention center.

CHICKEN LEGS: price per pound: \$ _____; purchase for detention center only.

CHICKEN THIGHS: price per pound: \$ _____; purchase for detention center only.

CHICKEN QUARTERS: price per pound: \$ _____; purchase for detention center only.

DELIVERIES ARE TO BE MADE TO CANADIAN COUNTY JAIL OR CANADIAN COUNTY JUVENILE JUSTICE CENTER. MEAT ORDERS ARE TO BE DELIVERED WITHIN 5 DAYS OF RECEIVING ORDER.

RENTAL OF EQUIPMENT: See Terms and conditions.

<u>EQUIPMENT:</u>	<u>HP:</u>	<u>WGT/YDS:</u>	<u>PRICE PER:</u>	
			<u>WEEK:</u>	<u>MONTH:</u>
ASPHALT RECLAIMER	_____	_____	\$ _____	\$ _____
	_____	_____	\$ _____	\$ _____
	_____	_____	\$ _____	\$ _____
PULVA MIXER	_____	_____	\$ _____	\$ _____
	_____	_____	\$ _____	\$ _____
	_____	_____	\$ _____	\$ _____
DISTRUBUTOR TRUCK (County to furnish oil)		With Operator	\$ _____	\$ _____
		Without Operator	\$ _____	\$ _____

TERMS AND CONDITIONS: Awarded Vendor shall deliver and pickup equipment to location ordered by Canadian County. County will carry at its own expense general liability insurance. Vendor will perform the regular manufacturers scheduled maintenance intervals (other than daily and weekly for which the County is responsible) including replacement of wear items, tires and undercarriage components during the term of the rental. Other than replacement due to damage resulting from County's negligence or from vandalism. County agrees to notify Vendor when the service meter indicates scheduled maintenance is due and to make the equipment available to complete the required maintenance. Vendor will perform the regular manufacturer's scheduled maintenance intervals including replacement of wear items, tires and Vendor will furnish to the County all fluids, filters and

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

replaceable wear items in the event County wishes to perform the equipment maintenance after normal working hours or on weekends. Scheduled maintenance must be performed at no less than 250 service meter hours or 6 weeks use. County is responsible for the cost of all repairs due to abuse, damage, neglect, and improper operation, failure to replace wear items or perform manufacturer's recommended daily and weekly lubrication and inspections. County will pay such repair costs. Vendor is responsible for all other repairs and Vendor and County will determine the locations and extent of such repairs. County will return the equipment in the same condition as received, less reasonable wear and tear. County will have no option to purchase the equipment rented.

COUNTY AND VENDOR WILL NEED A SIGNED EQUIPMENT RENTAL AGREEMENT APPROVED BY THE BOARD OF COUNTY COMMISSIONERS BEFORE THE RENTAL PROCESS IS TO BEGIN. THE RENTAL AGREEMENT WILL BE INITIATED AND SUPPLIED BY THE AWARDED VENDOR.

LIQUID CALCIUM CHLORIDE: Liquid Calcium Chloride is to be delivered and installed in place at jobsite location ordered by Canadian County. Product shall meet the following specifications:

Liquid Calcium Chloride – 34%, 38% (CaC12) liquid solution to meet or exceed ASTM D-98-87 and AASHTO M144-86 specifications. 4,000 minimum order load.

PRICE PER GALLON @34%: _____.

PRICE PER GALLON @38%: _____.

MAGNESIUM CHLORIDE: (MgC1) (Commercial Grade) Minimum 31% MgC1 liquid solution. Unit price will be reduced for any loads not meeting the minimum % MgC1 solid furnished. 4,300 Minimum order load.

PRICE PER GALLON @31%: _____.

Products bid are liquid solution, not requiring any mixing, blending or dissolving. Delivery of product shall begin within 24 hours of placing order. A material's certification may be required to be furnished with each truckload.

APPLICATION: for both calcium and magnesium chloride.

1. Vendor is to provide application of liquid CaC12 solution stabilization agent to roadway. County is not responsible for applying liquid CaC12 stabilizer.
2. Application equipment shall be a pressurized spray unit specifically designed for road treatment and application of liquid CaC12 stabilization agent. Application equipment shall be able to spray up to 24 ft. wide in one pass and capable of applying CaC12 stabilizer at an application rate of 0.25 – 0.35 gallon per square yard per single pass.
3. If county is applying CaC1 with a re-claimer, vendor will apply CaC1 as a topcoat at a rate of 0.25 per gallon per square yard in one pass.
4. County will prepare the roadbed prior to contractor applying CaC12. Application rate, width of application will be determined at the jobsite by the project supervisor.

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

DRY CALCIUM CHLORIDE AND DRY MAGNESIUM CHLORIDE: product shall be delivered to various locations in Canadian County, no applications will be required with the purchase of the dry product. The bid price shall include the delivery charges. No surcharges will be allowed.

- | | | |
|----------------------------------|--------------|----------|
| 1. Dry Calcium Chloride Pellets: | 40 lb. bag | \$ _____ |
| | 50 lb. bag | \$ _____ |
| | 80 lb. bag | \$ _____ |
| | 50 lb. box | \$ _____ |
| | 100 lb. box | \$ _____ |
| | 100 lb. drum | \$ _____ |
| 2. Dry Magnesium Chloride: | 50 lb. bag | \$ _____ |

NOTE: DELIVERY OF LIQUID CALCIUM CHLORIDE, LIQUID MAGNESIUM CHLORIDE, DRY CALCIUM CHLORIDE AND DRY MAGENSIUM CHLORIDE SHALL BEGIN WITHIN 24 HOURS OF PLACING ORDER.

OIL AND CHIPPING
(price per mile)

20'ROADWAY **22'ROADWAY**
SINGLE BITUMINOUS

- | | | |
|---|-------|-------|
| 1) Asphalt chipping complete Vendor will furnish everything. Include rolling & prime coat. | _____ | _____ |
| 2) Vendor will furnish equipment and labor, including rolling. County will furnish oil and chips. | _____ | _____ |
| 3) County to furnish oil, Vendor to furnish all other. | _____ | _____ |
| 4) County to furnish chips, Vendor to furnish all other. | _____ | _____ |

VENDOR TO FURNISH TRAFFIC CONTROL

OIL AND CHIPPING
(price per mile)

20'ROADWAY **22'ROADWAY**
DOUBLE BITUMINOUS

- | | | |
|--|-------|-------|
| 1) Asphalt chipping complete Vendor will furnish everything. Include rolling & prime coat. | _____ | _____ |
|--|-------|-------|

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

(Continued)

OIL AND CHIPPING
(price per mile)

20' ROADWAY
DOUBLE BITUMINOUS

22' ROADWAY
DOUBLE BITUMINOUS

2) Vendor will furnish equipment and labor, including rolling. County will furnish oil and chips.

3) County to furnish oil, Vendor to furnish all other.

4) County to furnish chips, Vendor to furnish all other

VENDOR TO FURNISH TRAFFIC CONTROL

ROADBOND LIQUID STABILIZER-(EN-1)

1. DESCRIPTION:

This specification shall govern for any liquid stabilizer equal or approved equal to patented EN-1 intended primarily as a material stabilizer for mixing and compacting material in accordance with specifications governing base and/or sub-grade courses.

2. MATERIAL:

Roadbond (EN-1) Soil Stabilizer is a sulfonated D-limonene bioenzyme, which contains a strong oxidizer, a powerful solvent, and natural dispersant that interacts with natural road materials.

3. REQUIREMENTS:

Roadbond liquid stabilizer shall be stored and handled in closed, five (5) gallon weatherproof containers until immediate distribution on the road. Roadbond materials must be stored in covered storage and well ventilated with adequate protection from flooding or damage.

Price per gallon: \$ _____

Bidder agrees to deliver asphaltic materials in truck tank lots within 24 hours notice from the County Purchasing Department. The material shall be maintained at satisfactory temperature until it is loaded into the County Equipment. Demurrage or delivery charges will be allowed in case of delay or failure of the county to accept the material because of breakdown of county equipment or weather conditions. Place of delivery shall be listed on the invoice. Failure to the supplier to deliver materials at the proper time and place as ordered by the County can result in loss of time charge affected by the County on the supplier Asphaltic Materials shall meet ODOT Specifications "Section 700 Materials" Current Edition. Materials delivered shall have certified test reports furnish by Vendor showing material meets specifications.

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

ASPHALTIC MATERIALS-FOB CANADIAN COUNTY JOBSITE-PRICE PER GALLON:

AC 7.5 _____ MINIMUM LOAD _____
AC _____
MC 30 _____ DEMURRAGE CHARGE _____
MC 800 _____
MC 3000 _____
SS 1 _____
SS 1H _____ PUMP CHARGE _____
CRS 2 _____
MS 2 _____ APPLICATION OF MATERIALS:
CMS 1 _____ PER GALLON \$ _____
CRS2+ _____
AEP _____

BITUMINOUS MATERIALS-FOB _____ PLANT, SPECIFY LOAD MINIMUM

PRICE PER TON: (LOCATION)
5 TONS OR LESS MORE THAN 5 TONS
HOT MIX ASPHALT _____
SAND ASPHALT _____
HOT MIX COLD LAY _____

HOT MIX HAULED AND IN PLACE-FOB JOBSITE-PRICE PER TON: 700 to 1400 TONS:

EL RENO _____ PIEDMONT _____
YUKON _____ MUSTANG _____
CALUMET _____ UNION CITY _____
MAPLE _____ OKARCHE _____
WALNUT _____ GEARY _____

HOT MIX HAULED AND IN PLACE: FOB JOBSITE: PRICE PER TON: OVER 1400 TONS:

EL RENO _____ PIEDMONT _____
YUKON _____ MUSTANG _____
CALUMET _____ UNION CITY _____
MAPLE _____ OKARCHE _____
WALNUT _____ GEARY _____

*ALL ROCK TO COMPLY WITH ODOT SPECIFICATIONS "SECTION 700 MATERIALS" CURRENT EDITION.

Table with columns: ROAD ROCK: price per ton:, (please specify pit), (OTHER). Rows include *3/8" #2 cover, *5/8" #3 cover, *5/8" #3 washed cover, *3/8" #2 washed cover, 1/4" shot.

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

(Continued)

Table with 5 columns: ROAD ROCK: price per ton, (please specify pit) FOB RICHARD SPUR, FOB CYRIL, FOB COOPERTON, (OTHER) FOB. Rows include various rock types like #3/4" #1 cover, 1/2" crusher run, etc.

ON ALL SURGE ROCK, PLEASE SPECIFY 4", 6", 8".

Table with 4 columns: PROCESSED GYP- PRICE PER TON, FOB WEATHERFORD, FOB SOUTHARD, (OTHER PIT) FOB. Rows include 1/2" crusher run, 3/4" crusher run, etc.

CRUSHER RUN GYP - PICKED UP BY THE COUNTY

PIT LOCATION: _____

PRICE PER TON: _____

3" minus _____

ROCK PICKED UP BY THE COUNTY FROM PLANT IN YUKON: PRICE PER TON:

Table with 2 columns: Description, Price per ton. Rows include *3/8" #2 cover, 5/8" #3 cover, etc.

ROCK PICKED UP BY THE COUNTY FROM PLANT IN HYDRO: PRICE PER TON:

Table with 2 columns: Description, Price per ton. Rows include *3/8" # 2 cover, *5/8" # 3 cover, etc.

RESPECTFULLY SUBMITTED BY: _____



**RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY**

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

(Continued)

**ROCK PICKED UP BY THE COUNTY FROM
PLANT IN YUKON: PRICE PER TON:**

1" #67	_____
2 1/2" crusher run	_____
3/8" screenings	_____
1 1/2" crusher run	_____
4" surge rock	_____
1" crusher run	_____
*3/8" #2 washed cover	_____
3/8" rinsed shot	_____
3/8" granite chips	_____
1/4" granite chips	_____
Rip Rap	_____

**ROCK PICKED UP BY THE COUNTY FROM
PLANT IN HYDRO: PRICE PER TON:**

1/2" crusher run	_____
1 1/2" crusher run	_____
2 1/2" crusher run	_____
Surge Rock 4", 6" 8"	_____
3/8" screenings	_____
1" crusher run	_____
1/4" granite chips	_____
3/8" granite chips	_____
1/2" # 57	_____
1/2" Class B	_____
1" # 67	_____
Rip Rap	_____

PROCESSED SHALE: PRICE/TON:

Price per ton if loaded by Vendor:
\$ _____

Price per ton if loaded by County:
\$ _____

PLEASE SPECIFY LOCATION:

RESPECTFULLY SUBMITTED BY: _____



**Canadian County
Purchasing**

**Six Month Bids
July 1 – December 31, 2011**

Date Issued: May 9, 2011
Bid Number: **SIX MONTH BIDS**
Closing Date: June 3, 2011 at 4:00pm
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036
Opening Date: June 6, 2011 at 9:30am
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ AFFIDAVIT~
Six Month Bids

State of Oklahoma)
County of Canadian) §

I, Sherry Murray, Purchasing Agent, in and for said County and State, do hereby certify that "Invitations to Bid" were sent to the following:

Aspen Building Services
Attn: Dana Soupene
4618 North Classen Blvd
Oklahoma City, OK 73118

Asphalt & Fuel
4200 E Shelly Drive, Suite 600
Tulsa, OK 74135-3210

Asphalt & Fuel Supply
11282 Hemlock Street
Overland Park, KS 66210

Asphalt Maintenance
604 South Main
Coats, KS 67028

Atlas Asphalt Products Inc
Attn: Tyle
PO Box 75727
Oklahoma City, OK 73147

Atlas Paving Co
Attn: Tyle
PO Box 75727
Oklahoma City, OK 73147

Beachlers IGA
210 E Elm
El Reno, OK 73036

Bid News Construction
5727 S Garnett Road, Suite H
Tulsa, OK 74146

Bilderback Mowing
5108 W Jensen Road
El Reno, OK 73036

Blaco Construction, LLC
7700 NW 3rd Street
Oklahoma City, OK 73127

Boral Aggregates
1400 S Holly
Yukon, OK 73099

Bordwine Development Inc
Attn: Terry W Jones
1102 Pikes Peak Road
Chickasha, OK 73018

Breshears Trucking
11001 Ranch Road
Mustang, OK 73064

Bridge & Highway Materials
PO Box 228
Enid, OK 73702

C.L. Boyd
PO Box 26427
Oklahoma City, OK 73126

Dale Brown Inc
PO Box 18724
Oklahoma City, OK 73154

Diamond Gypsum
PO Box 622
Okarche, OK 73762

Ditch Witch of Oklahoma
4501 E 2nd Street
Edmond, OK 73034

Dolese Bros Co
PO Box 677
Oklahoma City, OK 73101-0677

EPlan
3338 Brown Station Road
Columbia, MO 65202

Ergon Asphalt & Emulsions, Inc
Attn: Johnny
9301 SW Koch Street
Lawton, OK 73505

Estes Chemical Inc
1819 NW 5th Street
Oklahoma City, OK 73106

Farmers Supply
PO Box 443
Cheyenne, OK 73628

Fedvest
Attn: Ernie Hopkins
2200 Lucien Way, Suite 400
Maitland, FL 32751



**Canadian County
Purchasing**

**Six Month Bids
July 1 – December 31, 2011**

Francis Tuttle Vo-Tech Center
Attn: Bid Assistance-Judy Robbins
12777 N Rockwell
Oklahoma City, OK 73142

Gary Williams Energy Corp
1207 Sovereign Row
Oklahoma City, OK 73108

Hanson Aggregates
300 E John Carpenter Freeway
Irving, TX 75062

Haskell Lemon Construction
PO Box 75608
Oklahoma City, OK 73147

Helena Chemical
310 Jensen Road East
El Reno, OK 73036

J & S Stabilization
PO Box 750
Wheatland, OK 73097

Joe Brown Co Inc
PO Box 1669
Ardmore, OK 73402

K&O Construction
PO Box 1845
Enid, OK 73702

Kirby Smith
PO Box 270300
Oklahoma City, OK 73137

Kris and Shelly Johnson
4435 Hefner Road NE
El Reno, OK 73036

Logan County Asphalt
2905 Commerce Blvd
Guthrie, OK 73044

Markwell Paving
PO Box 82005
Oklahoma City, OK 73148

Martin Marietta Materials
229 N Service Road, Suite 1
Moore, OK 73160

MMS
PO Box 324
Dover, OK 73134

Nickelback Transport
Attn: Mike Hall
7022 Fairview Road
Davis, OK 73030

Northern Equipment
1300 W Chestnut
Enid, OK 73702

Online Data Services
PO Box 1476
Decatur, GA 30031

Opitz Dozer Service
Rt 2 Box 11C
Hinton, OK 73047

Poindexter Transportation LLC
10055 Southridge Drive
Oklahoma City, OK 73159

Railroad Yard
PO Box 2283
Stillwater, OK 74076

Road Construction Specialties LLC
PO Box 720112
Oklahoma City, OK 73172

Schwarz Paving
8251 W Reno
Oklahoma City, OK 73127

Schwarz Ready Mix
PO Box 850450
Yukon, OK 73085

Science
Attn: Ajit Gulati
900 Hart Street
Rahway, NJ 07065

Scotwood Industries, Inc
12980 Metcalf Ave., Suite 240
Overland Park, KS 66213

Silver Star Construction
2401 S Broadway
Moore, OK 73160

Sorco Products
PO Box 1230
Cushing, OK 74023

Stromberg Lumber Company
Attn: Hale Stromberg
PO Box 1412
Ardmore, OK 73402

Sunbelt Equipment
Route 3 Box 225
Meeker, OK 74855

T.J. Campbell Construction
PO Box 15129
Oklahoma City, OK 73155

Time Striping Inc
PO Box 1236
Van Buren, AR 72957

Trugreen Limited Partnership
7016 Camille Ave
Oklahoma City, OK 73149

Turf Care and Beyond
PO Box 506
El Reno, OK 73036

US Script
Attn: Melissa Daniels
6815 Manhattan Boulevard, Suite 400
Fort Worth, TX 76120

V.J. Stone
3244 NW Grand Blvd
Oklahoma City, OK 73116

Vance Brothers Inc
Attn: Wendell Nolan
9306 E 11th Street, Suite A
Tulsa, OK 74112



**Canadian County
Purchasing**

**Six Month Bids
July 1 – December 31, 2011**

VanKeppel's
8233 W Reno
Oklahoma City, OK 73125

Warren Cat
PO Box 270720
Oklahoma City, OK 73137
El Reno, OK 73036

Wet Willie's
Custom Mowing & Brush Hog Service
PO Box 326


Woods & Sons Paving
200 N I-35
Edmond, OK 73034

Xpedx
3400 Melcat Drive
Oklahoma City, OK 73179

Keeling Company
beaton@keelingcompany.com

Donelson Construction Co., LLC
1075 Wise Hill Road
Clever, MO 65631

Witness my hand and seal this 9th day of May, 2011.



Sherry Murray, Purchasing Agent

(SEAL)



If you have any questions or need additional information, please contact:
Sherry Murray, Purchasing Agent, 405.295.6125 or 405.422.2441