

SA&I 1-4040 (2000)

Canadian \_\_\_\_\_ County, Oklahoma  
 COUNTY PURCHASING OFFICE  
 Canadian \_\_\_\_\_ County Court House  
 El Reno \_\_\_\_\_, Oklahoma  
 Phone: ( 405 ) 422-2441

INVITATION TO BID

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE  
 SIDE RELATING TO SUBMISSION OF THIS BID.  
 Notarized Affidavit completions and signature required on reverse side.

DATE ISSUED  
 January 14, 2013  
 Page 1 of 2

BID NUMBER #2013-#15 Hydraulic Excavator / District #1	BID CLOSING DATE AND HOUR Feb. 1, 2013 at 4:00 pm	REQUIRED DELIVERY DATE SEE SPECIFICATIONS _____ Days after award of Purchase Order
---	--	--

TERMS Net, FOB this bid will open February 4, 2013 at 9:30am	DATE OF DELIVERY: SEE SPECIFICATIONS
---	---

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
1 or more			<p>Canadian County Distirct #1 is seeking bids for one or more new latest production model track-mounted, hydraulic excavators. This will be a lease purchase.</p> <p>See Specifications attached.</p> <p><b>Delivery time will have an effect on the awarding of this bid.</b></p> <p>The Board of Canadian County Commissioners reserves the right to reject any and all bids or to award all or any portion of the items bid. All data will be considered in the awarding of the bid including the delivery time.</p> <p><u>The reverse of this sheet must be completed and returned or the bid will be rejected.</u></p> <p>Contact person: Justin Atkinson, Foreman - District #1            1103 N Shepard Avenue            El Reno, OK 73036            (405) 262-4673</p>		\$ _____ Total

APPROVED  
 Date Jan 5 2013  
Phil Carson  
 Officer of Department Head

13034

### TERMS AND CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, Canadian  
County Courthouse, 201 N. Choctaw Avenue, El Reno, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Canadian County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until 03/04/2013  
(DATE)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this \_\_\_\_\_ day

of \_\_\_\_\_, 20 \_\_\_\_\_

(SEAL)

Firm: \_\_\_\_\_

My commission expires \_\_\_\_\_

Signed by: \_\_\_\_\_ Title: \_\_\_\_\_  
(Manual Signature of Undersigned)

\_\_\_\_\_  
NOTARY PUBLIC (CLERK OR JUDGE)

Address: \_\_\_\_\_ Phone: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip: \_\_\_\_\_

Please mail sealed bids to:  
Canadian County Clerk's Office  
Attn: Purchasing  
PO Box 458  
El Reno, OK 73036

Street Address:  
201 N Choctaw Avenue  
El Reno, OK 73036



**Canadian County  
Purchasing**

**Bid Specifications**

Date Issued: January 14, 2013  
Bid Number: **2013-#15**  
Closing Date: February 1, 2013 at 4:00pm  
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036  
Opening Date: February 4, 2013 at 9:30am  
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

-----  
~ SPECIFICATIONS ~

**Hydraulic Excavator / District #1**

Canadian County District #1 is seeking bids for a lease purchase for 1 or more new latest production model track-mounted, hydraulic excavators.

Canadian County requests vendor's bid to include 36, 48, and 60 month full-payout financing to be completed on an SA&I 12b (2001) lease-purchase agreement and all associated documents in compliance with the State of Oklahoma County Purchasing requirements. Sample documents are not required with this bid request. Vendor shall state the interest rate and monthly payments and the total of payment including interest (Lease-Purchase Price).

36 Month Lease proposal:  
Interest rate \_\_\_\_\_ %      Monthly Payment: \$ \_\_\_\_\_      Total of Payment with interest: \$ \_\_\_\_\_

48 Month Lease proposal:  
Interest rate \_\_\_\_\_ %      Monthly Payment: \$ \_\_\_\_\_      Total of Payment with interest: \$ \_\_\_\_\_

60 Month Lease proposal:  
Interest rate: \_\_\_\_\_ %      Monthly Payment: \$ \_\_\_\_\_      Total of Payment with interest: \$ \_\_\_\_\_

**See Specifications attached.**

**For Information Contact:**

Justin Atkinson, Foreman

Phone: (405) 262-4673

Hours: Monday – Friday 7:00am to 3:00pm

Address: 1103 N Shepherd Avenue, El Reno, OK 73036

-----  
If you have any questions or need additional information, please contact:  
**Sherry Murray**, Purchasing Agent, 405.295.6125 or 405.422.2441  
smurray@okcana.cogov.net

Canadian County District #1 will be accepting bids on one or more new latest production model track-mounted, hydraulic excavator able to meet or exceed the following minimum specifications. The specifications listed are minimum and unit bid should meet or exceed these specifications to be considered for bid.

The above named equipment is intended to be purchased by the Canadian County Board of Commissioners, by Lease to Purchase.

**BASIC SPECIFICATIONS**

- \* lift capacity at 20' (6 m) over the front at ground level shall not be less than 20200 lb /equipped with 10' stick
- \* lift capacity at 20' (6 m) over the side at ground level shall not be less than 13400 lb /equipped with 10' stick
- \* machine shall have ground clearance of at least 1' 5"
- \* shipping height shall be 10'5"
- \* shipping length shall be 32'5"
- \* tail swing radius shall be 9'8"
- \* long track length shall be 15'3"
- \* transport width shall be 11'1" for long undercarriage machine with 32" shoes
- \* maximum digging depth shall be 22'8" with a 10' stick

**OPERATING WEIGHT**

- \* Base operating weight 55,000 lb

**ENGINE**

- \* six (6) cylinder diesel
- \* 408 cubic inch displacement
- \* turbo-charged
- \* 177 net flywheel horsepower
- \* water-cooled with antifreeze protection to -10 degrees F
- \* engine is equipped with four (4) work modes
- \* all engine functions electronically monitored
- \* engine shall be direct injection with electronically controlled common rail injection system
- \* engine bore shall be 4.21" (107mm) and stroke 4.88" (124mm)
- \* engine gross power shall be no less than 189 hp
- \* engine cooling fan guard
- \* engine oil shall have a capacity of at least 6.1 gal

## CAB

- \* monitor panel shall have a wide angle lens camera positioned to see behind the counterweight
- \* cab shall be designed to reduce outside noise
- \* front windshield shall be able to be opened and stored on its own tracks for maximum operator visibility
- \* an electric diagnostic/control panel shall be mounted in easy view of the operator
- \* automatic climate control that maintains a constant temp setting
- \* cab shall have shock-absorbing mounting
- \* operator's seat shall be fully adjustable with arm rests
- \* control of all boom, arm, and bucket functions shall be done by two (2) multi-position, proportional pressure control levers, mounted in two (2) separate adjustable arm rests
- \* cab shall have a standard lock lever that does not allow for travel, blade, swing or boom articulation while locked
- \* 3" seatbelt with seatbelt indicator

## ELECTRICAL

- \* twenty-four (24) volt electrical system
- \* seventy (70) amp alternator
- \* unit shall be equipped with work lights for use at night
- \* fusible link which can cut out the current from the battery
- \* electric wire connectors must be fixed to the structural members of the machine body

## OPERATING

- \* unit shall have a boom length of nineteen ft two in (19' 2")
- \* unit shall have an arm length of ten feet (10')
- \* bucket shall be forty-two inches (42") with replaceable side cutters
- \* bucket capacity of one point thirty-five cubic yard (1.35 cu yd)
- \* bucket shall be heavy duty (log style)
- \* bucket shall be equipped with rock teeth
- \* excavator shall be equipped with a hydraulic thumb that pivots on the bucket mounting pin
- \* bucket digging force shall not be less than 38,580 lb with a 10' stick
- \* stick digging force shall not be less than 29,100 lb with a 10' stick

## HYDRAULICS

- \* maximum hydraulic flow shall be a minimum of one hundred twenty-five point 5 gallons per minute (125.5 gpm)
- \* maximum system pressure for implement circuits is five thousand four hundred pounds (5400 psi)
- \* maximum swing circuit pressure is four thousand one hundred ninety pounds (4190 psi)
- \* track tension shall be hydraulically adjusted
- \* hydraulic system shall be a closed-center system with load sensing valves and pressure compensated valves
- \* pilot system pressure shall be achieved by pressure reducing valves
- \* standard lock lever, which deactivates the hydraulic function and prevents start-up when lever is in locked position
- \* hydraulic system shall operate with a variable displacement axial-piston pump

---

---

---

---

---

---

---

---

## TRAVEL

- \* maximum travel speed three point four (3.4) mph
- \* audible alarm in travel mode
- \* travel to be controlled by foot pedals with hand levers attached to pedals
- \* transmission shall be fully hydrostatic with 3 speed settings with auto downshift

---

---

---

---

## UNDERCARRIAGE

- \* each track shall have two (2) top rollers
- \* each track shall have ten (10) bottom rollers
- \* track width shall be thirty-two inches (32")
- \* track length end to end fifteen foot three inches (15'3")
- \* track length on ground twelve foot seven inches (12'7")
- \* ea. track shall be driven by one independent, axial-piston motor via integral planetary final drives
- \* machine shall have a drawbar pull of 45,349 lbs

---

---

---

---

---

---

---

## SWING SYSTEM

- \* swing effort shall be provided to the upper structure by a hydraulic motor through double reduction planetary gearing
- \* shall have swing torque of a minimum of 58,000 ft-lbs
- \* holding brake shall be a mechanical lock disc brake released by pilot pressure
- \* swing drive shall have a capacity of at least 1.9 gal
- \* swing speed shall be at least 11.7 rpm

---

---

---

---

---

## WARRANTY

- \* state standard warranty
- \* state extended warranty if available and price

Vendor to attach a copy of warranty available that is provided by the vendor: Please state the warranty, and the period the warranty covers the machine. Please specify if this warranty covers the power train.

## USAGE & SERVICE

### SERVICEABILITY

- \* the hydraulic tank shall have an oil level sight gauge that allows checking the fluid level without removing the filler cap
- \* cartridge-type hydraulic return filter shall be located outside of the hydraulic tank for easy service and avoid contamination
- \* anti-skid material or equivalent shall cover the normal walking surface of the upper structure
- \* minimum 105 gal fuel tank with a 10 micron prefilter
- \* left rear service door shall allow access to the engine radiator and hydraulic oil cooler
- \* grease lubricated seals shall protect the track link

---

---

---

---

---

---

### LIST PARTS AND SERVICE LOCATIONS IN OKLAHOMA:

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_  
Telephone: \_\_\_\_\_

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_  
Telephone: \_\_\_\_\_

WHAT PERCENT OF REPAIR PARTS AND BE SUPPLIED FROM THE ABOVE LOCATIONS \_\_\_\_\_



**Canadian County**  
**Purchasing**

**Affidavit / Proof of Mailing**

Date Issued: January 14, 2013  
Bid Number: **2013-#15**  
Closing Date: February 1, 2013 at 4:00pm  
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036  
Opening Date: February 4, 2013 at 9:30am  
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

-----  
~ AFFIDAVIT ~

**Hydraulic Excavator / District #1**

State of Oklahoma )  
County of Canadian ) §

I, Sherry Murray, Purchasing Agent, in and for said County and State, do hereby certify that "Invitations to Bid" were sent to the following:

Auto Crane Company 4707 N Mingo Road Tulsa, OK 74117	ATC Freightliner Attn: Jane Kirton 5301 I-40 West Oklahoma City, OK 73128	Bid News emailed: <a href="mailto:project@bidnews.com">project@bidnews.com</a>
Bob Howard, Downtown Ford Lincoln Mercury 200 West Reno Oklahoma City, OK 73162	Bruckner's Attn: Ken Schmitz 3824 West Reno Oklahoma City, OK 73147	Buckley's Great Plains Equipment 2712 S Division Guthrie, OK 73044
C L Boyd PO Box 26427 Oklahoma City, OK 73126	Central Ford New-Holland 8324 W I-40 Oklahoma City, OK 73128	Contractors Equipment 3320 S Quapaw Oklahoma City, OK 73119
Crescent Machinery 1204 SW 29 <sup>th</sup> Oklahoma City, OK 73129	Darr Equipment Co 4504 W Reno Oklahoma City, OK 73127-6412	Ditch Witch of Oklahoma 4501 E 2 <sup>nd</sup> Street Edmond, OK 73034
Enid Mack Sales PO Box 5009 Enid, OK 73702-5009	ePlan 3806 Buttonwood Drive, Suite 106 Columbia, MO 65201	Francis Tuttle Vo-Tech Center Attn: Bid Assistance – Judy Robbins 12777 North Rockwell Oklahoma City, OK 73142
Frontier International Trucks 1023 North Garnett Road Tulsa, OK 74116	Grissoms/John Deere 223 N Jim Thorpe Blvd Prague, OK 74864	High Plains Equipment 8236 W I-40 Service Road Oklahoma City, OK 73128
J & R Equipment Attn: Mark Womack 25-C N Council Oklahoma City, OK 73127	Jack Davis Equipment 5110 E Owen Garriott Enid, OK 73101	Joe Cooper Ford Attn: Roy D Wells 2500 W Reno Oklahoma City, OK 73107
Keystone Equipment PO Box 1187 McAlester, OK 74502	Kirby-Smith Machinery, Inc PO Box 270360 Oklahoma City, OK 73137	M & D Equipment 7336 Sears Terrace Oklahoma City, OK 73149-2622



MHC Kenworth  
Attn: Don Potter  
5701 SW 5<sup>th</sup> Street  
Oklahoma City, OK 73128

Midwestern Equipment  
15 SW 29<sup>th</sup>  
Oklahoma City, OK 73109

Morris Cochran Equipment  
PO Box 380  
Atoka, OK 74525

OTC Equipment  
7100 SW 3<sup>rd</sup>  
Oklahoma City, OK 73128

Oklahoma Kenworth  
PO Box 271720  
Oklahoma City, OK 73127-1198

Oklahoma Red Inc  
7513 NW 27th  
Bethany, OK 73008

Oklahoma Territory  
3839 West Reno Avenue  
Oklahoma City, OK 73107

Oklahoma Truck  
6405 NW 2<sup>nd</sup>  
Oklahoma City, OK 73127

Online Data Services  
8460 Holcomb Bridge Road, Suite 100  
Alpharetta, GA 30322

Power Products Company Inc  
8117 Bourbon Street  
Oklahoma City, OK 73137

R & D Equipment  
PO Box 721645  
Norman, OK 73070

R & L Equipment  
PO Box 3327  
Edmond, OK 73083

Rike Equipment Sales  
1129 N Aster  
Broken Arrow, OK 74012

Robert's Truck Center  
PO Box 24008  
Oklahoma City, OK 73124

Rush Truck Center  
8700 W I-40 Service Road  
Oklahoma City, OK 73137

Select Trucks of OKC  
5104 I-40 West  
Oklahoma City, OK 73128

Southwest Marketing Services  
PO Box 821983  
North Richland Hills, TX 76182

Southwest Trailers  
Attn: Kin  
10400 West Reno  
Oklahoma City, OK 73137

Stewart Wholesale  
1407 Valley View Road  
Shawnee, OK 74801

Sunbelt Equipment  
Attn: Joe  
Route 3 Box 225  
Meeker, OK 74885

Tate & Sons  
Attn: David Smith  
1074 Cumberland Mansion  
Yukon, OK 73099

Troy Jones Equipment  
Route 4 Box 134  
Elk City, OK 73644

Truck Works Inc  
Attn: Michael Austin  
220 West Sherman Street  
Phoenix, AZ 85009


VanKeppel's  
8233 West Reno  
Oklahoma City, OK 73125

Warren CAT  
PO Box 270720  
Oklahoma City, OK 73136

Witness my hand and seal this 14<sup>th</sup> day of January, 2013.

  
Sherry Murray, Purchasing Agent

(SEAL)





**Canadian County**  
**Purchasing**

**BID CHECKLIST**

Date Issued: January 14, 2013  
Bid Number: **2013-#15**  
Closing Date: February 1, 2013 at 4:00pm  
                    PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036  
Opening Date: February 4, 2013 at 9:30am  
                    Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

-----

**TO HELP PREVENT BIDS FROM BEING REJECTED FOR LACK OF COMPLETION  
PLEASE CHECK FOR THE FOLLOWING:**

Is the Invitation to Bid Signed and Notarized? \_\_\_\_\_

Are all applicable spaces filled in? \_\_\_\_\_

Are all necessary papers enclosed? \_\_\_\_\_

Is the Bid # and Opening Date on outside of return envelope? \_\_\_\_\_

Thank You,

Sherry Murray, Purchasing Agent