

MAY 13 2019

SHERRY MURRAY  
COUNTY CLERK

190286

SA&I 1-4040 (2000)

Canadian \_\_\_\_\_ County, Oklahoma  
COUNTY PURCHASING OFFICE  
Canadian \_\_\_\_\_ County Court House  
El Reno \_\_\_\_\_, Oklahoma  
Phone: ( 405 ) 295-6125

INVITATION TO BID

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE  
SIDE RELATING TO SUBMISSION OF THIS BID.  
Notarized Affidavit completions and signature required on reverse side.

DATE ISSUED May 13, 2019
Page 1 of 2


BID NUMBER Reclaimer/Stabilizer Without Cab/ #2019-#17 District #1	BID CLOSING DATE AND HOUR May 31, 2019 @ 4:00pm	REQUIRED DELIVERY DATE SEE SPECIFICATIONS _____ Days after award of Purchase Order
---	--	--

TERMS Net, FOB this bid will open June 3, 2019 at 9:30am	DATE OF DELIVERY. SEE SPECIFICATIONS
---	---

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
1 or more			<p>Canadian County District #1 is seeking bids for a Reclaimer/Stabilizer Without Cab.</p> <p>See Specifications attached.</p> <p>The Board of Canadian County Commissioners reserves the right to reject any and all bids or to award all or any portion of the items bid. All data will be considered in the awarding of the bid including the delivery time.</p> <p><i>The terms &amp; conditions of this document must be completed and returned or the bid will be rejected.</i></p> <p>Contact person: Justin Atkinson, District #1 Foreman 1103 N Shepard El Reno, OK 73036 (405) 262-4673</p>		<p>\$ _____ Machine Price</p> <p>\$ _____ Shipping Delivery, if applicable</p> <p>\$ _____ Total</p>

**APPROVED**

Date: 05/09/2019

  
\_\_\_\_\_  
Officer or Department Head

**TERMS AND CONDITIONS**

1. Sealed bids will be opened in the Commissioner's Conference Room, Canadian  
County Courthouse, 201 N. Choctaw Avenue, El Reno, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B destination.
5. Purchases by Canadian County, Oklahoma, are not subject to state or federal taxes
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until 07/03/2019  
(DATE)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this \_\_\_\_\_ day

of \_\_\_\_\_, 20 \_\_\_\_\_

(SEAL)

Firm: \_\_\_\_\_

My commission expires \_\_\_\_\_

Signed by: \_\_\_\_\_ Title: \_\_\_\_\_  
(Manual Signature of Undersigned)

\_\_\_\_\_  
NOTARY PUBLIC (CLERK OR JUDGE)

Address: \_\_\_\_\_ Phone: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip: \_\_\_\_\_

Please mail sealed bids to:  
Canadian County Clerk's Office  
Attn: Purchasing  
PO Box 458  
El Reno, OK 73036

Street Address:  
201 N Choctaw Avenue  
El Reno, OK 73036



**RECLAIMER/STABILIZER [WITHOUT CAB], CLASS I**  
**DIESEL POWERED, SELF-PROPELLED**

**PART I – GENERAL CLAUSES AND CONDITIONS**

1. Bid must be completed in its entirety.
2. The unit shall be completely assembled and adjusted, and all equipment including standard and supplemental equipment shall be installed and the unit ready for operation upon delivery and/or pickup.
3. All parts not specifically mentioned which are necessary for the unit to be complete and ready for operation or which are normally furnished as standard equipment shall be present and in good working order. All parts shall conform in strength, quality and workmanship to the accepted standards of the industry.

**PART II - SPECIFICATIONS**

1. **SCOPE:** This specification describes a diesel-powered, hydrostatically driven, self-propelled, in-place reclaimer/stabilizer machine. The machine shall break, pulverize, grade, blend and mix asphaltic pavements and soils with dry or liquid additives. The Class I (minimum 75 inch wide cutting width) unit will be used for short distance, routine maintenance jobs. A unit furnished to this specification shall meet or exceed the following requirements.
  - a. ONE OR MORE 2005 MODEL YEAR OR NEWER \_\_\_\_\_ YEAR
  - b. MACHINE HOURS SHALL NOT EXCEED A 2000 HOUR MAXIMUM \_\_\_\_\_ HOURS

**NOTICE TO RESPONDENT:** The following are listed to show type and class of equipment desired. Respondent is cautioned to read the specification carefully, as there may be special requirements not commonly offered by the equipment manufacturer. **DO NOT ASSUME STANDARD EQUIPMENT MEETS ALL OF THE DETAILED SPECIFICATION REQUIREMENTS.** Respondent is cautioned that any unit delivered to the FOB point that does not meet specifications in every aspect will not be accepted.

2. **DESIGN AND PERFORMANCE REQUIREMENTS:** The unit shall have:
  - a. Minimum standard cutting width of 75" \_\_\_\_\_ in
  - b. Minimum operating weight of 31,200 lbs \_\_\_\_\_ lbs  
(Operating weight is defined as the basic weight of the unit with rollover protective structure (ROPS), lubricant, operator, and full fuel tank.)
  - c. Minimum cutting depth (0 to 12 inches) \_\_\_\_\_ in
  - d. This unit shall cut through asphalt pavement, base and sub-base materials. Yes \_\_\_\_ No \_\_\_\_
  - e. Controls conveniently located at the operator's position Yes \_\_\_\_ No \_\_\_\_
3. **LIQUID-COOLED DIESEL ENGINE:** Shall include but not limited to the following:
  - a. Engine Horsepower: Minimum 350 hp \_\_\_\_\_ hp
4. **TRACTION DRIVE:** The unit shall be driven by hydrostatic power with a minimum two speeds or variable range transmission
  - a. Working speed infinitely variable from 0 – 187 fpm \_\_\_\_\_ fpm
  - b. Travel speed infinitely variable from zero to minimum of 5.5 mph Yes \_\_\_\_ No \_\_\_\_
  - c. Single lever control for forward and reverse travel Yes \_\_\_\_ No \_\_\_\_

5. POWER STEERING
- a. Hydraulic power steering shall be used to turn the wheels Yes \_\_\_ No \_\_\_  
The maximum turning (inside working) radius shall be 13' 0" \_\_\_ ft \_\_\_ in
6. MIXING CHAMBER: Constructed of heavy-duty abrasion-resistant steel, and shall include:
- a. Chamber equipped with a tailgate or tailboard, hydraulically adjustable from the operator's position for control of remix and depth of material as it leaves the rotor hood. Yes \_\_\_ No \_\_\_
- b. The entire mixing chamber to raise and lower a minimum of 7 inches hydraulically, for travel or maintenance. Yes \_\_\_ No \_\_\_
7. ROTOR ASSEMBLY: This assembly shall consist of a drum, cutting teeth and teeth holders. The drum shall be powered by either a hydrostatic drive or a mechanical drive.
- a. Rotor drums for Class I unit shall be a combination or universal drum assembly and shall have a minimum of 150 cutting teeth. The teeth shall be arranged in a random cutting pattern around the drum. Yes \_\_\_ No \_\_\_  
N/A \_\_\_
- b. The rotor assembly for a Class I unit shall have a minimum 44 inch cutting tool circle diameter. Yes \_\_\_ No \_\_\_
- c. Cutting teeth shall be bullet (rotating cone) type designed for maximum cross mix of material, including a minimum of 6 inch asphalt pavement. The teeth will also be used for reclaiming heavily compacted surfaces utilizing large aggregate and stabilizing materials. Yes \_\_\_ No \_\_\_
8. SAFETY: The reclaimer shall be equipped with, but not limited to, the following items:
- a. A horn and a backup alarm system distinguishable from the surrounding noise level. Backup alarm shall meet current ISO 9533 standard. Yes \_\_\_ No \_\_\_
- b. Unit shall have a minimum of two "Emergency Stop" buttons located at ground level. One located on each side of the machine. If activated, these buttons would stop all rotor and drive functions of the unit. Yes \_\_\_ No \_\_\_
- c. Seat, cushioned, adjustable type, with padded backrest, and a seat belt meeting the current SAE J386 standard. Yes \_\_\_ No \_\_\_
- d. ROPS shall be mounted in accordance with manufacturer's instruction and shall be certified by its manufacturer to meet the test procedures, performance and labeling requirements of the Safety and Health Regulations for Construction, Occupational Safety and Health Administration (OSHA). ROPS shall be provided with an overhead protective weather shield. Yes \_\_\_ No \_\_\_

### PART III – OPTIONAL EQUIPMENT

Optional equipment must be identified on the solicitation to be required.

1. OPTION 1: FOUR-WHEEL ASSIST OR DRIVE: The unit shall be equipped with the manufacturer's standard four-wheel drive system with all necessary components for the unit to be complete and ready for operation.  
Yes \_\_\_ No \_\_\_
2. OPTION 2: SET OF MANUALS  
Yes \_\_\_ No \_\_\_

3. OPTION 3: CUTTING TOOL DRIVER/EXTRACTOR: Unit shall have a pneumatic or hydraulic circuit for the operation fo a cutting tool driver and extractor.

Yes \_\_\_\_\_ No \_\_\_\_\_

4. OPTION 4: HIGH PRESSURE WASHDOWN SYSTEM: The unit shall be equipped with a minimum 1,800 psi high pressure wash down system as normally offered by the manufacturer. A spray wand and minimum 50 feet of hose shall be provided for cleaning the unit after operation.
- 
- 

5. OPTION 5: AUTOMATIC LUBRICATION SYSTEM (ALS): With feedback device- the unit shall be equipped with an automatic grease lubrication system to lubricate all applicable bushing and bearing points while the unit is in operation. The system shall consist of an electrically operated pump (12 or 24 VDC) with low level and system malfunction feedback device with cab mounted light, grease reservoir, return to reservoir grease relief valve, and series progressive divider valves containing no elastomer (rubber) seals.

The feedback device shall incorporate a cab-mounted light to signal line blockage or system malfunction and low reservoir level. Use a non-contacting proximity switch, mounted on a divider valve. All valves shall have a manual lubrication override provision.

---

---

---

**RECLAIMER/STABILIZER [WITHOUT CAB], CLASS I**  
**DIESEL POWERED, SELF-PROPELLED**

Machine Make: \_\_\_\_\_

Model: \_\_\_\_\_

Year: \_\_\_\_\_

Rotor Drum Width: \_\_\_\_\_

Diesel Engine Make \_\_\_\_\_ Model \_\_\_\_\_ Year \_\_\_\_\_

No. of Cylinders \_\_\_\_\_

Engine Displacement \_\_\_\_\_

Horsepower \_\_\_\_\_

Hour Meter Make \_\_\_\_\_ Model \_\_\_\_\_

Transmission Make \_\_\_\_\_ Model \_\_\_\_\_ Type \_\_\_\_\_

Drive system (2WD: front or rear, 4WD, show percentage) \_\_\_\_\_

Front Tires Size & Type \_\_\_\_\_ Ply Rating \_\_\_\_\_

Rear Tires Size & Type \_\_\_\_\_ Ply Rating \_\_\_\_\_

No. Speeds Forward \_\_\_\_\_ Reverse \_\_\_\_\_

Working Speed (1<sup>st</sup> gear) \_\_\_\_\_ FPM Working Speed (high gear) \_\_\_\_\_ FPM

Travel Speed \_\_\_\_\_ MPH

Steering Type \_\_\_\_\_ Brake Type \_\_\_\_\_

Rotor/Drum Cutting Width \_\_\_\_\_ in Max Cutting Depth \_\_\_\_\_ in

Rotor Drive Type \_\_\_\_\_

Rotor Location (circle one): BETWEEN WHEELS OR BEHIND REAR WHEELS

Rotor Operating RPM (low gear) \_\_\_\_\_ Rotor Operating RPM (high gear) \_\_\_\_\_

Rotor Circle Diameter (outside cutting tools) \_\_\_\_\_ in

Inside Turning Radius (working) \_\_\_\_\_ ft \_\_\_\_\_ in

LOCATION OF MACHINE: \_\_\_\_\_

COST OF DELIVERY/SHIPPING IF APPLICABLE \_\_\_\_\_

**BID PRICE OF MACHINE** \_\_\_\_\_



**Canadian County**  
**Purchasing**

**Affidavit / Proof of Mailing**

Date Issued: May 13, 2019  
Bid Number: 2019-#17  
Closing Date: May 31, 2019 at 4:00pm  
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036  
Opening Date: June 3, 2019 at 9:30am  
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ AFFIDAVIT ~

**Reclaimer/Stabilizer Without Cab / District #1**

State of Oklahoma )  
County of Canadian ) §

I, D'Shea Brothers, Purchasing Agent, in and for said County and State, do hereby certify that "Invitations to Bid" were sent to the following:

Bid Clerk  
[projects@bidclerk.com](mailto:projects@bidclerk.com)

Bid News  
[projects@isqft.com](mailto:projects@isqft.com)

ePlan  
1400 Forum Blvd. Suite 7B  
Columbia, MO 65203

Francis Tuttle Vo-Tech Center  
Attn: Bid Assistance – Judy Robbins  
12777 North Rockwell  
Oklahoma City, OK 73142

Online Data Services  
5425 Peachtree Parkway  
Peachtree Corners, GA 30092

Boxcer Equipment  
9703 E. 56<sup>th</sup> St N  
Tulsa, OK 74117

Bruckner's  
Attn: Ken Schmitz  
3824 West Reno  
Oklahoma City, OK 73147

C L Boyd  
PO Box 26427  
Oklahoma City, OK 73126

J.D. Wells Equipment  
24 Rainbow Road  
Ponca City, OK 74604

Darr Equipment Co  
4504 W Reno  
Oklahoma City, OK 73127-6412

Miner's Equipment & Truck Repair, LLC  
9640 NW 6<sup>th</sup> St  
Oklahoma City, OK 74131

Hoidale Co Inc  
Attn: Chad Wilkening  
6617 W Reno  
Oklahoma City, OK 73127

Kirby-Smith Machinery Inc  
PO Box 270360  
Oklahoma City, OK 73137

M & D Equipment  
7336 Sears Terrace  
Oklahoma City, OK 73149-2622

Sunbelt Equipment  
Attn: Joe  
Route 3 Box 225  
Meeker, OK 74885

OCT Equipment  
PO Box 270060  
Oklahoma City, OK 73137-0060

OTC Equipment  
7100 SW 3<sup>rd</sup>  
Oklahoma City, OK 73107

VanKeppel's  
8233 West Reno  
Oklahoma City, OK 73125

Warren CAT  
PO Box 270720  
Oklahoma City, OK 73136

Goodfellow Corporation  
C/O Brian  
PO Box 515  
Moma, UT 84645

Big D Heavy Equipment, LLC  
C/O Donnie Dickerson  
400 St Paul, Ste 550  
Dallas, TX 75201



Power Equipment Company  
C/O Dave Bosanko  
500 E 62<sup>nd</sup> Ave  
Denver, CO 80216


Chester Bross Group  
6739 CR423  
Palmyra, MO 63461

Deep South Equipment  
3600 S. Council Rd.  
Oklahoma City, OK 73179

Great Plains Kubota  
C/O Cody Scott  
6505 N. I-35 Frontage Rd.  
Edmond, OK 73034

Reed Construction  
30 Technology Pkwy South, Suite 100  
Norcross, GA 30092

Witness my hand and seal this 13<sup>th</sup> day of May, 2019.



D'Shea Brothers, Purchasing Agent



