

MAY 13 2019

SHERRY MURRAY
COUNTY CLERK

190287

SA&I 1-4040 (2000)

Canadian _____ County, Oklahoma
COUNTY PURCHASING OFFICE
Canadian _____ County Court House
El Reno _____, Oklahoma
Phone: (405) 295-6125

INVITATION TO BID

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE
SIDE RELATING TO SUBMISSION OF THIS BID.
Notarized Affidavit completions and signature required on reverse side.

DATE ISSUED May 13, 2019
Page 1 of 2

BID NUMBER Reclaimer/Stabilizer With Cab/ #2019-#18 District #1	BID CLOSING DATE AND HOUR May 31, 2019 @ 4:00pm	REQUIRED DELIVERY DATE SEE SPECIFICATIONS ____ Days after award of Purchase Order
--	--	---

TERMS Net, FOB this bid will open June 3, 2019 at 9:30am	DATE OF DELIVERY. SEE SPECIFICATIONS
---	---

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
1 or more			<p>Canadian County District #1 is seeking bids for a Reclaimer/Stabilizer With Cab.</p> <p>See Specifications attached.</p> <p>The Board of Canadian County Commissioners reserves the right to reject any and all bids or to award all or any portion of the items bid. All data will be considered in the awarding of the bid including the delivery time.</p> <p><u>The terms & conditions of this document must be completed and returned or the bid will be rejected.</u></p> <p>Contact person: Justin Atkinson, District #1 Foreman 1103 N Shepard El Reno, OK 73036 (405) 262-4673</p>		<p>\$ _____ Machine Price</p> <p>\$ _____ Shipping Delivery, if applicable</p> <p>\$ _____ Total</p>

APPROVED
Date: 05/09/2019
Mar. A. Y. Jackson
Officer or Department Head

TERMS AND CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, Canadian
County Courthouse, 201 N. Choctaw Avenue, El Reno, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Canadian County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until 07/03/2019
(DATE)

AFFIDAVIT. I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding, or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day

of _____, 20 _____

(SEAL)

Firm: _____

My commission expires _____

Signed by: _____ Title: _____
(Manual Signature of Undersigned)

NOTARY PUBLIC (CLERK OR JUDGE)

Address: _____ Phone: _____

City: _____ State: _____

Zip: _____

Please mail sealed bids to:
Canadian County Clerk's Office
Attn: Purchasing
PO Box 458
El Reno, OK 73036

Street Address:
201 N Choctaw Avenue
El Reno, OK 73036



Date Issued: May 13, 2019
Bid Number: **2019-#18**
Closing Date: May 31, 2019 at 4:00pm
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036
Opening Date: June 3, 2019 at 9:30am
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ SPECIFICATIONS ~
Reclaimer/Stabilizer With Cab / District #1

Canadian County District #1 is seeking bids for a Reclaimer/Stabilizer With Cab.

SPECIFICATIONS:

See attached

Note

Terms for Payment:

- A purchase order will be issued to the awarded vendor. Once the original itemized invoice is received by the receiving officer it will be processed for payment.

Please sign & return:

I acknowledge that I have read and understood the above terms for payment on the bid specifications:

For Information Contact:

Justin Atkinson, District #1 Foreman
Phone: (405) 262-4673
Hours: Monday – Thursday 6:00am to 4:30pm
Address: 1103 N Shepard, El Reno, OK 73036

If you have any questions or need additional information, please contact:
D'Shea Brothers, Purchasing Agent, 405.295.6125
dbrothers@okcana.cogov.net

RECLAIMER/STABILIZER [WITH CAB], CLASS I
DIESEL POWERED, SELF-PROPELLED

PART I – GENERAL CLAUSES AND CONDITIONS

1. Bid must be completed in its entirety.
2. The unit shall be completely assembled and adjusted, and all equipment including standard and supplemental equipment shall be installed and the unit ready for operation upon delivery and/or pickup.
3. All parts not specifically mentioned which are necessary for the unit to be complete and ready for operation or which are normally furnished as standard equipment shall be present and in good working order. All parts shall conform in strength, quality and workmanship to the accepted standards of the industry.

PART II - SPECIFICATIONS

1. SCOPE: This specification describes a diesel-powered, hydrostatically driven, self-propelled, in-place reclaimer/stabilizer machine. The machine shall break, pulverize, grade, blend and mix asphaltic pavements and soils with dry or liquid additives. The Class I (minimum 75 inch wide cutting width) unit will be used for short distance, routine maintenance jobs. A unit furnished to this specification shall meet or exceed the following requirements.

- a. ONE OR MORE 2005 MODEL YEAR OR NEWER _____ YEAR
- b. MACHINE HOURS SHALL NOT EXCEED A 2000 HOUR MAXIMUM _____ HOURS

NOTICE TO RESPONDENT: The following are listed to show type and class of equipment desired. Respondent is cautioned to read the specification carefully, as there may be special requirements not commonly offered by the equipment manufacturer. DO NOT ASSUME STANDARD EQUIPMENT MEETS ALL OF THE DETAILED SPECIFICATION REQUIREMENTS. Respondent is cautioned that any unit delivered to the FOB point that does not meet specifications in every aspect will not be accepted.

2. DESIGN AND PERFORMANCE REQUIREMENTS: The unit shall have:
 - a. Minimum standard cutting width of 75" _____ in
 - b. Minimum operating weight of 31,200 lbs _____ lbs
(Operating weight is defined as the basic weight of the unit with rollover protective structure (ROPS), lubricant, operator, and full fuel tank.)
 - c. Minimum cutting depth (0 to 12 inches) _____ in
 - d. This unit shall cut through asphalt pavement, base and sub-base materials. Yes ____ No ____
 - e. Controls conveniently located at the operator's position Yes ____ No ____
3. LIQUID-COOLED DIESEL ENGINE: Shall include but not limited to the following:
 - a. Engine Horsepower: Minimum 350hp _____ hp
 - b. _____
4. TRACTION DRIVE: The unit shall be driven by hydrostatic power with a minimum two speeds or variable range transmission
 - a. Working speed infinitely variable from 0 – 187 fpm _____ fpm
 - b. Travel speed infinitely variable from zero to minimum of 5.5 mph Yes ____ No ____
 - c. Single lever control for forward and reverse travel Yes ____ No ____

5. POWER STEERING
- a. Hydraulic power steering shall be used to turn the wheels Yes ___ No ___
The maximum turning (inside working) radius shall be 13' 0" ___ ft ___ in
6. MIXING CHAMBER: Constructed of heavy-duty abrasion-resistant steel, and shall include:
- a. Chamber equipped with a tailgate or tailboard, hydraulically adjustable from the operator's position for control of remix and depth of material as it leaves the rotor hood. Yes ___ No ___
- b. The entire mixing chamber to raise and lower a minimum of 7 inches hydraulically, for travel or maintenance. Yes ___ No ___
7. ROTOR ASSEMBLY: This assembly shall consist of a drum, cutting teeth and teeth holders. The drum shall be powered by either a hydrostatic drive or a mechanical drive.
- a. Rotor drums for Class I unit shall be a combination or universal drum assembly and shall have a minimum of 150 cutting teeth. The teeth shall be arranged in a random cutting pattern around the drum. Yes ___ No ___
N/A ___
- b. The rotor assembly for a Class I unit shall have a minimum 44 inch cutting tool circle diameter. Yes ___ No ___
- c. Cutting teeth shall be bullet (rotating cone) type designed for maximum cross mix of material, including a minimum of 6 inch asphalt pavement. The teeth will also be used for reclaiming heavily compacted surfaces utilizing large aggregate and stabilizing materials. Yes ___ No ___
8. SAFETY: The reclaimer shall be equipped with, but not limited to, the following items:
- a. A horn and a backup alarm system distinguishable from the surrounding noise level. Backup alarm shall meet current ISO 9533 standard. Yes ___ No ___
- b. Unit shall have a minimum of two "Emergency Stop" buttons located at ground level. One located on each side of the machine. If activated, these buttons would stop all rotor and drive functions of the unit. Yes ___ No ___
- c. Seat, cushioned, adjustable type, with padded backrest, and a seat belt meeting the current SAE J386 standard. Yes ___ No ___
- d. ROPS shall be mounted in accordance with manufacturer's instruction and shall be certified by its manufacturer to meet the test procedures, performance and labeling requirements of the Safety and Health Regulations for Construction, Occupational Safety and Health Administration (OSHA). ROPS shall be provided with an overhead protective weather shield. Yes ___ No ___
9. MANUFACTURER'S ENCLOSED CAB: Note: The certified ROPS referenced in this section may be incorporated into the manufacturer's cab.
- a. Tinted glass Yes ___ No ___
- b. Air Conditioning Yes ___ No ___
- c. Heater/Defroster Yes ___ No ___
- d. Windshield wiper(s) (front and rear) Yes ___ No ___
- e. Sound insulating Yes ___ No ___
- f. 12-volt power receptable Yes ___ No ___

PART III – OPTIONAL EQUIPMENT

Optional equipment must be identified on the solicitation to be required.

1. OPTION 1: FOUR-WHEEL ASSIST OR DRIVE: The unit shall be equipped with the manufacturer's standard four-wheel drive system with all necessary components for the unit to be complete and ready for operation.

Yes _____ No _____

2. OPTION 2: SET OF MANUALS

Yes _____ No _____

3. OPTION 3: CUTTING TOOL DRIVER/EXTRACTOR: Unit shall have a pneumatic or hydraulic circuit for the operation fo a cutting tool driver and extractor.

Yes _____ No _____

4. OPTION 4: HIGH PRESSURE WASHDOWN SYSTEM: The unit shall be equipped with a minimum 1,800 psi high pressure wash down system as normally offered by the manufacturer. A spray wand and minimum 50 feet of hose shall be provided for cleaning the unit after operation.

5. OPTION 5: AUTOMATIC LUBRICATION SYSTEM (ALS): With feedback device- the unit shall be equipped with an automatic grease lubrication system to lubricate all applicable bushing and bearing points while the unit is in operation. The system shall consist of an electrically operated pump (12 or 24 VDC) with low level and system malfunction feedback device with cab mounted light, grease reservoir, return to reservoir grease relief valve, and series progressive divider valves containing no elastomer (rubber) seals.

The feedback device shall incorporate a cab-mounted light to signal line blockage or system malfunction and low reservoir level. Use a non-contacting proximity switch, mounted on a divider valve. All valves shall have a manual lubrication override provision.

RECLAIMER/STABILIZER [WITH CAB], CLASS I

DIESEL POWERED, SELF-PROPELLED

Machine Make: _____

Model: _____

Year: _____

Rotor Drum Width: _____

Diesel Engine Make _____ Model _____ Year _____

No. of Cylinders _____

Engine Displacement _____

Horsepower _____

Hour Meter Make _____ Model _____

Transmission Make _____ Model _____ Type _____

Drive system (2WD: front or rear, 4WD, show percentage) _____

Front Tires Size & Type _____ Ply Rating _____

Rear Tires Size & Type _____ Ply Rating _____

No. Speeds Forward _____ Reverse _____

Working Speed (1st gear) _____ FPM Working Speed (high gear) _____ FPM

Travel Speed _____ MPH

Steering Type _____ Brake Type _____

Rotor/Drum Cutting Width _____ in Max Cutting Depth _____ in

Rotor Drive Type _____

Rotor Location (circle one): BETWEEN WHEELS OR BEHIND REAR WHEELS

Rotor Operating RPM (low gear) _____ Rotor Operating RPM (high gear) _____

Rotor Circle Diameter (outside cutting tools) _____ in

Inside Turning Radius (working) _____ ft _____ in

LOCATION OF MACHINE: _____

COST OF DELIVERY/SHIPPING IF APPLICABLE _____

BID PRICE OF MACHINE _____



Canadian County
Purchasing

Affidavit / Proof of Mailing

Date Issued: May 13, 2019
Bid Number: 2019-#18
Closing Date: May 31, 2019 at 4:00pm
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036
Opening Date: June 3, 2019 at 9:30am
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ AFFIDAVIT ~

Reclaimer/Stabilizer With Cab / District #1

State of Oklahoma)
County of Canadian) §

I, D'Shea Brothers, Purchasing Agent, in and for said County and State, do hereby certify that "Invitations to Bid" were sent to the following:

Bid Clerk
projects@bidclerk.com

Bid News
projects@isqft.com

ePlan
1400 Forum Blvd. Suite 7B
Columbia, MO 65203

Francis Tuttle Vo-Tech Center
Attn: Bid Assistance – Judy Robbins
12777 North Rockwell
Oklahoma City, OK 73142

Online Data Services
5425 Peachtree Parkway
Peachtree Corners, GA 30092

Boxcer Equipment
9703 E. 56th St N
Tulsa, OK 74117

Bruckner's
Attn: Ken Schmitz
3824 West Reno
Oklahoma City, OK 73147

C L Boyd
PO Box 26427
Oklahoma City, OK 73126

J.D. Wells Equipment
24 Rainbow Road
Ponca City, OK 74604

Darr Equipment Co
4504 W Reno
Oklahoma City, OK 73127-6412

Miner's Equipment & Truck Repair, LLC
9640 NW 6th St
Oklahoma City, OK 74131

Hoidale Co Inc
Attn: Chad Wilkening
6617 W Reno
Oklahoma City, OK 73127

Kirby-Smith Machinery Inc
PO Box 270360
Oklahoma City, OK 73137

M & D Equipment
7336 Sears Terrace
Oklahoma City, OK 73149-2622

Sunbelt Equipment
Attn: Joe
Route 3 Box 225
Meeker, OK 74885

OCT Equipment
PO Box 270060
Oklahoma City, OK 73137-0060

OTC Equipment
7100 SW 3rd
Oklahoma City, OK 73107

VanKeppel's
8233 West Reno
Oklahoma City, OK 73125

Warren CAT
PO Box 270720
Oklahoma City, OK 73136

Goodfellow Corporation
C/O Brian
PO Box 515
Moma, UT 84645

Big D Heavy Equipment, LLC
C/O Donnie Dickerson
400 St Paul, Ste 550
Dallas, TX 75201

Power Equipment Company
C/O Dave Bosanko
500 E 62nd Ave
Denver, CO 80216

Chester Bross Group
6739 CR423
Palmyra, MO 63461

Deep South Equipment
3600 S. Council Rd.
Oklahoma City, OK 73179

Great Plains Kubota
C/O Cody Scott
6505 N. I-35 Frontage Rd
Edmond, OK 73034

Reed Construction
30 Technology Pkwy South, Suite 100
Norcross, GA 30092

Witness my hand and seal this 13th day of May, 2019.



D'Shea Brothers, Purchasing Agent





Date Issued: May 13, 2019
Bid Number: 2019-#18
Closing Date: May 31, 2019 at 4:00pm
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036
Opening Date: June 3, 2019 at 9:30am
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036-
.....

**TO HELP PREVENT BIDS FROM BEING REJECTED FOR LACK OF COMPLETION
PLEASE CHECK FOR THE FOLLOWING:**

- Is the Invitation to Bid Signed and Notarized? _____
- Are all applicable spaces filled in? _____
- Are all necessary papers enclosed? _____
- Is the Bid # and Opening Date on outside of return envelope? _____

Thank You,

D'Shea Brothers, Purchasing Agent