

Canadian _____ County, Oklahoma
 COUNTY PURCHASING OFFICE
 Canadian _____ County Court House
 El Reno _____, Oklahoma
 Phone: (405) 295-6125

INVITATION TO BID

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE
 SIDE RELATING TO SUBMISSION OF THIS BID.
 Notarized Affidavit completions and signature required on reverse side.

DATE ISSUED
 6-1-2020

Page 1 of 2

BID NUMBER Ballistic/Spike Resistant Vests /
 #2020-#14 County Sheriff

BID CLOSING DATE AND HOUR
 06-19-2020 at 4:00 pm

REQUIRED DELIVERY DATE
 SEE SPECIFICATIONS
 _____ Days after award of Purchase Order

TERMS
 Net, FOB this bid will open 06-22-2020 during Commissioner's Meeting that begins at 9:00am

DATE OF DELIVERY
 SEE SPECIFICATIONS

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
	(1) or more		<p>Canadian County Sheriff Department is seeking bids for Ballistic/Spike Resistant Vests.</p> <p>See Specifications Attached:</p> <p>The Board of Canadian County Commissioners reserves the right to reject any and all bids or to award all or any portion of the items bid.</p> <p><u>The terms & conditions of this document must be completed and returned or the bid will be rejected.</u></p> <p>Contact person: Lt. Mike Grimes 304 N Evans El Reno, OK 73036 (405) 295-6764</p>		<p>Option #1</p> <p>\$ _____</p> <p>Total</p> <p>Option #2</p> <p>\$ _____</p> <p>Total</p> <p>Option #3</p> <p>\$ _____</p> <p>Total</p>

STATE OF OKLAHOMA
 CANADIAN COUNTY
 FILED OR RECORDED

JUN 01 2020

SHERRY MURRAY
 COUNTY CLERK

200294

APPROVED

Date: 5-28-20

Officer or Department Head

TERMS AND CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, Canadian
County Courthouse, 201 N. Choctaw Avenue, El Reno, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Canadian County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until 07-22-2020
(DATE)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day

of _____, 20 _____

(SEAL)

Firm: _____

My commission expires _____

Signed by: _____ Title: _____
(Manual Signature of Undersigned)

NOTARY PUBLIC (CLERK OR JUDGE)

Address: _____ Phone: _____

City: _____ State: _____

Zip: _____

Please mail sealed bids to:
Canadian County Clerk's Office
Attn: Purchasing
PO Box 458
El Reno, OK 73036

Street Address:
201 N Choctaw Avenue
El Reno, OK 73036

NOTE: Other terms and conditions can be added at the discretion of the county officers.



Canadian County Purchasing

Bid Specifications

Date Issued: June 1, 2020

Bid Number: 2020-#14

Closing Date: June 19, 2020 at 4:00pm

PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036

Opening Date: June 22, 2020 during the Commissioner's Meeting that begins at 9:00am

Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ SPECIFICATIONS ~

Ballistic/Spike Resistant Vests / County Sheriff

Canadian County Sheriff is seeking bids for Ballistic/Spike Resistant Vests.

Option #1:

Quantity - 36

Specifications for Ballistic Vest:

NIJ Threat Level – Level 2

Areal Density not to exceed 0.69 lbs./ft.

Thinness of not more than 0.18 inches

Materials – High performance ballistic materials to be utilized in the body armor designs.

NIJ Compliance – Proof of NIJ 0101.06 Level II Certification

Ballistic Panel Construction – Materials utilized will be based on innovative aramid fabric technologies utilizing Twaron, and Ultra High Molecular weight polyethylene unidirectional material. All ballistic layers and sub-packs will be bar-tacked at the shoulders and bottom center 1" from the periphery of the ballistic panels. The bar tacks will utilize at least a 70 tex spun aramid thread in at least three locations to assure the layers are stabilized and held in place throughout the lifecycle of the vest.

Ballistic Materials – Materials shall be state of the art ballistic materials, must be waterproof, must meet all NIJ Standards applicable to Level II ballistic vests. The flexibility and wear will be a factor of evaluation in the selection of a ballistic vest. The certified special threat testing results will be considered in evaluation for the selection of ballistic vest.

Ballistic Panel Covers – The evaluation of the applicable vests will consider the following criteria; anti-fungal growth and bacterial resistant, light weight, hydrostatic resistant, flame resistant, and significant strength. The panel cover material is sealed on all sides.

Ballistic Panel Suspension System – The ballistic panels will be suspended inside the concealable carrier from the top corner areas of the panels to prevent sagging or curling at the bottom panel edge. The attachment of the panels cannot compromise the waterproof integrity of the panel covers.

Side Joints – Must be overlapped at least 2" with the front panel overlapping the back panel.

Ballistic Vest Fit – Vendor receiving this award must be able to provide onsite custom sizing within at least 1" height and width, assuring fit and comfort.

Quality – To assure quality of manufacturing Vendor must certify they meet ISO 9001-2015 & BA 9000-2016 Standards and provide Certification of Registration.

Standards – The ballistic vest bid must show in addition to NIJ Standards that they have been tested and meets or exceeds FBI – Body Armor Testing Protocol V. 4.1 5-22-2014

Option #2:

Quantity - 5

Specifications for Ballistic Vest Dual Purpose with Spike Protection:

NIJ Threat Level – Level 2, Spike 2

Areal Density not to exceed 1.18 lbs./ft.

Thinness of not more than 0.29 inches

Materials – High performance ballistic materials to be utilized in the body armor designs.

NIJ Compliance – Proof of NIJ 0101.06 Level II Certification

Ballistic Panel Construction – Materials utilized will be based on innovative aramid fabric technologies utilizing Twaron. All ballistic layers and sub-packs will be bar-tacked at the shoulders and bottom center 1" from the periphery of the ballistic panels. The bar tacks will utilize at least a 45 tex spun aramid thread in at least three locations to assure the layers are stabilized and held in place throughout the lifecycle of the vest.

Ballistic Materials – Materials shall be state of the art ballistic materials, must be waterproof, must meet all NIJ Standards applicable to Level II ballistic vests. The bidder will submit test results for both ballistic capability and Spike Threat level resistance, these results will be considered in the selection. The flexibility and wear will be a factor of evaluation in the selection of a ballistic vest. The certified special threat testing results will be considered in evaluation for the selection of ballistic vest.

Ballistic Panel Covers – The evaluation of the applicable vests will consider the following criteria; anti-fungal growth and bacterial resistant, light weight, hydrostatic resistant, flame resistant, and significant strength. The panel cover material is sealed on all sides.

Ballistic Panel Suspension System – The ballistic panels will be suspended inside the concealable carrier from the top corner areas of the panels to prevent sagging or curling at the bottom panel edge. The attachment of the panels cannot compromise the waterproof integrity of the panel covers.

Side Joints – Must be overlapped at least 2" with the front panel overlapping the back panel.

Ballistic Vest Fit – Vendor receiving this award must be able to provide onsite custom sizing within at least 1" height and width, assuring fit and comfort.

Quality – To assure quality of manufacturing Vendor must certify they meet ISO 9001-2015 & BA 9000-2016 Standards and provide Certification of Registration.

Standards – The ballistic vest bid must show that they meet or exceed NIJ Standards.

Option #3:

Quantity - 25

Specifications for Correctional Spike Armor:

NIJ Threat Level – Spike 2

Areal Density not to exceed 0.41 lbs./ft.

Thickness of not more than 0.11 inches

Materials – High performance ballistic materials to be utilized in the body armor designs.

NIJ Compliance – Proof of NIJ 0101.06 Level II Certification

Ballistic Panel Construction – Materials utilized will be based on innovative aramid fabric technologies utilizing Twaron. All ballistic layers and sub-packs will be bar-tacked at the shoulders and bottom center 1" from the periphery of the ballistic panels. The bar tacks will utilize at least a 45 tex spun aramid thread in at least three locations to assure the layers are stabilized and held in place throughout the lifecycle of the vest.

Ballistic Materials – Materials shall be state of the art ballistic materials, must be waterproof, must meet all NIJ Standards applicable to Spike 2 vests. The flexibility and wear will be a factor of evaluation in the selection of the Spike Resistant vest. The certified special threat testing results will be considered in evaluation for the selection of ballistic vest.

Ballistic Panel Covers – The evaluation of the applicable vests will consider the following criteria; anti-fungal growth and bacterial resistant, light weight, hydrostatic resistant, flame resistant, and significant strength. The panel cover material is sealed on all sides.

Ballistic Panel Suspension System – The ballistic panels will be suspended inside the concealable carrier from the top corner areas of the panels to prevent sagging or curling at the bottom panel edge. The attachment of the panels cannot compromise the waterproof integrity of the panel covers.

Side Joints – Must be overlapped at least 2" with the front panel overlapping the back panel.

Ballistic Vest Fit – Vendor receiving this award must be able to provide onsite custom sizing within at least 1" height and width, assuring fit and comfort.

Quality – To assure quality of manufacturing Vendor must certify they meet ISO 9001-2015 & BA 9000-2016 Standards and provide Certification of Registration.

Standards – Must meet or exceed NIJ Standards for Spike 2 protection.

For all options:

Warranty Coverage – The ballistic panels will be warranted for five (5) years from date of delivery, the carrier to be warranted for at least eighteen (18) months from date of delivery.

Bids will be considered based on the ability to meet and/or exceed these standards.

For Information Contact:

Contact: Lt. Mike Grimes

Phone: (405) 295-6764

Hours: Monday – Friday 8:00am to 4:30pm

Address: 304 N. Evans, El Reno OK 73036

If you have any questions or need additional information, please contact:

Krissi Jensen, Purchasing Agent, 405.295.6125

kjensen@okcana.cogov.net



**Canadian County
Purchasing**

Affidavit / Proof of Mailing

Date Issued: June 1, 2020

Bid Number: 2020-#14

Closing Date: June 19, 2020 at 4:00pm

PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036

Opening Date: June 22, 2020 during the Commissioner's Meeting that begins at 9:00am

Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ AFFIDAVIT ~

Ballistic/Spike Resistant Vests / County Sheriff

State of Oklahoma)

County of Canadian) §

I, Krissi Jensen, Purchasing Agent, in and for said County and State, do hereby certify that "Invitations to Bid" were sent to the following:

Bid Clerk
projects@bidclerk.com

Bid News
projects@isqft.com

ePlan
1400 Forum Blvd. Ste 7B
Columbia, MO 65203

Francis Tuttle Vo-Tech
Attn: Bid Assistance – Judy Robbins
12777 N. Rockwell
Oklahoma City, OK 73142

Online Data Services
5425 Peachtree Parkway NW
Peachtree Corners, GA 30092

Reed Construction Data
30 Tech. Pkwy South, Ste 100
Norcross, GA 30092

Special Ops
505 N. Portland
Oklahoma City, OK 73107

Florida Micro
11550 Common Oaks Dr, Ste 108
Raleigh, NC 27614


Lawmen's & Shooters' Supply Inc
7750 9th Street SW
Vero Beach, FL 32968

Orchid Uniform Retail Sales LLC
501 N. Meridian Ave, Ste 104
Oklahoma City, OK 73107

RBR Tactical Armor Inc
3113 Aspen Ave
Richmond, VA 23228

Commissioned Officers, Police
& Security Sales
416 Hudiburg, Suite B
Oklahoma City, OK 73108

Witness my hand and seal this 1st day of June, 2020.


Krissi Jensen, Purchasing Agent
(SEAL)



201 N. Choctaw Avenue, El Reno, OK 73036
405.295.6125 ~ Fax 405.422.2437
www.canadiancounty.org



**Canadian County
Purchasing**

BID CHECKLIST

Date Issued: June 1, 2020

Bid Number: 2020-#14

Closing Date: June 19, 2020 at 4:00pm

PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036

Opening Date: June 22, 2020 during the Commissioner's Meeting that begins at 9:00am

Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

**TO HELP PREVENT BIDS FROM BEING REJECTED FOR LACK OF COMPLETION
PLEASE CHECK FOR THE FOLLOWING:**

Is the Invitation to Bid Signed and Notarized? _____

Are all applicable spaces filled in? _____

Are all necessary papers enclosed? _____

Is the Bid # and Closing Date on outside of return envelope? _____

Thank You,

Krissi Jensen, Purchasing Agent