



Date Issued: May 4, 2020  
Bid Number: **SIX MONTH BIDS**  
Closing Date: May 29, 2020 at 4:00pm  
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036  
Opening Date: June 1, 2020 during the Commissioner’s Meeting that begins at 9:00am  
Commissioner’s Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ NOTICE TO BIDDERS~

Sealed bids will be received by the Canadian County Purchasing Agent of Canadian County, Oklahoma at the Court House in El Reno until 4:00pm on the 29th day of May, 2020. Bids will open during the Commissioner’s Meeting that begins at 9:00am on the 1st day of June, 2020.

Bids will be opened by the Board of Canadian County Commissioners on that date for the six month period of:  
**July 1, 2020 through December 31, 2020**

All bids must be made on forms furnished by the County, signed and notarized and shall conform to the regulations and conditions contained herein.

The Canadian County Board of County Commissioners reserves the right to reject any all bids or to award all or any portion of the items bid.

**Please mail sealed bids to:**  
Krissi Jensen, Purchasing Agent  
Canadian County Clerk’s Office  
PO Box 458  
El Reno, OK 73036

Street Address: 201 N. Choctaw Avenue, El Reno, OK 73036

**Please mark your envelope “Six Month Bid”**

<p>_____</p> <p>_____</p> <p>_____</p>	<p>Krissi Jensen, Purchasing Agent Canadian County Clerk’s Office PO Box 458 El Reno, OK 73036</p>
<p>SIX MONTH BID Closes: May 29, 2020 at 4:00pm</p>	

If you have any questions or need additional information, please contact:  
**Krissi Jensen**, Purchasing Agent, 405.295.6125




---

ITEM:	PAGE:
Bid Regulations and Conditions .....	4
Bid Contents.....	5
Vendor Performance.....	6
Affidavit of Non-Collusion.....	7
Asphaltic Material.....	15-17
Cement.....	11
Cement Slurry.....	13
Chicken .....	14
Cold Lay.....	18
Concrete – Furnished and Unloaded .....	9
Corr. HDPE Pipe.....	S/C
Corr. Polypropylene Pipe .....	S/C
Corr. Metal Arched Pipe (See State Contract) .....	S/C
Corr. Culvert Pipe (See State Contract).....	S/C
End Wings .....	8
End Wings-Round Corr. (See State Contract).....	S/C
End Wings-Metal Arched Pipe (See State Contract) .....	S/C
Fly Ash.....	11
Forming-Stay in Place.....	8
Ground Beef .....	14
Guard Rail – Galvanized (NEW / USED ).....	8
Guard Rail – Galvanized (See State Contract) .....	S/C
GYP – Processed.....	19



~TABLE OF CONTENTS~

H-Piling .....8

Hauling of Road Rock .....20

Hot Mix Asphalt .....18

Kiln Dust .....12

Pipe Piling – New .....8

Pipe Piling – Used .....8

Quick Lime .....12

Railroad Flat Cars .....9

Railroad Tank Cars .....9

Recycled Asphalt Shingle (RAS).....15

Rental of Equipment .....14

Road Rock .....19

Shale – Processed .....20

Steel Sheet Piling – Interlocking.....9

Structural Steel .....8

1 ½” Minus Gravel.....19



~BID REGULATIONS AND CONDITIONS~

BIDDERS LIST:

- A. Vendors wishing to do business with the County should be included on the "Bidders List" maintained by the County Purchasing Agent. All vendors are eligible for consideration.
- B. Vendors wishing to be added to the "Bidders List" should contact the County Purchasing Office.
- C. Removal from the "Bidders List".
  1. Removal or Suspension. The Purchasing Agent may remove any vendor on the Bidders List for such period of time deemed necessary by the Purchasing Agent.
  2. Cause for Removal or Suspension. The following shall be deemed sufficient grounds for removal or suspension:
    - a) Three consecutive failures to respond to the Notice to Bidders.
    - b) Failure to submit certificate of compliance when required.
    - c) Consistent failure to conform to bid regulations, conditions, and/or specifications.
    - d) Failure to make timely deliveries.
    - e) Failure to keep bid firm for the time specified on the Notice of Bid.
    - f) Collusion with other bidders or prospective bidders to restrain competitive bidding.
    - g) Bankruptcy or other evidence of insolvency of the bidder.
    - h) Giving false or misleading information in an application for inclusion of the "Bidders List".
    - i) Any violation of these rules and regulations or other information suggesting that the bidder is no longer responsible and qualified to do business with the County.
  3. Notice of removal or suspension from the Bidders List will be sent to affected vendor. This action may be contested in writing to the Purchasing Agent within five working days.

BIDDING PROCEDURES:

- A. Solicitation of Bids.
  1. Concerning Solicitation. The Purchasing Agent provides fair and impartial consideration to all qualified bidders and seeks to obtain the highest practicable degree of full and free competition. All interested vendors are urged to apply for inclusion on the Bidders List.
  2. Bid Selection. **The County Commissioners reserves the right to reject any or all bids or award all or any portion of the items bid including awarding by districts on any items bid.** The Purchasing Agent will solicit phone bids from three or more vendors selected at random, if this occurs.
- B. Bid Form:
  1. Bids are submitted on the forms containing items and/or goods a vendor wished to bid. Return of bid constitutes a valid offer good for 30 days from the date of opening.
  2. Formal Requirements.
    - a) Written in Ink or Typewritten. All bids must be written legibly in ink or preferably typewritten.
    - b) Authorized Signature. The bid must bear the signature in ink by the person so authorized.
    - c) Notary Seal. Each bid must bear the signature and seal of an authorized Notary Public on the Affidavit of Non-Collusion.
    - d) Labeled and sealed envelope. Bidders name and address and closing date must appear on the face of the envelope.



---

HOLD HARMLESS AGREEMENT:

All bidders shall defend, indemnify and hold the County of Canadian County, State of Oklahoma, its commissioners, officers, deputies and employees harmless from and against any and all liability, loss, expense (including reasonable attorney's fees), or claims for injury or damages arising from, relating to, or connected with the performance of the bidding work.

BID CONTENTS:

1. Entire Agreement. The Bid Regulations and Conditions of this section together with the Notice of Bid and any other sheets or documents made a part of the bid package, shall constitute the entire agreement between parties.
2. Modification. An addendum will be issued, when deemed necessary, for any changes in, additions to, or waivers of specifications, or regulations and conditions of the bid. The Purchasing Agent must issue this addendum.
3. Offer firm for thirty days. Return of bid constitutes a valid offer guaranteed for a minimum of 30 days by vendor until bid is awarded. After bid is awarded offer is firm for six months.
4. Items to be new or current. Unless otherwise stated within the bid, goods and materials offered in the bid are to be new and of current design.
5. Non-Acceptance of Split Award – “All or None Bid” – The County Commissioners reserve the right to make and award on items or groups of items listed on the bid. If the vendor wishes to bid “All or None”, this must be clearly shown of the bid.
6. Shipping Instructions. Goods and materials are to be shipped F.O.B., the receiving officer or department. All freight is to be borne by the vendor and included in the bid price.
7. Title and Risk of Loss. Title of goods shall not pass from the vendor until such goods are received by requisitioning departments receiving officer. Risk of such loss prior to such receipt shall be borne by the vendor.
8. Delivery. Time is of the essence and deliveries are to be made within ten days after receipt of an order. Items to be picked up by the County shall be ready within 24 hours of notice.
9. Inspection and Rejection. All goods and materials shall be subject to inspection by the receiving officer at the time of delivery. Any goods not in complete conformance with the specifications, defective in materials of workmanship, or found to contain latent defects will be rejected. Such goods are to be removed and replaced by and at the cost of the vendor promptly after notifications of rejection. Risk or loss as to such rejected goods shall be borne by the vendor.
10. Payment. Payment by the County for goods received shall not constitute acceptance if subsequent discoveries reveal latent defects or a failure to meet bid specifications. Payment for a period delivery shall not be deemed acceptance of undelivered goods.
11. Exemption from Taxes. Purchases made by the County are exempt from State Sales Tax and from Federal Excise Tax. These taxes should not be included in bid prices. When required, the Purchasing Agent will supply the proper tax exemption certificate.

SUBMISSION PROCEDURES:

- A. **Sealed envelopes. Bids must be submitted in a sealed envelope with the name and address of the vendor and date and time of closing clearly marked on the outside of the envelope.**
- B. Late Bids. Bids received after the time and date of closing listed on Notice to Bidders will not be opened. These late bids will remain unopened and become a permanent part of the bid file.



---

AWARDING OF BIDS:

- A. Acceptance. The Purchasing Agent will compile the bids submitted. The County Commissioners will open and award all bids. The Purchasing Agent will notify all successful bidders in writing prior to onset of the bidding period. **Vendors should not submit bids for items that are not on the six month bid request. Bids will be awarded only for items on the six month bid request.**

Purchases of items and supplies that are on this Six Month Bid list must be made from the vendor listed. This is an exclusive contract between Canadian County and the vendor for the time period mentioned on the "NOTICE TO BIDDERS". The county must be as sincere in fulfilling its obligation by buying from the vendor as it expects the vendor to be in holding the price stable to the bid period.

- B. Grounds for Rejection:
1. Non-Responsive Bid. Any bid which does not meet the requirements or specifications of the bid, or is unsuitable for the intended use, or does not comply with these regulations and conditions may be rejected. The County Commissioners reserve the right to reject any or all bids when such is deemed in the best interest of the County.
  2. Affidavit. The Non-Collusion Affidavit not signed and notarized and/or included with the bid.

PERFORMANCE BY SUCCESSFUL BIDDER:

- A. Delivery of Goods:
1. Deliveries shall be made within **ten days from the date ordered**. Items to be picked up by the County shall be ready within 24 hours of Notice.
  2. Deliveries are to be made to the requisitioning department and the vendor will be advised of such time of order.

SUB-LETTING:

- A. Any bid submitted with sub-letting to firm other than the bidding vendor will or shall be CLEARLY SPECIFIED ON THE BID SHEET.

THE USE OF RECYCLED MATERIALS:

- A. If a vendor has products using recyclable materials and regular materials, the vendor shall submit separate bids, using one bid for recyclable materials only and using one bid for regular materials.

CHANGING OF BID SPECIFICATIONS:

- A. Bid forms shall be filled out as specified. If a Vendor chooses to change the bid specifications, the bid will be subject to rejection by the Board of Canadian County Commissioners.

ALUMINIZED STEEL TYPE "2" PIPE SPECIFICATIONS:

- A. This proposal for furnishing Corrugated Aluminized Steel Type "2" Pipe as per Oklahoma State Highway Specifications, Section 726, 1999 Edition and Supplements, delivered F.O.B. to specified locations in Canadian County. Steel Sheet, aluminum-coated (type 2) by the hot-dip process for sewer and drainage pipe shall conform to the AASHTO M 274.



AFFIDAVIT MUST BE INCLUDED WITH YOUR BID OR BID WILL BE REJECTED BY THE BOARD OF CANADIAN COUNTY COMMISSIONERS.

**RETURN THIS PAGE WITH THE BID**

~AFFIDAVIT OF NON-COLLUSION OF BIDS~

STATE OF \_\_\_\_\_ )

COUNTY OF \_\_\_\_\_ )

I, the undersigned of lawful age, being first duly sworn on oath say that he or she is the agent authorized by the bidder to submit the attached bid. Affidavit further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or contract, or in any discussions between bidders and any state official concerning exchange of money or other things of value for special consideration in letting of a contract, that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma or other public entity thereof, any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

BUSINESS NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

\_\_\_\_\_

PHONE NUMBER: \_\_\_\_\_ FAX NUMBER: \_\_\_\_\_

EMAIL: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

TITLE: \_\_\_\_\_

(NOTARIZATION)

SUBSCRIBED AND SWORN BEFORE ME THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 20\_\_.

\_\_\_\_\_  
(NOTARY PUBLIC)

\_\_\_\_\_  
(COMMISSION EXPIRATION DATE)

(SEAL)



RETURN ONLY THE PAGES THAT YOU HAVE BID ON  
BID PROPOSAL  
CANADIAN COUNTY

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

**BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID**

**STAY IN FORMING OR TENSEL FORM:** price per square foot: (New prime material: PAINTED)

GAUGE:

22 gauge \_\_\_\_\_

24 gauge \_\_\_\_\_

26 gauge \_\_\_\_\_

**NEW PIPE PILING:** outside diameter – price per foot:

.50 (1/2) wall thickness

7" \_\_\_\_\_

7 5/8" \_\_\_\_\_

8 5/8" \_\_\_\_\_

9 5/8" \_\_\_\_\_

10 3/4" \_\_\_\_\_

12" \_\_\_\_\_

14" \_\_\_\_\_

**USED PIPE PILING:** outside diameter – price per foot:

.50 (1/2) wall thickness

7" \_\_\_\_\_

7 5/8" \_\_\_\_\_

8 5/8" \_\_\_\_\_

9 5/8" \_\_\_\_\_

10 3/4" \_\_\_\_\_

12" \_\_\_\_\_

14" \_\_\_\_\_

**GALVANIZED GUARD RAILS: (NEW)** \_\_\_\_\_ per 12.6 ft. section: \_\_\_\_\_ per 25 ft. section.

**GALVANIZED GUARD RAILS: (USED)** \_\_\_\_\_ per 12.6 ft. section: \_\_\_\_\_ per 25 ft. section.

**END WING: (NEW)** \_\_\_\_\_ price for each. (USED) \_\_\_\_\_ price for each.

**STRUCTURAL STEEL: NEW** \_\_\_\_\_ price per pound for angles, channels and flats (A 36 GRADE OR BETTER – bid will not include any steel 3" dimension or less) – **New 6" to 24" and 27" to 36" will be awarded to combined lowest price.**

USED \_\_\_\_\_ price per pound

NEW \_\_\_\_\_ price per pound for 6" to 24" wide flange beams

NEW \_\_\_\_\_ price per pound for 27" to 36" wide flange beams

**10 x 10 x 42 # H-PILING:**

**NEW:** \_\_\_\_\_ price per pound

\_\_\_\_\_  
RESPECTFULLY SUBMITTED BY:





RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

INTERLOCKING STEEL SHEET PILING: price per square foot:

Table with 7 columns: GAUGE, (18" BLACK), (18" GALVANIZED), (19.7" BLACK), (19.7" GALVANIZED), (21.7" BLACK), (21.7" GALVANIZED). Rows include 7 gauge, 8 gauge, 10 gauge, 12 gauge.

CONCRETE: FURNISHED AND UNLOADED; PRICE PER CUBIC YARD: (All current ODOT specifications apply including water/cement and air content)

Table with 5 columns: PSI STRENGTHS, C, A, AA, AA High Early. Rows include GEARY, OKARCHE, PIEDMONT, CALUMET, EL RENO, YUKON, MAPLE, WALNUT, UNION CITY, MUSTANG.

VENDOR'S PRICE PER HOUR OF HOLDING TIME: \$ \_\_\_\_\_
WHEN DOES HOLDING TIME BEGIN? \_\_\_\_\_
IS THERE A MINIMUM ORDER AMOUNT TO PREVENT FREIGHT CHARGES? \_\_\_ YES \_\_\_ NO
WHAT IS THE MINIMUM ORDER AMOUNT? \_\_\_\_\_
VENDOR'S TIME FOR DELIVERY ONCE ORDER IS PLACED? \_\_\_\_\_

VENDORS BIDDING ON CONCRETE SHALL USE THE ENCLOSED TRUCKING DISTRICT MAPS FOR EACH LOCATION. THE PRICE BID PER LOCATION LISTED WILL BE USED IN THE BOUNDARY AREA.

INSURANCE: SUCCESSFUL BIDDER WILL BE REQUIRED TO PROVIDE ASSURANCE TO INDEMNIFY AND SAVE HARMLESS THE COUNTY FROM ANY LIABILITY OR DAMAGE TO PRIVATE OR PUBLIC PROPERTY OF LIFE SUSTAINED IN THE PROCESS OF TRANSPORTING.

RAILROAD TANK CARS WITH THE ENDS REMOVED-TANK CARS SHALL BE READY TO INSTALL. PRICE SHOULD INCLUDE DELIVERY.

Table for RAILROAD TANK CARS: PRICE PER FOOT. Columns: 6', 6' 6", 7', 7' 6", 8', 8' 6", 9', 9' 6".

RAILROAD FLATCARS: PRICE PER FOOT: 8' \_\_\_\_\_ 9' \_\_\_\_\_ 10' \_\_\_\_\_

10' DIAMETER 1/2 TANK DELIVERED WITH MINIMUM 15" WIDE CHANNEL IRON FOOTERS, MINIMUM 3/4" THICK.

RESPECTFULLY SUBMITTED BY: \_\_\_\_\_



**RETURN ONLY THE PAGES THAT YOU HAVE BID ON  
BID PROPOSAL  
CANADIAN COUNTY**

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

**BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID**

**Soil Stabilization Materials:**

**Cement:**

**All Cement for soil stabilization shall meet the following:**

- Standard Specifications for: Portland Cement (ASTM C150 or AASHTO M85) or
- Standard Specification for: Blended Hydraulic Cement (AASHTO C595 or AASHTO M240) or
- Standard Specification for: Hydraulic Cement (ASTM C 1157)

Delivery of cement shall be made in Pneumatic trailers equipped with spreader bars that spread the material uniformly on the roadway. The cost of spreading the cement shall be included in the delivered cost of the material. Must meet current ODOT specifications.

**Fly ash:**

Fly ash should conform to AASHTO M295 Class C or Class F materials. No bottom ash or Fly ash that is not approved by the Oklahoma Department of Transportation will be accepted. Delivery of the material shall be quoted in end dump trucks with an alternate price delivered in a pneumatic trailer and spread with a spreader bar. Must meet current ODOT specifications.

**Lime:**

Lime shall be quick lime in accordance with AASHTO M 216 with an available lime index of at least 90% as per ASTM C 25. Only quicklime from sources approved by the Oklahoma Department of Transportation will be allowed. Hydrated lime will not be allowed. Lime shall be delivered in bottom drop pneumatic trailers. Must meet current ODOT specifications.

**Cement Kiln Dust:**

Cement Kiln Dust being a byproduct of the manufacture of cement should conform to the following specifications: When Tested by AASHTO T 405 the lower limits of the average of chemical properties of the material should meet or exceed the following specifications for one month before shipment. Must meet current ODOT specifications.

**CKD Requirements**

- Calcium Oxides = greater than 35%
- Alkali Equivalents = less than 8%
- Total Sulfates = less than 10%
- Loss on Ignition test = less than 30%

The vendor shall provide current tests report before shipment of the material to the county. Delivery of the material shall be quoted in end dump trucks with an alternate price delivered in a pneumatic trailer and spread with a spreader bar.

All vendors shall supply the name and contact information of a customer service representative to assist with installation questions and installation specifications for the materials quoted.

The material costs delivered to the following zones shall include all costs, not limited to: loading costs, fuel surcharges, toll fees, etc.



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

Table with columns: PRODUCT And AREA, PRICE PER TON, and contact information (Material Source, Representative, Contact Phone#, 24 Hour Phone#). Includes rows for CEMENT: Geary, Okarche, Piedmont, Calumet, El Reno, Yukon, Maple, Walnut, Union City, Mustang.

Notice required to vendor prior to delivery \_\_\_\_\_ hours.

Does the Vendor agree to deliver product within a two hour time window YES \_\_\_\_\_ NO \_\_\_\_\_

Table with columns: PRODUCT And AREA, PRICE PER TON, and contact information (Material Source, Representative, Contact Phone#, 24 Hour Phone #). Includes row for FLY ASH: Geary, Okarche, Piedmont, Calumet, El Reno, Yukon, Maple, Walnut, Union City, Mustang.

Up charge for pneumatic freight including spread fees \$ \_\_\_\_\_ cost per ton.

Notice required to vendor prior to delivery \_\_\_\_\_ hours.

Does the Vendor agree to deliver product within a two hour time window YES \_\_\_\_\_ NO \_\_\_\_\_

RESPECTFULLY SUBMITTED BY: \_\_\_\_\_



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

PRODUCT PRICE PER TON
And AREA:
KILN DUST: (Delivered in End Dump Trucks)
Geary
Okarche
Piedmont
Calumet
El Reno
Yukon
Maple
Walnut
Union City
Mustang

Material Source: \_\_\_\_\_
Representative: \_\_\_\_\_
Contact Phone# \_\_\_\_\_
24 Hour Phone# \_\_\_\_\_

Up charge for pneumatic freight including spread fees \$ \_\_\_\_\_ cost per ton.

Notice required to vendor prior to delivery \_\_\_\_\_ hours.

Does the Vendor agree to deliver product within a two hour time window YES \_\_\_\_\_ NO \_\_\_\_\_

PRODUCT PRICE PER TON
And AREA:
QUICK LIME: (Delivered in bottom drop pneumatic trailers)
Geary
Okarche
Piedmont
Calumet
El Reno
Yukon
Maple
Walnut
Union City
Mustang

Material Source: \_\_\_\_\_
Representative: \_\_\_\_\_
Contact Phone# \_\_\_\_\_
24 Hour Phone# \_\_\_\_\_

Notice required to vendor prior to delivery \_\_\_\_\_ hours.

Does the Vendor agree to deliver product within a two hour time window YES \_\_\_\_\_ NO \_\_\_\_\_

RESPECTFULLY SUBMITTED BY: \_\_\_\_\_



**RETURN ONLY THE PAGES THAT YOU HAVE BID ON  
BID PROPOSAL  
CANADIAN COUNTY**

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

**BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID**

**CEMENT SLURRY FOR SOIL STABILIZATION**

**\$ \_\_\_\_\_ DRY/TON**

**SPECS FOR CEMENT SLURRY:**

**DESCRIPTION**

This material shall be delivered and applied into or onto the subgrade soil by the supplier at the specified rate determined by the County. Prior to delivery and application, the Supplier may be required to provide cement samples for laboratory testing to be mixed with native subgrade soil from the project site. The County will perform the required work to prepare the subgrade soil for application of the cement slurry, mix the cement slurry into the soil and perform the final shaping and compaction of the cement slurry modified subgrade soil.

**MATERIALS**

Cement shall conform to the requirements of ASTM C150/150M. Cement powder being used for slurry shall be stored in a weatherproof storage unit to prevent lumps, caking of cement and contamination of any foreign matter that may be deleterious to slurry mix.

The slurry mix shall contain a minimum of 55% cementitious material by mass.

The slurry mix shall contain a stabilizing agent capable of maintaining a homogenous mixture of cementitious material, in water, for a minimum of four hours after it has been batched.

**MATERIAL TESTING**

If tested, a 500 ml portion of the slurry will be removed from the middle of the load. The slurry suspension will be monitored with no vibration or agitation at ambient temperature for 30 minutes. Little or no separation of liquid or solid should occur. The Marsh Funnel Viscosity of the slurry shall be a minimum of 60 seconds when measured according to ASTM D6910

**EQUIPMENT**

The slurry plant shall be a hydraulic/pneumatic mixing plant with monitoring devices to regulate flow rates and line pressures. Slurry proportion shall be regulated by calibrated scales. All components of the slurry solution shall be mixed using a high energy static mixing apparatus. All mechanical mixing must be pump driven. Lime slaking tanks, paddle driven mixers and other similar technology shall not be employed.

The slurry plant should provide safe and easy access for the Engineer to obtain samples.

The cement slurry shall be delivered to the project site in a non-baffle tank vehicle that does not recirculate or agitate the slurry material by any means other than the motion of the vehicle in normal movement.

Application of the cement slurry shall be uniformly placed onto or into substrate soil. The vehicle that places the slurry shall spread a controlled slurry within a given area. Tickets shall be generated through the function of calibrated plant scales for the amount (per ton) of dry cementitious product delivered to the project site.

**MEASUREMENT AND PAYMENT**

Cement slurry for soil stabilization shall be measured by the dry ton of cement delivered and applied to the subgrade soil and shall include cement samples for laboratory testing. The County shall provide the supplier with water for slurry vehicle, tankers and an area to clean slurry vehicle.

\_\_\_\_\_  
RESPECTFULLY SUBMITTED BY:



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

FOOD FOR CANADIAN COUNTY JAIL AND/OR CANADIAN COUNTY CHILDREN'S JUSTICE CENTER: JAIL
LOCATION: 208 W. ROGERS EL RENO, OK / JUSTICE CENTER: 7905 E. HWY. 66 EL RENO, OK

- GROUND BEEF: price per pound: \$ \_\_\_\_\_; purchase for jail and detention center.
CHICKEN LEGS: price per pound: \$ \_\_\_\_\_ - Boneless: purchase for detention center only.
CHICKEN THIGHS: price per pound: \$ \_\_\_\_\_ - Boneless: purchase for detention center only.
CHICKEN QUARTERS: price per pound: \$ \_\_\_\_\_; purchase for detention center only.

DELIVERIES ARE TO BE MADE TO CANADIAN COUNTY JAIL OR CANADIAN COUNTY CHILDREN'S JUSTICE CENTER. MEAT ORDERS ARE TO BE DELIVERED WITHIN 5 DAYS OF RECEIVING ORDER

RENTAL OF EQUIPMENT: See Terms and conditions.

Table with columns: EQUIPMENT, HP, WGT/YDS, PRICE PER: MODEL, WEEK, MONTH. Rows include Asphalt Reclaimer, Broom/Conveyor, Pulva Mixer, 4000 Gal Water Truck, Vibratory Smooth Drum Roller, and Vibratory Padfoot Roller.

DISTRUBUTOR TRUCK (County to furnish oil) Without Operator\$ \_\_\_\_\_ \$ \_\_\_\_\_ \$ \_\_\_\_\_

TERMS AND CONDITIONS: Awarded Vendor shall deliver and pickup equipment to location ordered by Canadian County. County will carry at its own expense general liability insurance. Vendor will perform the regular manufacturers scheduled maintenance intervals (other than daily and weekly for which the County is responsible) including replacement of wear items, tires and undercarriage components during the term of the rental.

RESPECTFULLY SUBMITTED BY: \_\_\_\_\_



**RETURN ONLY THE PAGES THAT YOU HAVE BID ON**  
BID PROPOSAL  
CANADIAN COUNTY

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

**BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID**

**Continued:**

**TERMS AND CONDITIONS:** recommended daily and weekly lubrication and inspections. County will pay such repair costs. Vendor is responsible for all other repairs and Vendor and County will determine the locations and extent of such repairs. County will return the equipment in the same condition as received, less reasonable wear and tear. County will have no option to purchase the equipment rented.

**COUNTY AND VENDOR WILL NEED A SIGNED EQUIPMENT RENTAL AGREEMENT APPROVED BY THE BOARD OF COUNTY COMMISSIONERS BEFORE THE RENTAL PROCESS IS TO BEGIN. THE RENTAL AGREEMENT WILL BE INITIATED AND SUPPLIED BY THE AWARDED VENDOR.**

**ASPHALTIC MATERIALS-FOB CANADIAN COUNTY JOBSITE-PRICE PER GALLON:**  
(Must meet current ODOT specifications)

AC 7.5	_____	MINIMUM LOAD	_____
AC	_____		
MC 30	_____	DEMURRAGE CHARGE	_____
MC 800	_____		_____
MC 3000	_____		_____
SS 1	_____		_____
SS 1H	_____	PUMP CHARGE	_____
CRS 2	_____		_____
MS 2	_____	APPLICATION OF MATERIALS:	
CMS 1	_____	PER GALLON \$	_____
*CRS2+	_____		
AEP	_____		
CRS-2S	_____		
CQS-1F	_____		
CHFRS-2P	_____		

**\*\*Price for pickup at plant location: CRS2** \_\_\_\_\_  
**CRS2+** \_\_\_\_\_

**\*SPECS FOR CRS2+ [EMULSIFIED ASPHALT PRODUCT]**

<b><u>TEST ON EMULSION</u></b>	<b><u>TEST PROCEDURE</u></b> <b><u>(AASHTO)</u></b>	<b><u>SPECIFICATION</u></b>	
		<b><u>(MIN)</u></b>	<b><u>(MAX)</u></b>
Viscosity, Saybolt Furol @ 122°F, SFS	T59	125	400
Settlement test, 5 day %	T59		< 5%
Particle Charge Test	T59		positive
Sieve test, %	T59		< .10
Demulsibility, 35mL 0.08N DSS solution, %	T59	> 60	
Oil distillate, by volume of emulsion, %	T59		< 2
<b><u>TEST ON RESIDUE FROM DISTILLATION</u></b>			
Penetration, 77°F	T49	100	200
Elastic Recovery, 50°F, %	T301	> 35	

\*Exception to T59: Bring the temperature on the lower thermometer slowly to 350°F. Maintain at this temperature for 20 minutes. Complete total distillation in 60 minutes +/- 5



**SPECS FOR CQS-1F & CHFRS-2P**

**CQS-1F**

CQS-1F is a cationic emulsified asphalt product for use as a fast breaking, fast curing emulsion for use in fog seal applications. It shall be capable of allowing return to traffic (non-turning) in less than 1 hour at temperatures above 25°C and less than 50% humidity. It shall be delivered to the jobsite in a ready-to-apply dilution not to exceed water to residual asphalt ratio of 60:40. Application rate shall vary according to the demands of the pavement but shall typically be in the range of 0.08-0.12gal/s.y for use on chip seals, and 0.05-0.12 gal/s.y. over bituminous mixtures.

<u>Test on Emulsion</u>	<u>Method</u>	<u>Min.</u>	<u>Max.</u>
Viscosity @ 25°C, SSF	ASTM D88	40	500
Sieve Test, %	ASTM D244		0.10
24-Hour Storage Stability, % (Note 1)	ASTM D244		1
Residue from Distillation @ 260°C, %	ASTM D244	60	
Oil portion from distillation ml of oil Per 100 g emulsion (Note 2)	ASTM D244		1
Emulsion Particle Charge	ASTM D244	positive	
<u>Test on Residue from Distillation:</u>			
Penetration @ 25°C, 100 g, 5 sec, dmm	ASTM D5	40	120

**CHFRS-2P**

Description: A high-float, polymer-modified cationic water-based emulsified asphalt product primarily used for chip seals.

Properties:

Boiling Point	212°F
% Volatiles	None
Appearance	Brown Liquid
Flammability	Non-Flammable
Density	8.4 lbs/gal
Solubility	Soluble in Water
Odor	Petroleum Odor

(Continued on next page)





**Specifications Cont.**

<u>Property</u>	<u>Test Procedure(AASHTO)</u>	<u>Min</u>	<u>Max</u>
Viscosity, Saybolt-Furol, 122° F	T59	100	400
Sieve Test, %	T59		0.1
Demulsibility, 35ml 0.02 N CaCl <sub>2</sub> , %	T59	60	
Distillation Test :			
Residue by distillation, % by weight	T59	65	
Oil Distillate, % by volume	T59		0.5
Tests on Residue from Distillation:			
Penetration, 25°C (77°F), 100g, 5 sec	T49	80	130
Float Test, 140°F, sec	T50	1800	
Solubility in Trichloroethylene, %	T44	95	
Elastic Recovery, 50°F, %	T301	55	
Handling	Protect emulsion from freezing Avoid overheating Avoid excessive pumping with high shear pumps		
Storage & Application	Storage Temperature (°F) 50-185 Application Temperature (°F) 110-160		

RESPECTFULLY SUBMITTED BY: \_\_\_\_\_



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

HOT MIX ASPHALT S-4 – FOB \_\_\_\_\_ PLANT, SPECIFY LOAD MINIMUM
PRICE PER TON: \_\_\_\_\_ (LOCATION)

COLD LAY \_\_\_\_\_ PLANT LOCATION
5 TONS OR LESS MORE THAN 5 TONS
\_\_\_\_\_

\*Specs for Cold Lay:

- Be workable at a minimum temperature of zero degrees Fahrenheit without being heated
• Adhere to both concrete and asphaltic surfaces that are dry, damp or wet
• Be unaffected by salt or deicing compounds
• Be uniform and not require mixing prior to use

Materials:

Aggregate Gradation and Mixture design: design the mixture with the gradation selected and the asphalt content within the range specified in the chart below.

Table with 2 columns: US Sieve, % passing by weight-Type A. Rows include 3/4", 1/2", 3/8", No. 4, No. 10, No. 40, No. 80, No. 200.

HOT MIX ASPHALT -PRICE PER TON

Table with 3 columns: 0 – 699 TONS, 700 – 1400 TONS, OVER 1400 TONS. Rows include A up to 25% Recycle Mix (64-22) and B up to 25% Recycle Mix (64-22).

RECYCLED ASPHALT SHINGLE (RAS): price per ton:

- All material shall pass through a 3/8" sieve
• Minimum of 25% asphalt content
• Free of any metal
\_\_\_\_\_ Price per ton

RESPECTFULLY SUBMITTED BY: \_\_\_\_\_



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
AMENDED BID PROPOSAL
CANADIAN COUNTY

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

ROAD ROCK: price per ton:

(All Current ODOT Specifications Apply)

(please specify pit)

Table with 5 columns: Item description, FOB, FOB, FOB, FOB. Rows include various rock specifications like \*3/8" #2 cover, \*5/8" #3 cover, etc.

ON ALL SURGE ROCK, PLEASE SPECIFY 4", 6", 8".

1 1/2" Minus Gravel - Price Per Ton: \_\_\_\_\_ - Washed
\_\_\_\_\_ - Unwashed

PROCESSED GYP-

PRICE PER TON:

(please specify pit)

Table with 4 columns: Item description, PRICE PER TON, FOB, FOB. Rows include 1/2" crusher run, 3/4" crusher run, etc.



RESPECTFULLY SUBMITTED BY:

**RETURN ONLY THE PAGES THAT YOU HAVE BID ON**  
BID PROPOSAL  
CANADIAN COUNTY

DATE: \_\_\_\_\_

NAME OF FIRM: \_\_\_\_\_

**BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID**

**HAULING OF ROCK - END DUMP TRAILER - PRICE PER TON MILE.**

FROM RICHARD SPUR: \$ _____	FROM CYRIL: \$ _____	FROM COOPERTON: \$ _____
FROM GREENFIELD: \$ _____	FROM HYDRO: \$ _____	FROM DAVIS: \$ _____
FROM GRANITE: \$ _____	FROM MILL CREEK: \$ _____	FROM CARNEGIE: \$ _____
FROM WATONGA: \$ _____	FROM YUKON: \$ _____	

**HAULING OF ROCK - BELLY DUMP TRAILER - PRICE PER TON MILE.**

FROM RICHARD SPUR: \$ _____	FROM CYRIL: \$ _____	FROM COOPERTON: \$ _____
FROM GREENFIELD: \$ _____	FROM HYDRO: \$ _____	FROM DAVIS: \$ _____
FROM GRANITE: \$ _____	FROM MILL CREEK: \$ _____	FROM CARNEGIE: \$ _____
FROM WATONGA: \$ _____	FROM YUKON: \$ _____	

**ATTENTION VENDOR: FOR ALL THE ABOVE HAULING LIST NUMBER OF BELLY AND END DUMP TRAILERS THAT ARE AVAILABLE: \_\_\_\_\_ BELLY**  
**\_\_\_\_\_ END**

**THIS MAY DETERMINE BID AWARD. (MUST HAVE A MINIMUM OF (6) SIX TRUCKS)**

**PROCESSED SHALE: PRICE/TON:**

Price per ton if loaded by Vendor:  
\$ \_\_\_\_\_

Price per ton if loaded by County:  
\$ \_\_\_\_\_

PLEASE SPECIFY LOCATION:  
\_\_\_\_\_

RESPECTFULLY SUBMITTED BY: \_\_\_\_\_