

SA&I 1-4040 (2000)

Canadian _____ County, Oklahoma
COUNTY PURCHASING OFFICE
Canadian _____ County Court House
El Reno _____, Oklahoma
Phone: (405) 295-6125

INVITATION TO BID

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE RELATING TO SUBMISSION OF THIS BID.
Notarized Affidavit completions and signature required on reverse side.

DATE ISSUED
Start accepting bids at 8:30 am
Page 1 of 2
9-15-2020

BID NUMBER #2021-#04
Arena and Pen Panel System / Fairgrounds / PFA
BID CLOSING DATE AND HOUR Sept 21, 2020 @ 8:30am
REQUIRED DELIVERY DATE
SEE SPECIFICATIONS
Days after award of Purchase Order

TERMS
Net, FOB this bid will open 09-21-2020 during PFA Meeting that begins at 8:30am
DATE OF DELIVERY:
SEE SPECIFICATIONS

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
	1 or more		<p>Canadian County Public Facilities Authority is seeking bids for Arena and Pen Panel system, installation and equipment training for the new Canadian County Fairgrounds facility.</p> <p>See Specifications attached.</p> <p>The Canadian County Public Facilities Authority reserves the right to reject any and all bids or to award all or any portion of the items bid. All data will be considered in the awarding of the bid including the delivery time.</p> <p><u>The terms & conditions of this document must be completed and returned or the bid will be rejected.</u></p> <p>Contact person: Nathan Smith, Director & Marketing Manager Canadian County Fairgrounds (405) 262-0683</p> <p style="text-align: center;">APPROVED Date: <u>8/21/2020</u> <i>Nathan G. Yoder</i> Officer or Department Head</p>		\$ _____ Total

TERMS AND CONDITIONS

- 1. Sealed bids will be opened in the Commissioner's Conference Room, Canadian County Courthouse, 201 N. Choctaw Avenue, El Reno, Oklahoma, at the time and date shown on the invitation to bid form.
- 2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
- 3. Unit prices will be guaranteed correct by the bidder.
- 4. Firm prices will be F.O.B. destination.
- 5. Purchases by Canadian County, Oklahoma, are not subject to state or federal taxes.
- 6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
- 7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
- 8. Bids will be firm until 10/21/2020 (DATE)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity, quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day

of _____, 20____ (SEAL)

Firm: _____

My commission expires _____ Signed by: _____ Title: _____
(Manual Signature of Undersigned)

NOTARY PUBLIC (CLERK OR JUDGE) Address: _____ Phone: _____

City: _____ State: _____

Zip: _____

Please mail sealed bids to:
Canadian County Clerk's Office
Attn: Purchasing
PO Box 458
El Reno, OK 73036

Street Address:
201 N Choctaw Avenue
El Reno, OK 73036

NOTE: Other terms and conditions can be added at the discretion of the county officers.



**Canadian County
Purchasing**

Bid Specifications

Date Issued: September 15, 2020

Bid Number: 2021-#04

Closing Date: September 21, 2020 at 8:30am

PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036

Opening Date: September 21, 2020 during the Public Facilities Authority Meeting that begins at 8:30am

Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ SPECIFICATIONS ~

Arena and Pen Panel System / Fairgrounds / for Canadian County Public Facilities Authority

Canadian County Public Facilities Authority is seeking bids for Arena and Pen Panel system, installation and equipment training for the new Canadian County Fairgrounds facility.

Specifications:

See attached specifications.

Bids will be received beginning at 8:30am on Tuesday, September 15, 2020 until 8:30am on Monday, September 21, 2020.

Bids shall be accompanied by:

- A certified check, cashier's check or bid bond equal to five percent (5%) of the bid, which shall be deposited with the awarding public agency as a guaranty; or

An irrevocable letter of credit terms the Construction and Properties Division of the Office of Management and Enterprise Services prescribes, issued by a financial institution insured by the Federal Deposit Insurance Corporation or the Federal Savings and Loan Insurance Corporation for the benefit of the state, on behalf of the awarding public agency, in an amount equal to five percent (5%) of the bid. The awarding public agency shall deposit the irrevocable letter of credit with Division.

- Business Relationships Affidavit
- Non-Collusion Bidding Certification

(Please review Title 61 O.S. § 101-138 for full disclosure)

Note

Terms for Payment:

- A purchase order will be issued to the awarded vendor. Once the original itemized invoice is received by the receiving officer it will be processed for payment.

For Information Contact:

Nathan Smith, Director & Marketing Manager Canadian County Fairgrounds

Phone: (405) 262-0683

Hours: Monday – Friday 8:00am to 4:30pm

If you have any questions or need additional information, please contact:

Krissi Jensen, Purchasing Agent, 405.295.6125

kjensen@okcana.cogov.net

201 N. Choctaw Avenue, El Reno, OK 73036

405.295.6125 ~ Fax 405.422.2437

www.canadiancounty.org

The Canadian County Public Facility Authority ("CCFPA") is seeking proposals in response to the request for proposal (RFP) for Arena and Pen Panel, installation and equipment training for the new Canadian County Fairgrounds facility located in El Reno, OK. The items to be bid are outlined on the attached Statement of Work.

To be considered responsive to this RFP, the vendor's bid must include the Transmittal Letter, Attachment B, Detailed Proposal, and estimated installation schedule.

The Transmittal Letter must be a formal letter from the vendor in the standard business format on corporate letterhead. It must be brief and must contain Exhibit 1 to this RFP, signed by an individual authorized to legally bind the vendor, and authorized to handle all procurement matters that may arise.

The vendor's proposal must contain a detailed cost breakdown for the items outline in the submitted proposal.

The terms and conditions governing this procurement are included as attachment A.

The CCFPA is the sole contact for all procurement and purchase order matters relating to services described herein. All proposals/bids regarding this procurement must be addressed to:

**Canadian County Clerk
ATTN: Purchasing
PO Box 458.
El Reno, OK 73036**

All product, service and installation questions should be addressed to:

**Canadian County Fairgrounds
Nathan Smith
405-262-0683
canadiancountyfairgrounds@gmail.com**

Questions concerning this procurement must be emailed to Nathan Smith no later than **12:00 PM (noon), September 10th, 2020**. A copy of all vendor questions received, with written responses, will be emailed to all vendors no later than **Thursday, September 10th 2020**. Vendor confirmation of intent to submit a proposal is due no later than **12:00 pm (Noon), September 11th 2020** to canadiancountyfairgrounds@gmail.com. Vendor proposal must be received by the Canadian County Clerk no later than **8:30 am, Monday, September 21st, 2020**. All proposals will be stamped with the date and time of receipt. Each vendor must submit their proposal, with the requisite attachments and signatures via sealed envelope with bid number and project referenced on the outside of the envelope. Bids will be opened in a public meeting on **September 21st, 2020**. **Do not turn bid in before Tuesday September 15 @ 8:30am – bid will not be opened or considered.**

Upon contract award, the selected vendor's proposal and subsequent contract will be considered a record of Canadian County and shall be made public.

The selected vendor will be contacted by CCPFA. Unsuccessful vendors will be contacted subsequent to the contract being awarded to the selected vendor.

Bids received after the due date and time will not be considered.
Conditional bids will not be accepted.

A responsive Proposal is one that meets all terms, conditions and specifications of the RFP. A Proposal must comply with the content requirements of the RFP documents. CCPFA reserves the right to cancel, modify, or delete in whole or in part this procurement and to seek further clarification from a vendor regarding its proposal.

CCPFA reserves the right to accept or reject in whole or in part any or all Proposals submitted. CCPFA shall reject the Proposal of any vendor that is determined to be non-responsive. Provided, however, CCPFA reserves the right to waive any informality or irregularity in the Proposals, and to determine responsiveness and responsibility of parties making Proposals. A Proposal which substantially conforms, though not strictly responsive, may be accepted if the variance does not provide any bidder an advantage or benefit not allowed other bidders. The unreasonable failure of a bidder to properly supply information in connection with respect to responsibility may be grounds for a determination for non-responsibility.

CCPFA reserves the right to request clarifications for corrections to Proposals. Requests by CCPFA for clarification of Proposals shall be in writing. Said requests shall not alter the bidder's pricing information contained in its Proposal.

All Proposals shall be valid for a period of 60 days from the submission date.

CCPFA looks forward to receiving your proposal in response to the RFP.

CONTENTS CURRENT PROPOSED SCHEDULE	Page 4
STATEMENT OF WORK	Page 5
PROPOSAL REQUIREMENTS.....	Page 6
EXHIBIT 1	Page 7
TERMS AND CONDITIONS.....	Attachment A/Page 8
COST PROPOSAL	Attachment B/Page 17

CURRENT PROPOSED SCHEDULE

Canadian County Fairgrounds

Request for Proposal: Arenal and Pen Panel and Installation Services

- Request for Proposal (RFP) advertisement and distribution:
August 26th and September 2nd, 2020
- Deadline for vendors to submit questions regarding the RFP to Canadian County Fairgrounds: **Thursday, September 10th, 2020 at 12:00pm (Noon)**
- Date by which Canadian County responds to questions received from vendors:
Thursday, September 10th, 2020
- Date by which vendors must email intent to submit a proposal:
October 11th, 2020 at 12:00pm (Noon)
- Date start accepting bids:
Tuesday, September 15th, 2020 at 8:30am.
(Do not turn bid in before Tuesday September 15th, 2020 @ 8:30am – bid will not be opened or considered.)
- Deadline for submitting proposals:
Monday, September 21st, 2020 at 8:30am
- Opening of Bids
Monday, September 21st, 2020 during the Public Facilities Authority Meeting that begins at 8:30am.

Statement of Work

1. Introduction

CCPFA is seeking a proposal for design, purchase and installation of Panel systems systems in (1) Arena (1) Warm up area, (1) Outdoor portable arena, a night pens system and horse stalls at the Canadian County Fairgrounds located at 3001 Jensen Rd. El Reno, OK 73036. The vendor will be responsible for the final overall system design including all components and any other parts needed to make this a complete and functional system. As-built drawings, produced in AutoCAD and PDF format, are required upon completion of the project.

The vendor will provide a sole point of contact for the Canadian County Fairgrounds. If subcontractors are used, they will report to the vendor and will be the responsibility of the vendor. Subcontractors must accept the terms and conditions listed in Attachment A.

1.1 Purpose

To obtain a qualified vendor to design, provide and install Arena and pen panel system in the Canadian County Fairgrounds facilities. The final design and implementation should deliver a turnkey solution, encompassing design, purchase, initial installation, testing.

Indoor Arena Summary:

The indoor Arena will primarily be used for State & National roping, bull riding, rodeos, expo and trade show events. This system, like the others, should be simple to deploy. The system should be capable of Rodeo, roping, bucking and horse show use. **Attachment C1** shows layout. All components must meet or exceed specifications shown in attachment "Specifications".

Please feel free to reach out to Nathan Smith of the Canadian County Fairgrounds for questions or clarifications. (405) 885-8811 or canadiancountyfairgrounds@gmail.com

Night Pens:

A total of (10) 34'x36' night pens including a ten foot alleys as described in Attachment C2. Night pens will have the capability of being stand alone or connecting to outdoor arena.

Outdoor Arena:

(1) 125'x250' with roping box, return alley, cut pen and chute as show in Attachment C2.

Warm Up Arena:

- (1) 100'x100' Warm up arena as shown in attachment C3

Horse Stalls:

A total of (200) 10'x10' plastic panel stalls with rolling doors, solid backs and railed dividers. See Attachment C4.

Proposal Requirements

The following information must be included in your bid in order to be considered responsive:

1. Proposal:

Proposal should be detailed and include drawings.

2. Cost:

- a. Detailed report of cost breakdowns
- b. Vendor should not make any assumptions in their cost submittal
- c. Proposal must include all cost including all labor for initial install, transportation, supplies, equipment needed for initial install and any other items or operating costs to satisfactorily meet all items in the proposal.

3. References/Experience:

- a. Proof of a minimum of ten (10) years of experience in the industry.
- b. Five (5) examples of similar projects with references.

4. Project management:

- a. Vendor should identify a project manager.

5. Warranty/Maintenance:

- a. Vendor should include how warranty service is ordered after system is implemented and general scope of the vendors warranty process and timeline.

6. Estimated Schedule of Installation.

- a. The Canadian County Public Facility Authority is looking for an estimated time line based on the following:
 - i. Award Contract November 01, 2020

Exhibit I

RE: Request for Proposal
Canadian County Fairgrounds Arena and Pen Panels.

By Signature of this page, the vendor listed below acknowledges their participation in the aforementioned CCPFA procurement and agrees to the terms and conditions governing this procurement.

In order to be considered responsive to this Request for Proposal, **this signed form** must accompany the vendors **Transmittal Letter, Proposal and Estimated Installation Schedule**. Your signature also certifies that all pricing is in U.S. dollars, and that the total fixed price quote will be in effect for at least 60 days after the closing date.

Company Name

Date

Authorized Representative Signature

Title

Authorized Representative Name (Print)

Phone Number

Email Address

Fax Number

To be considered responsive, you must sign this page.

Attachment A

SAMPLE CONTRACT TERMS AND CONDITIONS

1. Type of Contract

This contract is a fixed-price contract for the services and the equipment specified in this Request for Proposal (RFP).

2. Term of the Contract

The term of the contract shall expire, unless earlier terminated pursuant to this agreement, upon the completion of all specified tasks and the delivery of all services and deliverables as defined in the Contract. The order of documents in the Contract shall be:

1. This Contract
2. Terms and Conditions
3. Request for Proposal (RFP)
4. Amendments and written answers to Contractors questions
5. Contractors Proposal

In the event of a conflict between the terms and conditions of the Contract and any other Riders and Exhibits, the terms and conditions contained in the Contract shall exclusively control unless explicitly provided for otherwise in writing by the parties.

3. Contract Administrator

The Canadian County Public Facility Authority is the Contract Administrator for the Canadian County Fairgrounds project. The Contract Administrator shall be the single authority to act for the Canadian County Fairgrounds under the Contract. Whenever the Canadian County Fairgrounds is required by terms of the Contract to provide written notice to the Contractor, such notice must be signed by the Contract Administrator.

4. Contractor Responsibilities

The selected Contractor will be required to assume responsibility for all services offered and products to be delivered as stated in its Bid, whether or not the Contractor is the manufacturer or the producer of said services and products. The Canadian County Fairgrounds will consider the selected Contractor to be the sole point-of-contact with regard to all contractual matters and the Contractor must designate a Contract Administrator for that purpose.

5. Independent Capacity of the Contractor

In the performance of the Contract, the Contractor, its officers, employees, agents, or subcontractors will act in an independent capacity and not as officers, agents, or employees of the Canadian County Fairgrounds or Canadian County.

6. Subcontracting

Except as provided in the Contractor's proposal, no contract shall be made by the contractor with any other party for furnishing any of the work or services contracted for herein without the written consent and approval of the point of contact for the Canadian County Fairgrounds. This provision does not require the approval of contracts of employment between the Contractor and the employees assigned for services hereunder. Should the point of contact for the Canadian County Fairgrounds consent to a subcontract with a third-party to furnish any portion of the Contractor's obligation under this contract, then the Canadian County Public Facility Authority shall have the right to require that its bidding and procurement processes are followed in any such third-party subcontracting agreement.

7. Funding – Payments and Completion

7.1 Contract Sum

The Contract Sum as stated in the Agreement and, including authorized adjustments, is the total amount payable by CCPFA to the Contractor for performance of the work under the Contract documents.

7.1.1 If unit prices are as stated in the Contract documents or subsequently agreed upon, and if quantities originally contemplated materially change so that application of such unit prices to the actual quantities causes substantial inequity to CCPFA or Contractor, the applicable unit prices shall be equitably adjusted.

7.2 The Contractor shall submit a schedule of values to Canadian County Fairgrounds before the first application for payment, allocating the entire Contract sum to various portions of the work scheduled, and unless objected to, shall be used as a basis of reviewing the Contract for applications for payment.

7.3 Applications for Payment

The Contractor shall submit to the Canadian County Fairgrounds an itemized application for payment in accordance for the schedule of values, for completed portions of the work. If required, the application shall be supported by all data substantiating the Contractor's right to payment that the Canadian County Fairgrounds may require.

7.3.1 Such applications may include request for payment on account of changes in the work that have been properly authorized by CCPFA, but not yet included in Change Orders.

7.3.2 Unless otherwise provided in the Contract Documents, payments shall be made on account of materials and equipment delivered and suitably stored at the site for substantial incorporation in the Work. If approved in advance by CCPFA, payment may similarly be made for materials and equipment suitably stored offsite at a location agreed upon in writing. Payment for materials and equipment stored on or off the site shall be conditioned upon

compliance by the Contractor with procedures satisfactory to the Canadian County Fairgrounds and CCPFA to establish CCPFA's titles to such materials and equipment and/or otherwise protecting CCPFA's interest, and shall include the cost of applicable insurance, storage, and transportation to the site, for such materials and equipment stored off the site.

7.3.3 The Contractor warrants that title to all work covered by an application for payment will pass to the owner no later than the time of payment. Contractor further warrants that upon submittal of an application for payment, all work applicable to the application shall, to the best of the Contractor's knowledge, information, and belief, be free and clear of liens, claims, security interest, or encumbrances, in favor of Contractor, sub-contractors, suppliers, or other persons or entities that provide labor, materials, and equipment relating to the work.

7.4 Decisions to Withhold Payment

7.4.1 CCPFA may withhold payment to such extent as may be necessary to protect CCPFA from loss for which the Contractor is responsible, including loss resulting from acts and omissions including the following:

1. Defective work not remedied: third party claims filed or reasonable evidence indicating probable filing of such claims, unless security acceptable to CCPFA is provided by the Contractor;
2. Failure of the Contractor to make payments properly to sub-contractors or suppliers for labor, materials, or equipment;
3. Reasonable evidence that the work cannot be completed for the unpaid balance of the Contract;
4. Damage to CCPFA or a separate contractor; reasonable evidence that the work will not be completed within the Contract time, and that the unpaid balance would not be adequate to cover actual or liquidated damages for the anticipated delay; or
5. Repeated failure to carry out the work in accordance with the Contract documents.

7.5 When the reasons for withholding payment are removed, payment will be made for payments previously withheld.

7.6 CCPFA has the right to requests written evidence from the Contractor that the Contractor properly paid sub-contractors and suppliers amounts paid by CCPFA to Contractor for Sub-contractor's work. If Contractor fails to provide such evidence within seven (7) days, CCPFA shall have the right to contact sub-contractors and suppliers to ascertain whether they have been properly paid.

7.7 Provided that CCPFA has fulfilled its payment obligations under the Contract documents, the Contractor shall defend and indemnify CCPFA, Canadian County and Canadian County Fairgrounds (the "Indemnified Parties") from all loss, liability, damage, or expense, including reasonable attorney's fees and litigation expenses, rising out of any lien claim or other claim for payment by any subcontractor or supplier of any tier.

7.8 Substantial Completion

7.8.1 Substantial Completion is the state of the progress of the work when the work or designated portion thereof is sufficiently complete in accordance to the Contract documents so that CCPFA can utilize the work for its intended use.

7.8.2 When the Contractor considers that the work, or portion thereof which CCPFA agrees to accept separately, is substantially complete, the Contractor shall prepare and submit a comprehensive list of items to be completed or correction prior to final payment. Failure to include an item on such list does not alter the responsibility of the Contractor to complete all work in accordance to the contract documents.

7.8.3 When the Canadian County Fairgrounds determines in good faith that the work or designated portion thereof is substantially complete, CCPFA shall make payment applying to the work or designated portion thereof. Such payment shall be adjusted for the work that is incomplete or not in accordance with the requirements of the Contract documents.

8. Disputes

In the event that any dispute arises between the parties under this Contract, the Contract Administrator for the Canadian County Fairgrounds shall make a determination on the resolution and the action to be taken in writing and shall send the same to the Contractor. The Contractor shall thereafter, in good faith and with due diligence, render such performance as the Contractor Administrator for the Canadian County Fairgrounds has determined is required. If the Contractor believes the decision of the Contract Administrator for the Canadian County Fairgrounds to be in error, the Contractor may pursue any other remedy available a law.

9. Early Termination

It is expressly understood that the performance of work under this Contract may be terminated without penalty by the CCPFA for any reasons whenever the Contractor Administrator shall determine that such termination is in the best interest of the Canadian County Fairgrounds. Such termination shall not be considered a default. Any such termination shall be effected by delivery to the Contractor or notice of termination specifying the extent to which performance of the work under this termination, the Contractor will be compensated for all work performed for which payment deliverables have been met and deliverables accepted prior to termination date. In no event, however, shall the Contractor be paid for loss of anticipated profits. Title to any equipment or hardware provided and accepted by the Canadian County Fairgrounds, pursuant to this Contract, prior to the date of termination, and for which payment is made, shall pass to the Canadian County Fairgrounds.

10. Default

10.1 Termination by the Canadian County Public Facility Authority

The Canadian County Fairgrounds may, by written notice of default to the Contractor, terminate this Contract in any one of the following circumstances if the Contractor does not cure such failure within a period of thirty (30) days (or such longer period as the Contract Administrator for the Canadian County Fairgrounds may authorize in writing) of the date of the written notice to the Contractor specifying such failure.

1. Failure to provide services or deliverables agreed upon and set forth in this RFP:

2. Failure of the hardware, software, equipment, or services to meet a standard of performance as required and called for pursuant to this RFP;
3. Failure to make progress on work within the scheduled time period, as determined by the Canadian County Fairgrounds within its sole discretion;
4. Any other inadequacy of performance as determined by the Canadian County Fairgrounds.

The CCPFA may, at its option, waive any default in writing and/or extend the time to cure the default.

10.2 Canadian County Public Facilities Authority options at Termination

In the event the CCPFA terminates this Contract as provided herein, the PFA may at its option exercise any or all of the following:

1. Retain clear title to any hardware, equipment and documentation for which the contractor has been paid by the CCPFA as of the effective date of the termination.
2. Return, as is, all deliverables provided by the Contractor that failed to meet the above specifications to Contractor at Contractors expense in which instance the Contractor must return all monies previously paid by the CCPFA within five (5) business days of receipt of such deliverables.
3. Return, as is, all hardware, equipment, software, and documentation to Contractor at Contractors expense in which instance the Contractor must return all monies previously paid by the CCPFA within five (5) business days of receipt of such hardware, equipment, software, and documentation.

10.3 Contractor Liability on Canadian County Public Facilities Authority termination

In addition to the remedies provided herein, the Canadian County Fairgrounds may hold the Contractor liable for all damages permitted under applicable law arising or resulting from the termination of the Contract.

10.4 Contractors Freedom from Liability

The Contractor shall not be liable for any damages if the failure to perform the Contract arises out of causes beyond the control and without the fault or negligence of the Contractor, including lack of sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, freight embargoes, and unusually severe weather; but in every case the failure to perform must be beyond the control and without the fault or negligence of either the Contractor or its subcontractor(s). When such a cause arises, the Contractor shall notify the Canadian County Fairgrounds director immediately in writing of its failure to perform, describing the cause of failure and how it affects performance, and the anticipated duration of the inability to perform. The CCPFA shall review the information provided and may at its option rescind the Contract.

10.5 Canadian County Public Facilities Authority Rights and Remedies

The rights and remedies of the CCPFA and Canadian County Fairgrounds provided in this Contract shall not be exclusive and are in addition to any other rights and remedies provided by law.

10.6 Attorney's fees and costs

In the event the CCPFA is required to undertake any legal action to enforce its rights and remedies under this contract, the CCPFA shall be entitled to recover reasonable attorneys' fees and costs in the event that the CCPFA prevails against the Contractor.

11. Standard of Performance

The applicable service specifications and service levels for each of the services to be provided are set forth in the RFP. These specifications must be met, and service levels satisfied prior to the CCPFA approval of invoices submitted by the Contractor for payment for the service performed.

12. Change Orders

The CCPFA may at any time, with written notice to the Contractor, make changes to the general scope of the Contract. As soon as possible after receipt of written change order, but in no event more than 10 days thereafter, the Contractor shall provide the Canadian County Fairgrounds contact with a written statement that the change has no price impact on the contract or that there is a price impact; in which case the statement shall include a description of the price increase or decrease involved in implementing the change. The cost or credit to the CCPFA resulting in a change in the work shall specify that total cost of the work, including the cost of any additional hardware or software required and shall include the number of staff hours required by level of personnel and the corresponding staff-hour rate.

13. Notice of Delays

Whenever the Contractor encounters a non-routine difficulty which is delaying or threatening to delay the timely performance of this Contract (Including actual or potential labor disputes), the Contractor shall immediately give notice thereof in writing to the Contract Administrator stating all relevant information with respect thereto. Such notice shall not in any way constitute a basis for an extension of the delivery schedule or time for performance of services or be construed as waiver by the CCPFA of any rights or remedies to which it is entitled by law or pursuant to provisions of this Contract. "Non-routine" difficulties, by way of illustration, include but are not limited to actual or potential labor disputes, blizzard conditions, other unusually severe weather and common carrier or overnight carrier strikes. Failure to give such notice, however, may be grounds for denial of any request for an extension of time for performance of services because of such delay. The forgoing does not apply to force majeure events that are outside of the Contractor's control, as set forth in this contract. The CCPFA reserves the right to delay payment when, in its sole judgment, excessive delays exist, until such time as the Contractor remedies the non-routine difficulty.

14. Payment Provisions

The Canadian County Fairgrounds shall submit all approved invoices to the Public Facilities Authority for final approval of any and all payments to be made to the Contractor. All approved payments will be submitted to the Canadian County Clerk's office for processing of payment.

15. Contractor Liability/Insurance

The Contractor will provide liability, property damage and workers compensation insurance, insuring as the may appear, the interest of all parties, their officers, employees, and agents to this Contract against any and all damages and claims to the extent arising out of the Contractor's performance. Contractor shall purchase and maintain, at its expense, the following types of insurance: (1) workers compensation insurance sufficient to cover all of the employees working to fulfill this contract; (2) comprehensive general liability insurance, property damage insurance, and automobile liability insurance in such amounts at which a minimum shall be \$1,000,000 for injury to or death of one person single occurrence and \$3,000,000 for injury to or death of more than one in a single occurrence and \$500,000 for a single occurrence of property damage.

16. Warranties

Contractor warrants that, in performing the work and services hereunder:

1. It will materially comply with the descriptions and representations as to the work, resources and services set forth in this RFP.
2. Its products shall be uniform in appearance, clean and presentable in accordance with generally applicable standards of this industry.

17. Title to Hardware and Equipment: Risk of Loss

The CCPFA will not be liable for any damages or loss to the hardware or equipment until such time as installations are complete. This includes any damage of loss that occurs during off-site or on-site software and hardware installation. Title to the hardware and equipment will pass to the Canadian County Fairgrounds after deliver to the Canadian County fairgrounds site and after it is verified by the Canadian County Fairgrounds Director that hardware and equipment are operational.

18. Patent, Copyright, and other proprietary rights Indemnification

Contractor warrants that all equipment, software, supplies and other products and all services provided hereunder do not and will not infringe upon or violate and U.S. or foreign patent, copyright, trade secret or any other proprietary right of any third-party. In the event of any claim by a third party against CCPFA, Canadian County or the Canadian County Fairgrounds, the Canadian County Fairgrounds shall promptly notify Contractor and Contractor shall defend such claim at Contractors' expense and shall indemnify and hold harmless the above conformed parties against any loss, cost, expense, or liability arising out of such claim including reasonable attorney's fees. The obligations of Contractor under this paragraph continue without time limit.

19. Employment Practices/Americans with Disabilities Act

Pursuant to federal regulations promulgated under the authority of the American's with Disabilities Act, 28 C.F.R. 35. 101 et seq., the Contractor understands and agrees that no individual with a disability shall, on the basis of the disability, be excluded from participation in

the Contract or from activities provided for under the Contract. As a condition of accepting and executing the Contract, the Contractor agrees to comply with the General Prohibitions against discrimination, 28 C.F.R. 35. 130, and all other regulations promulgated under Title II of the Americans with Disabilities Act which are applicable to the benefits, services, programs and activities provided by the CCPFA through contracts with outside contractors. The Contractor shall be responsible for and agree to indemnify and hold harmless the CCPFA, Canadian County and Canadian County Fairgrounds from losses, damages, expenses, claims, demands, suits and actions brought by any party against said indemnified parties as a result of the Contractor's failure to comply with the provisions of the foregoing.

20. Cooperation with other Contractors

The Canadian County Fairgrounds may undertake or award contracts for work related to this contract or any portion thereof. The Contractor shall cooperate with such other contractors and the Canadian County Fairgrounds in all such cases. Any subcontractors to the Contractor will be required to abide by this provision as a condition of the Contractor between the subcontractor and the Contractor.

21. Right of Canadian County Fairgrounds to reject contractor's employees

The Canadian County Fairgrounds shall retain the right to reject any of the Contractor's employees whose qualifications or performance, in the Canadian County Fairgrounds judgement, are insufficient. In considering the contractors employees qualifications, the Canadian County Fairgrounds will act in good faith and not unreasonably.

22. Taxes

The CCPFA is Tax exempt. The Contractor must clarify that the prices set forth are exclusive of taxes.

23. Assignment or transfer

The Contractor shall not assign or transfer any interest in this Contract without prior written approval of the Contract Administrator for the Canadian County Fairgrounds.

24. Governing Law

This Contract and performance hereunder is governed by and construed in accordance with the laws of the State of Oklahoma. Venue and jurisdiction for all disputes shall lie in Canadian County, Oklahoma.

25. Waiver

No term or provision hereof shall be deemed waived and no breach or default excused by the CCPFA unless such waiver or consent shall be in writing. Any consent by CCPFA to, or waiver of a breach or default by the Contractor, whether express or implied, shall not constitute consent to, waiver of, or excuse for any different or subsequent breach or default.

26. Personal Liability

No official, director, officer, agent or employee of the Canadian County Fairgrounds, Canadian County or CCPFA shall be charged personally or held personally liable to Contractor under any term or provision of this Contract because of any breach hereof or because of its execution, approval or attempted execution.

27. Hold Harmless

The Contractor shall be responsible for and agrees to indemnify and hold harmless the CCPFA, Canadian County, The Canadian County Fairgrounds, its subdivisions, their agents, servants, and employees, from damage to property or injuries (including death) to any person(s) and any other losses damages, expenses, claims demands, suits and actions by any party against and their public subdivisions, their agents, servants, and said indemnified parties employees, in connection with the work performed by the Contractor, its agents, servants and employees.

28. Compliance with Laws and Procurement of Permits and Licenses

The Contractor shall be required to comply with all federal, state, and local laws applicable to its work, and will procure at its expense, all licenses, and permits necessary for the fulfillment of its obligations under the terms of this Contract.

29. Conflict of Interest

The Contractor shall not be an employee of Canadian County. The Contractor further assures that in the performance of the Contract, it will not knowingly employ any person who is an employee of Canadian County.

30. Severability

If any provision of this Contract or application thereof to any person or circumstance is held to be invalid, such invalidity shall not affect other provisions or applications of this Contract which can be given effect without the invalid provisions or application, and to this end the provisions of this Contract are severable.

31. Change of Ownership or Insolvency

In the event that the Contractor should change ownership for any reason whatsoever, the CCPFA shall have the exclusive option of continuing under the terms and conditions of the Contract with the Contractor or its successors or assigns for the full remaining term of the Contract, or continuing under the terms and conditions of the Contract with the Contractor or its successors or assigns for such period of time as is necessary to replace the products, materials, reports, studies or computer programs, or immediately termination the Contract.

In the event that the Contractor should become insolvent for any reason whatsoever, or make an assignment for the benefit of creditors, or have a receiver appointed, or should it be declared as bankrupt under the law of the United States, or should a petition of bankruptcy or reorganization or rearrangement be filed under the bankruptcy laws, the CCPFA shall have the exclusive option of continuing with the Contractor or its successors or assigns or trustees in bankruptcy under the terms and conditions of the Contracts for the full remaining term of the Contract, or continuing with the Contractor or its successor or assigns or trustee in bankruptcy

under the terms and conditions of the Contract for such period of time as is necessary to replace the products, materials, reports, or studies or immediately termination the Contract.

32. Nondiscrimination Clause

The Contractor shall not discriminate against any employee, applicant for employment, independent contractor, or any other person because of race, color, religious creed, ancestry, national origin, age disability, sex, or sexual orientation. The Contractor shall comply with all state and federal laws prohibiting discrimination in hiring or employment opportunities.

33. Public Record

The Contractor acknowledges that this Contract is a financial record and financial and will be made public.

Attachment B


Cost summary Proposal

Company Name: _____

Total Price: _____

Notes: Please breakdown all cost in a detailed report with this as the cover page. (IE: labor, line item equipment cost, maintenance, software, ETC.) and attach to this page.

Classic Alley Control Gate/Frame



Alley Control Gates and Frames are designed to form narrow, single animal alleys. Each unit features three way pins, allowing Panels to be mounted directly to an Alley control Gate or Frame. Frames are constructed from 2 1/4" O.D. x 13 gauge high tensile steel tubing with minimum yield strength of 50,000 P.S.I. End verticals and 6 horizontal rails of gates are made from 2" O.D. 14 ga. High tensile tubing with min. yield strength of 50,000 P.S.I. yield strength. Spacing between gate rails will be 9 7/16". All joints are saddle cut and welded for maximum strength. Each unit has (6) self contained drop pins fabricated from 5/8" round steel rod and secured by two formed clips 1 3/4" long and one clip 1" long fabricated from 1/8" steel. Pins are designed to mesh with corresponding clips on panels. Each Alley Control Gate is equipped with a 1" spring-loaded adjustable plunger latch. (see separate specification sheet on plunger latch and strike plate)

Overall height is 84" tall. Width of both units measures 32" centers to center of frames.

Classic Alley Control Gates and Frames will connect to 6' Chaparral Components.


MATERIAL FOR BUCKING CHUTE BLOCK DOOR PLUMBAR SPECS.

Rolling Door fillers that replaces normal lumber.

The material for the plastic lumber is HDPE which is High Density Polyethylene in a 2 x 12 plank with UV protectant.

	<u>ASTM</u>	<u>Units</u>	<u>Value</u>
Specific gravity	D6111	LBS	0.0216
Water absorption	D670	%	<0.1
Stress @3%			
Strain	D6109-03	Psi	1,598,000

Bucking Chutes



Length (Center to Center of Frames)	101 3/4"
Width (inside for animals)	33 1/8"
Catwalk Width (Center to Center Frames)	52 3/4"
Front Gate and Back Panels Heights	72"
Door Frame (Overall Height)	87 1/2"
Weight (first chute)	1,518#
Weight (add on chute)	1,083#

Framework of rolling doors and catwalk support frame is constructed from 2" schedule 40 pipe. Front gate and back panel framework is fabricated from 2 1/4" x 13 gauge high tensile steel tubing with Min. 50,000 P.S.I. yield strength. All sheet metal is 14-gauge material. Top of catwalk surface is made from 3/4", #9 flat expanded metal. Rollers for doors are Pnenolic type rollers for quiet and ease of operation. Doors are filled with 2"X 12" "Plumbar" for max. strength and longevity. Front gate and back panel slats are 2 1/2" X 4 1/2" oval tubing for safety of animals and contestants. Also gives smooth flat surfaces for signage both inside and out on rails. Front gates and back panels will have 1.05" spokes for neck ropes to help control a chute fighting animal. Bottom of front gate will have a special formed tract to receive signage that can be slid in from one end. (approx. size of your signage 1/8" X 24" X 86 3/4") Front gates swing a full 180 degrees to minimize chances for injury to livestock and contestants. Front gate latches with a 1" spring loaded adjustable plunger latch with lever handle for leverage. Gates latch into a specially formed striker plate so there are no sharp edges. (See Single Plunger Latch specs.)

Chutes come standard with dense foam protectors that slide over the top of rolling door frames to help protect contestants should an animal rear in the chutes and throw the rider back into top of door frames.

Bucking Chute Dense Foam Protector Specs

MATERIAL SAFETY DATA SHEET

SECTION 1 -- IDENTITY

NAME: Flexible urethane foam
CHEMICAL TYPE: Polyether-based urethane polymer
TRADE NAMES & SYNONYMS: Flexible polyurethane foam, pure foam, flame retardant foam, high comfort foam, HR foam, antistatic foam & others.

SECTION 2 -- HAZARDOUS INGREDIENTS

The material is not made from chemical components that are known to represent possible carcinogenic, mutagenic or other chronic hazards. However, TDI mixed with corn oil administered to lab animals has been shown to be carcinogenic.

SECTION 3 -- PHYSICAL & CHEMICAL CHARACTERISTICS


Since urethane foam is a solid, physical characteristics such as boiling point, vapor pressure, vapor density, percent volatiles, evaporation rate, etc. are not applicable.

DENSITY: 0.9 - 4.0 lbs. per cu. ft.
IGNITION POINT: 600 - 680 degrees F
AUTOIGNITION POINT: 780 - 800 degrees F
APPEARANCE: Can come in any color. Looks like a cellular material similar to foam rubber.

SECTION 4 -- FIRE & EXPLOSION HAZARD DATA

OSHA CLASSIFICATION: Combustible solid
NFPA SPRINKLER CLASSIFICATION: Upholstery with plastic foams. Extra hazard.
EXTINGUISHING MEDIA: Water spray, carbon dioxide, dry powder
FIRE FIGHTING PROTECTION: Use NIOSH-approved self-contained breathing apparatus & protective clothing including boots.
UNUSUAL FIRE HAZARDS: Once ignited, can produce rapid flame spread, intense heat, dense smoke and toxic gases. Can turn into burning liquid which can drip and flow.


Chaparral Alley Control Gate/Frame



Alley Control Gates and Frames are designed to form narrow, single animal alleys. Each unit features two way pins and one way double clips allowing W-W Panels to be mounted directly to an Alley control Gate or Frame.


Frames are constructed from 2" O.D. x 14 gauge high tensile tubing with min yield strength of 50,000 P.S.I.. End verticals and (6) horizontal rails of gates are made from 1.9" O.D. x 16 gauge high tensile steel tubing with min yield strength of 50,000 P.S.I.. Spacing between gate rails is 9 7/16". All joints are saddle cut and welded for maximum strength. Each unit has Self Contained drop pins fabricated from 5/8" round bar and secured by (2) formed clips 1 3/4" long and (1) clip 1" long fabricated from 1/8" steel welded to sides and one end. Opposite end has double hookups consisting of a 1.315" x 13 gauge pipe roll welded to a 1/8" x 1" strip 2 1/4" long designed to mesh with pins on other components. Gates comes equipped with a spring-loaded plunger latch (see separate specification sheet on plunger latches) overall height is 84" tall. Width of both units is 28" (center to center of frame uprights)

Chaparral High Pole Gate




W-W Chaparral High Pole Gates are a self-contained gate in frame unit. Frame made both in 7'-8" and 9'-6" height. All vertical uprights and horizontal rails (with the exception of bottom rail in contact with ground) are fabricated from 1.9" O.D. x 16 gauge high tensile steel tubing with 50,000 P.S.I. min yield strength. Bottom rail is fabricated from 1 1/2" standard pipe (1 7/8" O.D.) to deter rust. Frames verticals are doubled and spaced 5/8" apart for structural strength. Gate frame header is 7'-8" tall or for the horseman 9'-6" tall and consist of (2) horizontal rails spaced 6" apart with vertical truss supports fabricated from 1.9" x 16 gauge high tensile steel tubing. Same yield strength as above. Gates come equipped with spring loaded plunger latches and strike plates (see separate specification sheet on plunger latches and strike plate). Gates have 6 horizontal rails spaced 9 1/2" apart and are reinforced with 1.9" x 16 gauge high tensile steel vertical spokes. All joints are saddle cut and welded for maximum strength. Each end of gate frame has (2) 15" drop pins fabricated from 5/8" round rod secured with (3) special formed clips for each pin formed from 1/8" steel. Gates measure center of pin to center of pin. All tubing will be ASTM 513 prime P.O. H.T.S.

Chaparral Panel




W-W "Chaparral" Panels are 72" tall with all vertical upright and horizontal rails fabricated from 1.9" x 16-gauge high tensile steel tubing with the min yield strength of 50,000 P.S.I.. All panels have (6) horizontal rails spaced 9 ½" apart and are reinforced with 1.9" O.D. x 16 gauge vertical spacer spokes. All joints are saddle cut and welded for maximum strength. Panels have an interlock pin system on one end consisting of (2) 5/8"x 15" formed steel rods self contained inside of (2) 1 ¾" formed clips and (1) 1" formed clip fabricated from 1/8" steel. The opposite end of panel has 2 clusters of (3) formed clips, 1 ¾" long, fabricated from 1/8" steel which allows a maximum of three panels to be connected to the existing panel, making a four way junction. (see separate specification sheet for paint specs.) All tubing will be prime ASTM 513 Prime P.O. for cleaner finish.

Classic Half Sheeted Panels




All tubing used will be ASTM 513 P.O. picked & oiled steel (mill scale removed) Panels are 59 5/8" overall top to bottom height. Panels attain 72" height when mounted to Connecting Posts. Top and bottom horizontal rails, end verticals and four intermediate horizontal rails are fabricated from 2" O.D. x 14 gauge high tensile steel tubing with the minimum yield strength of 50,000 P.S.I.. Spacing between horizontal rails is 9 7/16". Vertical spacer spokes are fabricated from 1.9" O.D. x 16 gauge high tensile steel tubing. All joints are saddle cut with complete weld for maximum strength. Two special formed clips from 1/8" x 2 1/2" steel are welded on each end of panel to correspond and mesh with pins and clips of Connecting Posts, Alley Gates and Rolling Doors. Actual Panel length is 5 1/2" shorter than specified length. Panels measure center of post to center of post. Standard panel lengths 6', 8', 10', 12', 14' and 16'. Half sheeted panels will have the bottom two spaces filled with 16ga. sheet metal.

Classic High Pole Gate



High Pole gates are a complete self-contained gate in frame unit. High Pole Gates are made standard in two heights, 7'-8" and for the horseman 9'-6" overall heights. Outside frame verticals are doubled and spaced $\frac{3}{4}$ " apart for maximum structural strength. Header rails are spaced 6" apart with support truss webbing fabricated from $\frac{3}{8}$ " round steel rod to add to the structural strength. Ground rail is made from $1\frac{1}{2}$ " pipe ($1\frac{7}{8}$ " O.D.) to deter rust. Top and bottom horizontal rails, end vertical, and the four intermediate horizontal rails are fabricated from 2" O.D. x 14 gauge high tensile steel tubing with min yield strength of 50,000 P.S.I.. Spacing between horizontal rails in gate will be $9\frac{7}{16}$ ". Vertical spacer spokes are fabricated from 1.9" O.D. x 16 gauge high tensile steel tubing, min yield strength of 50,000 P.S.I.. All joints in unit are saddle cut and welded for maximum strength. Two special formed clips from $\frac{1}{8}$ " x $2\frac{1}{2}$ " steel is welded on each end of High Pole Gate to correspond and mesh with pins and clips on Connecting Posts. Gates mount 6' high on 2" standard pipe hinges and collars. All gates are equipped with a spring-loaded adjustable plunger latches. (see separate specification sheet on Spring Loaded Adjustable Plunger Latches) All overall measurements are specified center to center of W-W Connecting Posts. Actual High Pole Gates Frames measurements is $5\frac{1}{2}$ " shorter than specified length. Actual gate opening is $9\frac{1}{2}$ " less than frame. Standard gates are made in 8', 10', and 12' post center lengths. All tubing will be prime ASTM 513 prime P.O. for better finish.


Classic Panel



All tubing used will be ASTM 513 P.O. picked & oiled steel (mill scale removed)


Panels are 59 5/8" overall top to bottom height. Panels attain 72" height when mounted to W-W Connecting Posts. Top and bottom horizontal rails, end verticals and four intermediate horizontal rails are fabricated from 2" O.D. x 14 gauge high tensile steel tubing with the min yield strength of 50,000 P.S.I.. Spacing between horizontal rails is 9 7/16". Vertical spacer spokes are fabricated from 1.9" O.D. x 16 gauge high tensile steel tubing. All joints are saddle cut and welded for maximum strength. Two special formed clips from 1/8" x 2 1/2" steel are welded on each end of panel to correspond and mesh with pins and clips of W-W Connecting Posts. Actual Panel length is 5 1/2" shorter than specified length. Panels measure center of post to center of post. Standard panel lengths 6', 8', 10', 12', 14' and 16'. See separate sheet for W-W Paint specifications.

Classic Connecting Posts



Posts are fabricated from 2" standard pipe (schedule 40 - .154 wall thickness) with 15" special formed drop pins designed to receive W-W Panels or Gates. Pins are fabricated from 5/8" round steel bar and secured by (2) formed clips 1 3/4" long and (1) clip 1" long fabricated from 1/8" steel. Posts are available with one way, two way, three way and four way pins to receive more than one panel or gate. Standard Posts are 6' tall with 7'-8" and 9'-6" post available if alley spreader bars are utilized. See separate sheet for W-W Paint specifications.

Classic Panel Mounting Bracket




Panel Mounting Bracket is Fabricated from 2" x 1 1/2" x 3/16" Angel Iron) with 15" special formed drop pins designed to receive W-W Panels or Gates. Pins are fabricated from 5/8" round steel bar and secured by (2) formed clips 1 3/4" long and (1) clip 1" long fabricated from 1/8" steel. Bracket are available either right or left hand. They are designed to allow intersection of panels or gates without additional post.


Classic Panel Mounting Brackets will connect to 6' Chapparal Components



Post Pad



Post Pads consists of 6" x 6" x 1/8" steel plate with a 1 5/8" x 6" long piece of 13 gauge steel tubing welded to the plate. Classic Posts or Chaparral panel leg will slip over stub, preventing Post or Panel from sinking in sandy or soft surfaces. Post pads can be secured with optional Post Pad Pin or Pins driven through hole in plate into the ground. Pins are fabricated from 5/8" steel rods x 14" long. A 3/4" pipe schedule 40 x 1" is welded on one end of pin to create a head. Pins help to stop most of the shuffling when pads are pinned to ground.



Canadian County Expo

6' 0"

Plates to receive
2 x 10 or 2 x 12
dirt retainers

Concrete walk way

Concrete walk way

6"

2 1/2" Pipe Sleeves are to set on 12' centers

30" Sleeve

Powder Coat Specification

Test Performed @ Film Thickness

Gray	2-3 mils
Red	2-3 mils

Gloss @ 60°

	Range	Method
Gray	60 +/- 5	ASTM D523
Red	90 +/- 5	ASTM D523

Direct/Indirect Impact

Gray	>120 in lbs	ASTM D2794
Red	>120 in lbs	ASTM D2794

Flexibility over Mandrel

Gray	1/8"	ASTM D522
Red	1/8"	ASTM D522

Salt Spray resistance


Gray	1000hrs	ASTM B117
	<1/16 creep @ 500hrs	
Red	1000hrs	ASTM B117
	<1/16 creep @ 500hrs	

Powder Cure Time/Temp

Gray	10 mins @ 400°
Red,	10 mins @ 400°

All tests performed on 24g Bonderite 1000 panel

Roping Chute and Extension



Roping Chute Specifications


Height overall	66"
Length	98"
Barrier to End	84 1/4"
Inside Top Width	30 1/2"
Inside Bottom Width (Solid Sheet).....	14 3/4"
Front Opening	30 1/2"
Weight	610#

Rope Chute Extension Specifications

Height overall	66"
Length Overall	110"
Weight	525#


All framework, rails and tailgates are made from 1.9 O.D. 16ga. High Tensile Steel with the minimum yield strength of 50,000 P.S.I. All sheet metal made from 12 Ga.

Front release doors are spring loaded, which covers the PRCA ruling. Release is a cam latch release system. Return handles to close doors are on each side of chute, which allows operation from either side. Both sides of roping chute have an access gate that allows access to the animal head for neck ropes, attaching to barrier lines. Side gates are latched using a miniature spring-loaded plunger latch for quick access. Front doors have sheet metal top, bottom, sides and overhead to create a front window effect. This helps to get animals to stand up better in chute, which helps to speed up the timed events. Tailgates pivot from bottom of chutes working as a scissor action which can be operated from either side to move each animal forward to prepare for roper or dogger. Roping chute with Extension will be 16'-6" long to cover the P.R.C.A. ruling, which states barrier line minimum 16'.




Canadian Co Rodeo Setup
Attachment C1

Note! Distance to rough Stock pens unknown



Attachment C2

Drive Thru




Canadian Co
Outdoor Arena
Revised 5-11-20

Attachment C3

100' X 100'

Canadian Co.
Warm Up Arena



Rolling Doors

1		Horz Rail Dividers								
		Horz Rail Dividers		Solid Common Backs						22

1		Horz Rail Dividers								
		Horz Rail Dividers		Solid Common Backs						22

Total of indoor stalls: 88 Stalls 10ftx10ft
Fronts: Plastic
Backs: Solid Plastic
Dividers: HR

Attachment C4



**Canadian County
Purchasing**

Affidavit / Proof of Mailing

Date Issued: September 15, 2020

Bid Number: 2021-#04

Closing Date: September 21, 2020 at 8:30am

PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036

Opening Date: September 21, 2020 during the Public Facilities Authority Meeting that begins at 8:30am

Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ AFFIDAVIT ~

Arena and Pen Panel System / Fairgrounds / for Public Facilities Authority

State of Oklahoma)
County of Canadian) §

I, Krissi Jensen Purchasing Agent, in and for said County and State, do hereby certify that "Invitations to Bid" were sent to the following:

Bid Clerk
projects@bidclerk.com

Bid News
projects@isqft.com

ePlan
1400 Forum Blvd. Ste 7B
Columbia, MO 65203

Francis Tuttle Vo-Tech
Attn: Bid Assistance – Judy Robbins
12777 N. Rockwell
Oklahoma City, OK 73142

Online Data Service
5425 Peachtree Parkway
Peachtree Corners, GA 30092

Reed Construction
30 Technology Pkwy South, Suite 100
Norcross, GA 30092


W-W Manufacturing
8832 Highway 54
Thomas, OK 73669

Priefert
PO Box 1540
2630 South Jefferson Ave.
Mount Pleasant, TX 75455

Red River Arenas
1100 Peach St.
Coleman, TX 76834

Big Country Livestock Equipment, Inc.
804 W. College
Rising Star, TX 76471

Witness my hand and seal this 24th day of August, 2020.



Krissi Jensen, Purchasing Agent
(SEAL)





**Canadian County
Purchasing**

BID CHECKLIST

Date Issued: September 15, 2020
Bid Number: 2021-#04
Closing Date: September 21, 2020 at 8:30am
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036
Opening Date: September 21, 2020 during the Public Facilities Authority Meeting that begins at 8:30am
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

**TO HELP PREVENT BIDS FROM BEING REJECTED FOR LACK OF COMPLETION
PLEASE CHECK FOR THE FOLLOWING:**

- Is the Invitation to Bid Signed and Notarized? _____
- Is the bid bond or cashier's check enclosed? _____
- Is the Business Relationships Affidavit enclosed? _____
- Is the Non-Collusion Bidding Certificate enclosed? _____
- Are all applicable spaces filled in? _____
- Are all necessary papers enclosed? _____
- Is the Bid # and Opening Date on outside of return envelope? _____

**Bids will be received beginning 8:30am Tuesday September 15, 2020 until 8:30am Monday September 21, 2020
(Do not turn bid in before Tuesday September 15, 2020 @ 8:30am – bid will not be opened or considered)**

Thank You,

Krissi Jensen, Purchasing Agent

