

DESCRIPTION	REVISIONS	DATE
REVISED QUANTITY		11-3-2021



GENERAL CONSTRUCTION NOTES

SPECIFICATIONS –
 COMPLY WITH THE REQUIREMENTS OF THE 2019 OKLAHOMA STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION, EXCEPT AS MODIFIED BY THE PLANS.

VERIFICATION OF EXISTING CONDITIONS –
 THE CONTRACTOR SHALL BE RESPONSIBLE FOR FULLY UNDERSTANDING THE NATURE OF THE WORK AND CONDITIONS UNDER WHICH THE WORK WILL BE PERFORMED. ALL DIMENSIONS OF THE EXISTING RCB CULVERT SHOWN ON THE PLANS ARE APPROXIMATE. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS NECESSARY TO CONNECT THE NEW MATERIAL AND SHALL BE SOLELY RESPONSIBLE FOR THE ACCURACY THEREOF.

THE CONTRACTOR SHALL ADOPT METHODS CONSISTENT WITH GOOD CONSTRUCTION PRACTICE AND SHALL TAKE ALL NECESSARY PRECAUTIONS TO PREVENT DAMAGE TO THE EXISTING RCB CULVERT. ANY DAMAGE TO THE EXISTING RCB CULVERT, STRUCTURE OR ROADWAY DUE TO THE CONTRACTORS NEGLIGENCE SHALL BE REPAIRED, AT THE CONTRACTOR'S EXPENSE, TO THE SATISFACTION OF THE ENGINEER AND CANADIAN COUNTY.

REMOVAL OF EXISTING STRUCTURE –
 CONTRACTOR WILL REMOVE A PORTION OF EXISTING BARREL AND BOTH END SECTIONS AS SHOWN IN DETAILS.

CONSTRUCTION TRAFFIC CONTROL –
 CANADIAN COUNTY WILL BE RESPONSIBLE FOR ALL CONSTRUCTION SIGNING AND TRAFFIC CONTROL. CONTRACTOR SHALL GIVE CANADIAN COUNTY DISTRICT NO. 2 AT LEAST 2 WEEKS NOTICE BEFORE BEGINNING CONSTRUCTION.

CONCRETE –
 ALL EXPOSED CONCRETE EDGES SHALL HAVE A 1½" CHAMFER UNLESS OTHERWISE SHOWN OR NOTED. ALL CHAMFER STRIPS SHALL BE SIZED LUMBER.

REINFORCING STEEL –
 ALL REINFORCING STEEL SHALL HAVE A 2" MINIMUM CLEAR COVER UNLESS OTHERWISE SHOWN.

HEASTON ROAD			PAY QUANTITIES		
10 X 6 X 17'-6" RCB CULVERT EXTENSION					
ITEM	UNIT	TOTAL			
CLASS AA CONCRETE	B1	C.Y.	69.40		
REINFORCING STEEL		LB	12,380.00		
INLET CDI RCP DES.2		EA.	2.00		
24" DIAMETER HDPE PIPE	B2	L.F.	20.00		



PAY ITEM NOTES

B1 PROVIDE ODOT CLASS AA CONCRETE WITH A MINIMUM COMPRESSIVE STRENGTH OF 4000 P.S.I.

INCLUDE ALL COST FOR REMOVAL OF A PORTION OF THE EXISTING BARREL AND BOTH END SECTIONS IN CONTRACT UNIT PRICE OF "CLASS AA CONCRETE".

INCLUDE ALL COST FOR EXCAVATION, BACKFILL, NECESSARY EARTHWORK AND INCIDENTALS NECESSARY TO CONSTRUCT THE RCB CULVERT EXTENSION IN THE CONTRACT UNIT PRICE OF "CLASS AA CONCRETE".

B2 PIPE SHALL BE ADS HP STORM PIPE.

INCLUDE ALL COST FOR TRENCHING, BEDDING AND BACKFILLING PIPE IN THE UNIT PRICE OF "24" DIAMETER HDPE PIPE".

DESIGN	HW.L.		HEASTON ROAD	CANADIAN COUNTY
DRAWN	HW.L.		SUMMARY OF PAY QUANTITIES AND NOTES	
CHECKED	J.T.H.			
APPROV.	J.T.H.			
SQUAD	MKEC ENG.			
SHEET NO. 02				