# Six Month Bid

STATE OF OKLAHOMA CANADIAN COUNTY FILED OR RECORDED

MAY 06 2024

SHERRY MURRAY COUNTY CLERK

240369



July 1, 2024 Thru December 31, 2024

Approved this 6th day of May, by the Canadian County Board of Commission	20 <i>24</i>
Chairman Jonas Man	
Member Fracus , Ovi	
Member David anhusor	



# Canadian County Purchasing

## Six Month Bids July 1 – December 31, 2024

Date Issued: May 6, 2024
Bid Number: SIX MONTH BIDS
Closing Date: May 24, 2024 at 4

May 24, 2024 at 4:00pm PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036

Opening Date: May 28, 2024 during the Commissioner's Meeting that begins at 9:00am

Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

#### ~ NOTICE TO BIDDERS~

Sealed bids will be received by the Canadian County Purchasing Agent of Canadian County, Oklahoma at the Court House in El Reno until 4:00pm on the 24<sup>th</sup> day of May, 2024. Bids will open during the Commissioner's Meeting that begins at 9:00am on the 28<sup>th</sup> day of May, 2024.

Bids will be opened by the Board of Canadian County Commissioners on that date for the six month period of:

July 1, 2024 through December 31, 2024

All bids must be made on forms furnished by the County, signed and notarized and shall conform to the regulations and conditions contained herein.

The Canadian County Board of County Commissioners reserves the right to reject any all bids or to award all or any portion of the items bid.

#### Please mail sealed bids to:

Shelly Means, Purchasing Agent Canadian County Clerk's Office PO Box 458 El Reno, OK 73036

Street Address: 201 N. Choctaw Avenue, El Reno, OK 73036

Please mark your envelope "Six Month Bid"

	Shelly Means, Purchasing Agent
	Canadian County Clerk's Office
	PO Box 458
	El Reno, OK 73036
SIX MONTH BID	
Closes: May 24, 2024 a	t 4:00pm

If you have any questions or need additional information, please contact: Shelly Means, Purchasing Agent, 405.295.6125



~TABLE OF CONTENTS~	
ITEM:	PAGE:
Bid Regulations and Conditions	4
Bid Contents	5
Vendor Performance	6
Affidavit of Non-Collusion	7
Asphaltic Material	17-19
Blended Supplementary Cementitious Materials (SCM)	11
Cement	
Cement Slurry	
Cold Lay	
Concrete – Furnished and Unloaded	
Corr. HDPE Pipe	
Corr. Polypropylene Pipe	S/C
Corr. Metal Arched Pipe (See State Contract)	S/C
Corr. Culvert Pipe (See State Contract)	s/C
Dust Control	14
End Wings(NEW / USED )	8
End Wings-Round Corr. (See State Contract)	s/c
End Wings-Metal Arched Pipe (See State Contract)	s/c
Fly Ash	12
Forming-Stay in Place	8
Guard Rail – Galvanized (NEW / USED )	8
Guard Rail – Galvanized (See State Contract)	s/c
GYP – Processed	
H-Piling	



#### ~TABLE OF CONTENTS~

Hauling of Road Rock	25
Hot Mix Asphalt	20
Hot Mix Asphalt Hauled & in Place	21
Kiln Dust	12
Milling Machine Service	23
Pipe Piling – New	8
Pipe Piling – Used	8
Quadrant Map	16
Quick Lime	13
Railroad Flat Cars	9
Railroad Tank Cars	9
Road Rock	24
Soil Stabilization Products/Solutions	13
Steel Sheet Piling – Interlocking	9
Structural Steel	8

#### ~BID REGULATIONS AND CONDITIONS~

#### **BIDDERS LIST:**

- A. Vendors wishing to do business with the County should be included on the "Bidders List" maintained by the County Purchasing Agent. All vendors are eligible for consideration.
- B. Vendors wishing to be added to the "Bidders List" should contact the County Purchasing Office.
- C. Removal from the "Bidders List".
  - 1. <u>Removal or Suspension</u>. The Purchasing Agent may remove any vendor on the Bidders List for such period of time deemed necessary by the Purchasing Agent.
  - 2. <u>Cause for Removal or Suspension</u>. The following shall be deemed sufficient grounds for removal or suspension:
    - a) Three consecutive failures to respond to the Notice to Bidders.
    - b) Failure to submit certificate of compliance when required.
    - c) Consistent failure to conform to bid regulations, conditions, and/or specifications.
    - d) Failure to make timely deliveries.
    - e) Failure to keep bid firm for the time specified on the Notice of Bid.
    - f) Collusion with other bidders or prospective bidders to restrain competitive bidding.
    - g) Bankruptcy or other evidence of insolvency of the bidder.
    - h) Giving false or misleading information in an application for inclusion of the "Bidders List".
    - i) Any violation of these rules and regulations or other information suggesting that the bidder is no longer responsible and qualified to do business with the County.
  - 3. <u>Notice of removal or suspension</u> from the Bidders List will be sent to affected vendor. This action may be contested in writing to the Purchasing Agent within five working days.

#### **BIDDING PROCEDURES:**

#### A. Solicitation of Bids.

- Concerning Solicitation. The Purchasing Agent provides fair and impartial consideration to all qualified bidders and seeks to obtain the highest practicable degree of full and free competition. All interested vendors are urged to apply for inclusion on the Bidders List.
- 2. <u>Bid Selection</u>. The County Commissioners reserves the right to reject any or all bids or award all or any portion of the items bid including awarding by districts on any items bid. The Purchasing Agent will solicit phone bids from three or more vendors selected at random, if this occurs.

#### B. Bid Form:

- 1. Bids are submitted on the forms containing items and/or goods a vendor wished to bid. Return of bid constitutes a valid offer good for 30 days from the date of opening.
- 2. Formal Requirements.
  - a) Written in Ink or Typewritten. All bids must be written legibly in ink or preferably typewritten.
  - b) Authorized Signature. The bid must bear the signature in ink by the person so authorized.
  - c) Notary Seal. Each bid <u>must</u> bear the signature and seal of an authorized Notary Public on the Affidavit of Non-Collusion.
  - d) Labeled and sealed envelope. Bidders name and address and closing date must appear on the face of the envelope.



#### HOLD HARMLESS AGREEMENT:

All bidders shall defend, indemnify and hold the County of Canadian County, State of Oklahoma, its commissioners, officers, deputies and employees harmless from and against any and all liability, loss, expense (including reasonable attorney's fees), or claims for injury or damages arising from, relating to, or connected with the performance of the bidding work.

#### **BID CONTENTS:**

- 1. Entire Agreement. The Bid Regulations and Conditions of this section together with the Notice of Bid and any other sheets or documents made a part of the bid package, shall constitute the entire agreement between parties.
- 2. Modification. An addendum will be issued, when deemed necessary, for any changes in, additions to, or waivers of specifications, or regulations and conditions of the bid. The Purchasing Agent must issue this addendum.
- 3. Offer firm for thirty days. Return of bid constitutes a valid offer guaranteed for a minimum of 30 days by vendor until bid is awarded. After bid is awarded offer is firm for six months.
- 4. Items to be new or current. Unless otherwise stated within the bid, goods and materials offered in the bid are to be new and of current design.
- 5. Non-Acceptance of Split Award "All or None Bid" The County Commissioners reserve the right to make and award on items or groups of items listed on the bid. If the vendor wishes to bid "All or None", this must be clearly shown of the bid.
- 6. Shipping Instructions. Goods and materials are to be shipped F.O.B., the receiving officer or department. All freight is to be borne by the vendor and included in the bid price.
- 7. Title and Risk of Loss. Title of goods shall not pass from the vendor until such goods are received by requisitioning departments receiving officer. Risk of such loss prior to such receipt shall be borne by the vendor.
- 8. Delivery. Time is of the essence and deliveries are to be made within ten days after receipt of an order. Items to be picked up by the County shall be ready within 24 hours of notice.
- 9. Inspection and Rejection. All goods and materials shall be subject to inspection by the receiving officer at the time of delivery. Any goods not in complete conformance with the specifications, defective in materials of workmanship, or found to contain latent defects will be rejected. Such goods are to be removed and replaced by and at the cost of the vendor promptly after notifications of rejection. Risk or loss as to such rejected goods shall be borne by the vendor.
- 10. Payment. Payment by the County for goods received shall not constitute acceptance if subsequent discoveries reveal latent defects or a failure to meet bid specifications. Payment for a period delivery shall not be deemed acceptance of undelivered goods.
- 11. Exemption from Taxes. Purchases made by the County are exempt from State Sales Tax and from Federal Excise Tax. These taxes should not be included in bid prices. When required, the Purchasing Agent will supply the proper tax exemption certificate.

#### **SUBMISSION PROCEDURES:**

- A. Sealed envelopes. Bids must be submitted in a sealed envelope with the name and address of the vendor and date and time of closing clearly marked on the outside of the envelope.
- B. Late Bids. Bids received after the time and date of closing listed on Notice to Bidders will not be opened. These late bids will remain unopened and become a permanent part of the bid file.

#### AWARDING OF BIDS:

A. Acceptance. The Purchasing Agent will compile the bids submitted. The County Commissioners will open and consider all bids. The Purchasing Agent will notify all successful bidders in writing prior to onset of the bidding period. Vendors should not submit bids for items that are not on the six month bid request. Bids will be awarded only for items on the six month bid request.

Purchases of items and supplies that are on this Six Month Bid list must be made from the vendor listed. This is an exclusive contract between Canadian County and the vendor for the time period mentioned on the "NOTICE TO BIDDERS". The county must be as sincere in fulfilling its obligation by buying from the vendor as it expects the vendor to be in holding the price stable to the bid period.

- B. Grounds for Rejection:
  - 1. Non-Responsive Bid. Any bid which does not meet the requirements or specifications of the bid, or is unsuitable for the intended use, or does not comply with these regulations and conditions may be rejected. The County Commissioners reserve the right to reject any or all bids when such is deemed in the best interest of the County.
  - 2. Affidavit. The Non-Collusion Affidavit not signed and notarized and/or included with the bid.

#### PERFORMANCE BY SUCCESSFUL BIDDER:

- A. Delivery of Goods:
  - 1. Deliveries shall be made within ten days from the date ordered. Items to be picked up by the County shall be ready within 24 hours of Notice.
  - 2. Deliveries are to be made to the requisitioning department and the vendor will be advised of such time of order.

#### **SUB-LETTING:**

A. Any bid submitted with sub-letting to firm other than the bidding vendor will or shall be CLEARLY SPECIFIED ON THE BID SHEET.

#### THE USE OF RECYCLED MATERIALS:

A. If a vendor has products using recyclable materials and regular materials, the vendor shall submit separate bids, using one bid for recyclable materials only and using one bid for regular materials.

#### CHANGING OF BID SPECIFICATIONS:

A. Bid forms shall be filled out as specified. If a Vendor chooses to change the bid specifications, the bid will be subject to rejection by the Board of Canadian County Commissioners.

#### ALUMINIZED STEEL TYPE "2" PIPE SPECIFICATIONS:

A. This proposal for furnishing Corrugated Aluminized Steel Type "2" Pipe as per Oklahoma State Highway Specifications, Section 726, 1999 Edition and Supplements, delivered F.O.B. to specified locations in Canadian County. Steel Sheet, aluminum-coated (type 2) by the hot-dip process for sewer and drainage pipe shall conform to the AASHTO M 274.



AFFIDAVIT MUST BE INCLUDED WITH YOUR BID OR BID WILL BE REJECTED BY THE BOARD OF CANADIAN COUNTY COMMISSIONERS.

### **RETURN THIS PAGE WITH THE BID**

~AFFIDAVIT OF NON-COLLUSION OF BIDS~

STATE OF)	
COUNTY OF)	
I, the undersigned of lawful age, being first duly sworn on oath say that he or she is the agen attached bid. Affidavit further states that the bidder has not been a party to any collusion at competition by agreement to bid at a fixed price or to refrain from bidding; or with any state obstween bidders and any state official concerning exchange of money or other things of value contract, that the bidder/contractor has not paid, given or donated or agreed to pay, give or d State of Oklahoma or other public entity thereof, any money or other thing of value, either dire award of a contract pursuant to this bid.	mong bidders in restraint of freedom of official or contract, or in any discussions of for special consideration in letting of a conate to any officer or employee of the
BUSINESS NAME:	
ADDRESS:	
PHONE NUMBER:FAX NUMBER:	
EMAIL:	-
SIGNATURE:	
TITLE:	
(NOTARIZATION)	
SUBSCRIBED AND SWORN BEFORE ME THISDAY OF, 20_	·
(NOTARY PUBLIC) (COMMISSION EXPIRATION DATE)	_
(SEAL)	



### RETURN ONLY THE PAGES THAT YOU HAVE BID ON

		CANADIAN	COUNTY	
DATE:_				
NAME O	PF FIRM:			
	BIDDER AGREES TO CO	OMPLY WITH AI	LL TERMS AND CONDITIONS OF BID	
STAY IN	N PLACE FORMING OR TENSEL FO	ORM:		
(NEW P	rime Material: PAINTED) Price per sq	uare foot:		
26 gauge				
NEW PI	PE PILING: outside diameter – price pe	er foot:		
, ,	wall thickness			
7"				
7 5/8"				
8 5/8"				
9 5/8"				
10 ¾" 12"				
14"				
17	9			
USED PI	IPE PILING: outside diameter – price p	er foot:		
,	wall thickness			
7"	,			
7 5/8"				
8 5/8"				
9 5/8" 10 ¾"				
10 % 12"				
14"				
GALVA	NIZED GUARD RAILS: (NEW) per 1	2.6 ft. section:	(NEW) per 25 ft. section:	
	( <b>NEW</b> ) per 12.6 ft. section Installed: _		(NEW) per 25 ft. section Installed:	
GALVA	NIZED GUARD RAILS: (USED) per 1	12.6 ft section:	(USED) per 25 ft. section:	
0112	(USED) per 12.6 ft. section Installed:		(USED) per 25 ft. section Installed:	
			•	
END WI	NG: (NEW) price for each	(USED) p	price for each	
STRUCT	TURAL STEEL: A 36 GRADE OR BE	TTER		
SIRUCI	(USED)	price per pound	3" to 6" angles, channels and flats	
	(NEW)	price per pound	3" to 6" angles, channels and flats	
	(NEW)	price per pound	for 6" to 24" wide flange beams	
	(NEW)	price per pound	for 25" to 36" wide flange beams	
10 x 10 x	42 # H-PILING: (NEW) price per pou	ınd:		
RESPEC'	TFULLY SUBMITTED BY:			



### RETURN ONLY THE PAGES THAT YOU HAVE BID ON

DATE:					— C/II·	12 11/1	7HV COOIVI I	
NAME OF F	IRM:		<u>-</u> .		<del></del>			
		В	IDDER A	GREES TO	COMPLY	WITI	H ALL TERMS AND CO	ONDITIONS OF BID
INTERLOC	KING STI	EEL S	HEET PI	LING: pric	e per square	foot:		
							(19.7" GALVANIZED)	(21.7" BLACK) (21.7" GALVANIZED)
7 gauge		_		_				
8 gauge _		_		_				
10 gauge _		-		_				
12 gauge _		-		_				
CONCDETE	. EUDNIC	UED	ANID LINI		DICE DED C	IDIC	VADD: (All augment OF	OT specifications apply including water/ceme
and air conte		пер	AND UNI	LUADED, P	RICE PER C	UBIC	TARD. (All current OL	Of specifications apply including water/ceme
PSI STRENC		С	Α	AA	AA High E	arlv		
GEARY:		·			7171 TII GII 2			
OKARCHE:							•	
PIEDMONT:	:						•	
CALUMET:	•						•	
EL RENO:							•	
YUKON:							•	
MAPLE:							•	
WALNUT:								
UNION CITY	<b>Y</b> :							
MUSTANG								
<b>VENDOR'S</b>	PRICE PEI	R HO	UR OF HO	DLDING TIN	ИЕ: \$			
WHEN DOE	S HOLDIN	IG TIN	ME BEGIN	٧?				
					REVENT FRI	EIGH	T CHARGES?YES _	_NO
WHAT IS T					<u> </u>			
VENDOR'S								
								CT MAPS FOR EACH LOCATION. THE PRIC
					THE BOUN			
INSURANC	E: SUCCE	SSFL	IL BIDDE	CR WILL B	E REQUIRE	D TO	O PROVIDE ASSURAN	CE TO INDEMNIFY AND SAVE HARMLES
				LITY OR	DAMAGE 1	O P	RIVATE OR PUBLIC	PROPERTY OF LIFE SUSTAINED IN TH
PROCESS C	<u>)F TRANS</u>	POK.	TING.					
RAILROAD	TANK C	<u>ARS</u>	WITH TH	IE ENDS R	EMOVED-TA	ANK	CARS SHALL BE REAL	DY TO INSTALL. PRICE SHOULD INCLUE
DELIVERY.								
	PRICE P	ER FC	OOT:	8'		8	' 6" ' 6"	_
				9'		9	' 6"	<u> </u>
	ELIVERE	<u>'<b>D</b></u> WI	TH MINI	MUM 15" W	IDE CHANN	EL II	RON FOOTERS, MINIMU	JM 3/4"THICK. PRICE SHOULD INCLUDE
DELIVERY.								
						_		
	PRICE P	ER FC	OT:	8		8	' 6"	<del>_</del>
				9		9	0	<del>-</del>
DECDEATE	HIVOID	V V L LLALL	ED DV.					
RESPECTFU	LLI SUB	WILL I	EN B I : _	<u>.</u>				
				20	1 N. Chasta		TIDOMO OK 7202	<u> </u>



#### RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL CANADIAN COUNTY

	•••	 		
NAME	OF FIRM:			
1 11 11111	OI 1 III	 		

#### BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

#### **Soil Stabilization Materials:**

#### Cement:

DATE:

#### All Cement for soil stabilization shall meet the following:

Standard Specifications for: Portland Cement (ASTM C150 or AASHTO M85) or

Standard Specification for: Blended Hydraulic Cement (AASTM C595 or AASHTO M240) or

Standard Specification for: Hydraulic Cement (ASTM C 1157)

Delivery of cement shall be made in Pneumatic trailers equipped with spreader bars that spread the material uniformly on the roadway. The cost of spreading the cement shall be included in the delivered cost of the material. Must meet current ODOT specifications.

#### Fly ash:

Fly ash should conform to AASHTO M295 Class C of Class F materials. No bottom ash or Fly ash that is not approved by the Oklahoma Department of Transportation will be accepted. Delivery of the material shall be quoted in end dump trucks with an alternate price delivered in a pneumatic trailer and spread with a spreader bar. Must meet current ODOT specifications.

#### Lime:

Lime shall be quick lime in accordance with AASHTO M 216 with an available lime index of at least 90% as per ASTM C 25. Only quicklime from sources approved by the Oklahoma Department of Transportation will be allowed. Hydrated lime will not be allowed. Lime shall be delivered in bottom drop pneumatic trailers. Must meet current ODOT specifications.

#### **Cement Kiln Dust:**

Cement Kiln Dust being a byproduct ct of the manufacture of cement should conform to the following specifications: When Tested by AASHTO T 405 the lower limits of the average of chemical properties of the material should meet or exceed the following specifications for one month before shipment. Must meet current ODOT specifications.

#### **CKD Requirements**

Calcium Oxides = greater than 35% Alkali Equivalents = less than 8% Total Sulfates = less than 10% Loss on Ignition test = less than 30%

The vendor shall provide current tests report before shipment of the material to the county. Delivery of the material shall be quoted in end dump trucks with an alternate price delivered in a pneumatic trailer and spread with a spreader bar.

All vendors shall supply the name and contact information of a customer service representative to assist with installation questions and installation specifications for the materials quoted.

The material costs delivered to the following zones shall include all costs, not limited to: loading costs, fuel surcharges, toll fees, etc.



## RETURN ONLY THE PAGES THAT YOU HAVE BID ON

DATE:		<u></u>
NAME OF FIRE	M:	
	BIDDER AGREES TO COMPLY	Y WITH ALL TERMS AND CONDITIONS OF BID
PRODUCT	PRICE PER TON	
And AREA:		
<b>Blended Supple</b>	ementary Cementitious Materials (SC	<u>'M):</u>
	rying amounts of Cement, Cement Kiln	Dust and Fly Ash)
SCM:	(Delivered in End Dump Trucks)	N
Geary		Material Source:
Okarche		
Piedmont		Representative:
Calumet	<u></u>	
El Reno		Contact Phone#
Yukon		
Maple		24 Hour Phone#
Walnut		
Union City		
Mustang		
	neumatic freight including spread fees	\$ cost per top
op charge for p	illumatic incigne moldanig spicad iccs	4 cost per tom
-	r agree to deliver product within a two h	
PRODUCT And AREA:	PRICE PER TON	
	(Decumption from the imply disconnected for	
CEMENT:	(Pneumatic freight including spread fe	
Geary	<del></del>	Material Source:
Okarche		
Piedmont		Representative:
Calumet		
El Reno		Contact Phone#
Yukon		
Maple		24 Hour Phone#
Walnut		
Union City		
Mustang		
· ·		
Notice required	to vendor prior to delivery	hours.
Does the Vendo	or agree to deliver product within a two h	nour time window YESNO
RESPECTFULI	LY SUBMITTED BY:	



## RETURN ONLY THE PAGES THAT YOU HAVE BID ON

DATE:		
NAME OF FIRM:_		<del></del>
ВІ	DDER AGREES TO COMPLY	WITH ALL TERMS AND CONDITIONS OF BID
PRODUCT PI	RICE PER TON	
	Delivered in End Dump Trucks)	Material Source:
		Representative:
El Reno		Contact Phone#
Maple	<del></del>	24 Hour Phone #
TI-: C:		
Up charge for pner	ımatic freight including spread fees	\$ cost per ton.
Notice required to v	endor prior to delivery ho	ours.
Does the Vendor ag	ree to deliver product within a two hou	ur time window YESNO
PRODUCT PI	RICE PER TON	
KILN DUST: (D	Delivered in End Dump Trucks)	Material Source:
Okarche Piedmont Calumet	<del></del>	Representative:
El Reno		Contact Phone#
Maple		24 Hour Phone#
Union City Mustang		
Up charge for pne	ımatic freight including spread fees	\$ cost per ton.
Notice required to v	endor prior to delivery ho	ours.
Does the Vendor ag	ree to deliver product within a two hou	ur time window YESNO
RESPECTFULLY S	SUBMITTED BY:	



### RETURN ONLY THE PAGES THAT YOU HAVE BID ON

And AREA:  OUICK LIME: (Delivered in bottom drop pneumatic trailers)  Geary	ВЮ
PRODUCT And AREA:  QUICK LIME: (Delivered in bottom drop pneumatic trailers)  Geary	BID
And AREA:  OUICK LIME: (Delivered in bottom drop pneumatic trailers)  Geary	
QUICK LIME: (Delivered in bottom drop pneumatic trailers)   Geary Material Source:   Okarche Piedmont   Piedmont Representative:   Calumet Contact Phone#   El Reno Contact Phone#   Yukon Yukon   Maple 24 Hour Phone#   Walnut Union City   Mustang Notice required to vendor prior to delivery hours.	
Geary         Material Source:           Okarche         Piedmont           Piedmont         Representative:           Calumet         Contact Phone#           El Reno         Contact Phone#           Yukon         Yukon           Maple         24 Hour Phone#           Walnut         Union City           Mustang         Notice required to vendor prior to delivery hours.	
Okarche	
Piedmont Representative:	
Calumet  El Reno	
El Reno Contact Phone#	
Yukon  Maple 24 Hour Phone#  Walnut Union City Mustang  Notice required to vendor prior to delivery hours.	
Maple 24 Hour Phone#  Walnut Union City Mustang hours.	
Walnut Union City  Mustang  Notice required to vendor prior to delivery hours.	
Union City  Mustang  Motice required to vendor prior to delivery hours.	
Mustang  Notice required to vendor prior to delivery hours.	
Notice required to vendor prior to delivery hours.	
PRODUCT PRICE PER GALLON  SOIL STABILIZATION PRODUCTS/SOLUTIONS  Specifications:  Must have >500 PSI compressive strength  3 days or less cure time  Utilizes standard construction equipment and processes  Utilizes soil in place	
Price per gallon /delivered to Canadian County \$ /gal Tote	
\$ /gal Bucket	
RESPECTFULLY SUBMITTED BY:	
201 N. Choctaw Avenue, El Reno, OK 73036	



RETURN ONLY THE PAGES THAT YOU HAVE BID ON BID PROPOSAL **CANADIAN COUNTY** DATE: NAME OF FIRM: BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID PRODUCT: **DUST CONTROL FOR AIRBORNE SOIL PARTICLES AND AGGREGATES** Price Per Gallon \$\_\_\_\_\_ Material and Delivery \$ \_\_\_\_ Material and Placement **Description:** A measured proportion of product is mixed with water and applied with a distributor truck or trailer. The distributor vehicle must be equipped with pumps, spray nozzles and gauges that control and apply the correct dosage rate based on soil description. The distributor system must apply a predetermine amount of gallons per minute of product. Material: Product needs to be an emulsified organic base material that is biodegradable. A non-hazardous, non-corrosive material that is environmentally friendly and water soluble. **Equipment:** A distributor vehicle that is equipped with a tank and spray bar. A pump driven system transfers the product from the tank to the spray bar. The spray bar is fitted with fan nozzles spaced every 18 inches at a height 10 to 18 inches above grade. Product storage can be kept in a leak proof, weather tight container.


RESPECTFULLY SUBMITTED BY:



### RETURN ONLY THE PAGES THAT YOU HAVE BID ON

CANADIAN COUNTY
DATE:
NAME OF FIRM:
BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID
CEMENT SLURRY FOR SOIL STABILIZATION
Price per DRY/TON:
\$Quadrant 1: Canadian Rd to Calumet Rd / Waterloo Rd to I-40
\$ Quadrant 2: Calumet Rd to Highway 81 / Waterloo Rd to I-40
\$ Quadrant 3: Highway 81 to County Line Rd/ Waterloo Rd to I-40
\$ Quadrant 4: Canadian Rd to Calumet Rd / I-40 to 89th St SW
\$Quadrant 5: Calumet Rd to Highway 81 / I-40 to 104th St SW
\$Quadrant 6: Highway 81 to County Line Rd / I-40 to 134th St SW
Map on next page
SPECS FOR CEMENT SLURRY:
DESCRIPTION
This material shall be delivered and applied into or onto the subgrade soil by the supplier at the specified rate determined by the County. Prior to
delivery and application, the Supplier may be required to provide cement samples for laboratory testing to be mixed with native subgrade soil from
the project site. The County will perform the required work to prepare the subgrade soil for application of the cement slurry, mix the cement slurry into the soil and perform the final shaping and compaction of the cement slurry modified subgrade soil.
into the 301 and perform the final shaping and compaction of the centent starty modified subgrade 301.
<u>MATERIALS</u>
Cement shall conform to the requirements of ASTM C150/150M. Cement powder being used for slurry shall be stored in a weatherproof storage unit
to prevent lumps, caking of cement and contamination of any foreign matter that may be deleterious to slurry mix.
The slurry mix shall contain a minimum of 55% cementitious material by mass.
The slurry mix shall contain a stabilizing agent capable of maintaining a homogenous mixture of cementitious material, in water, for a minimum of four hours after it has been batched.
Tour nours area it has been balened.
MATERIAL TESTING
If tested, a 500 ml portion of the slurry will be removed from the middle of the load. The slurry suspension will be monitored with no vibration or
agitation at ambient temperature for 30 minutes. Little or no separation of liquid or solid should occur. The Marsh Funnel Viscosity of the slurry shall be a minimum of 60 seconds when measured according to ASTM D6910
shall be a millimid of 60 seconds when measured according to ASTM D0710
<u>EQUIPMENT</u>
The slurry plant shall be a hydraulic/pneumatic mixing plant with monitoring devices to regulate flow rates and line pressures. Slurry proportion
shall be regulated by calibrated scales. All components of the slurry solution shall be mixed using a high energy static mixing apparatus. All mechanical mixing must be pump driven. Lime slaking tanks, paddle driven mixers and other similar technology shall not be employed.
mechanical mixing must be pump driven. Lime staking tanks, paddle driven mixers and other similar technology shall not be employed.
The slurry plant should provide safe and easy access for the Engineer to obtain samples.
The cement slurry shall be delivered to the project site in a non-baffle tank vehicle that does not recirculate or agitate the slurry material by any
means other than the motion of the vehicle in normal movement. Application of the cement slurry shall be uniformly placed onto or into substrate
soil. The vehicle that places the slurry shall spread controlled slurry within a given area. Tickets shall be generated through the function of
calibrated plant scales for the amount (per ton) of dry cementitious product delivered to the project site.
MEASUREMENT AND PAYMENT
Cement slurry for soil stabilization shall be measured by the dry ton of cement delivered and applied to the subgrade soil and shall include cement
samples for laboratory testing. The County shall provide the supplier with water for slurry vehicle, tankers and an area to clean slurry vehicle.
DECRECTELL I V CUDMITTED DV.
RESPECTFULLY SUBMITTED BY:







## RETURN ONLY THE PAGES THAT YOU HAVE BID ON

DATE:					
NAME OF FIRM:					
BIDDER	AGREES TO C	OMPLY WITH ALL TERMS A	ND CONDITI	ONS OF BID	
ASPHALTIC MATERIALS					
FOB CANADIAN COUNTY J		PER GALLON:			
(Must meet current ODOT spec	•				
AC 7.5	MINIMUM .	LOAD			
AC 20					
SS 1		GE CHARGE			
SS 1H					
CRS 2		·	<del>-</del>		
MS 2	DITMD CHAI	OCE			
	PUMP CHAI	RGE			
*CRS2+	ADDI ICATIO	ON OF MATERIALS:			
AEP CRS-2S		N \$			
	FER GALLO	т ф			
CQS-1FCHFRS-2P					
CIII NS-21					
PRICES FOR PICKLIP at nls	ant location addr	ess:			
CRS2	ant location addi-				
*CRS2+					
*SPECS FOR CRS2+ [EMU	LSIFIED ASPHA	LT PRODUCT]			
•		•			
		TEST PROCEDURE	SPECIF	<b>ICATION</b>	
TEST ON EMULSION		(AASHTO)	(MIN)	(MAX)	
Viscosity, Saybolt Furol @ 122	2*F, SFS	T59	125	400	
Settlement test, 5 day %		T59		< 5%	
Particle Charge Test		T59		positive	
Sieve test, %		T59		< .10	
Demulsibility, 35mL 0.08N DS		T59	> 60		
Oil distillate, by volume of emi	ulsion, %	T59		< 2	
TEST ON RESIDUE FROM	<u>DISTILLATION</u>				
Penetration, 77*F		T49	100	200	
Elastic Recovery, 50*F, %		T301	> 35		
*E		lower thermometer slowly to 350°	kE Maintain at	this tammanatura for	20 minutas
Complete total distillation in 60		lower thermometer slowly to 330	r. Maintain at	uns temperature for	20 minutes.
Complete total distination in oc	Jillillutes +/- 3				
RESPECTFULLY SUBMITTE	ED BY:				

### **SPECS FOR CQS-1F & CHFRS-2P**

#### COS-1F

CQS-1F is a cationic emulsified asphalt product for use as a fast breaking, fast curing emulsion for use in fog seal applications. It shall be capable of allowing return to traffic (non-turning) in less than 1 hour at temperatures above 25°C and less than 50% humidity. It shall be delivered to the jobsite in a ready-to-apply dilution not to exceed water to residual asphalt ratio of 60:40. Application rate shall vary according to the demands of the pavement but shall typically be in the range of 0.08-0.12gal/s.y for use on chip seals, and 0.05-0.12 gal/s.y. over bituminous mixtures.

Test on Emulsion	Method	Min.	Max.
Viscosity @ 25°C, SSF	ASTM D88	40	500
Sieve Test, %	ASTM D244		0.10
24-Hour Storage Stability, % (Note 1)	ASTM D244		1
Residue from Distillation @ 260°C, %	ASTM D244	60	
Oil portion from distillation ml of oil Per 100 g emulsion (Note 2)	ASTM D244		1
Emulsion Particle Charge	ASTM D244	positive	
Test on Residue from Distillation:			
Penetration @ 25°C, 100 g, 5 sec, dmm	ASTM D5	40	120

#### CHFRS-2P

Description: A high-float, polymer-modified cationic water-based emulsified asphalt product primarily used for chip seals.

Properties:

Boiling Point

212°F

% Volatiles

None

Appearance Flammability

Brown Liquid Non-Flammable

Density

8.4 lbs/gal

Solubility Odor Soluble in Water

Petroleum Odor

#### (CONTINUED ON PAGE 18)



#### SPECS FOR CQS-1F & CHFRS-2P Continued

Property Viscosity, Saybolt-Furol, 122° F	Test Procedure(AASHTO) T59	<u>Min</u> 100	<u>Max</u> 400
Sieve Test, %	T59		0.1
Demulsibility, 35ml 0.02 N CaCl <sub>2</sub> , %	T59	60	
Distillation Test: Residue by distillation, % by weight Oil Distillate, % by volume	T59 T59	65	0.5
Tests on Residue from Distillation: Penetration, 25°C (77°F), 100g, 5 sec Float Test, 140°F, sec Solubility in Trichloroethylene, % Elastic Recovery, 50°F, %	T49 T50 T44 T301	80 1800 95 55	130

Handling Protect emulsion from freezing

Avoid overheating

Avoid excessive pumping with high shear pumps

Storage & Application Storage Temperature (°F) 50-185

Application Temperature (°F) 110-160



### RETURN ONLY THE PAGES THAT YOU HAVE BID ON

DATE:NAME OF FIRM:				
BIDDER AGREES TO COMPLY WITH ALL T	ERMS AND CONDITIONS OF BID			
SPECIFY LOAD MINIMUM	PRICE PER TON:			
S3 RECYCLE* HOT MIX ASPHALT - FOB PLANT LOCATION: up to 25% Recycle Mix (64-22) SPECIFY LOAD MINIMUM	PRICE PER TON:			
S4 VIRGIN HOT MIX ASPHALT - FOB PLANT LOCATION: SPECIFY LOAD MINIMUM	PRICE PER TON:			
S4 RECYCLE* HOT MIX ASPHALT - FOB PLANT LOCATION: up to 25% Recycle Mix (64-22) SPECIFY LOAD MINIMUM_	PRICE PER TON:			
*up to 25% Recycle Mix (64-22)				
RESPECTFULLY SUBMITTED BY:				



### RETURN ONLY THE PAGES THAT YOU HAVE BID ON

DATE:			NAME OF FIRM:		
		BIDDER AGREES TO COMPLY	WITH ALL TERMS AND CONDITIONS OF BID		
<u>S3</u>	VIRGIN HOT MIX H		ΓΕ-PRICE PER TON: 500 TO 2,500 TONS:		
	EL RENO	PIEDMONT			
	YUKON		GEARY		
		UNION CITY			
	MAPLE	OKARCHE			
<b>S3</b>	RECYCLE* HOT MI		BSITE-PRICE PER TON: 500 TO 2,500 TONS:		
	EL RENO	PIEDMONT	WALNUT		
	YUKON	MUSTANG	GEARY		
	CALUMET	UNION CITY			
	MAPLE				
<b>S3</b>	VIRGIN HOT MIX HA	AULED & IN PLACE-FOB JOBSIT	TE-PRICE PER TON: 2,500 or MORE TONS:		
	EL RENO	PIEDMONT	WALNUT		
	YUKON	MUSTANG	GEARY		
	CALUMET	*****			
	MAPLE	OKARCHE			
<b>S</b> 3	RECYCLE* HOT MI	X HAULED & IN PLACE-FOB JO	BSITE-PRICE PER TON: 2,500 or MORE TONS:		
	EL RENO				
	YUKON		GEARY		
	CALUMET	UNION CITY			
	MAPLE	OKARCHE			
<u>S4</u>	VIRGIN HOT MIX H EL RENO YUKON CALUMET MAPLE	PIEDMONT MUSTANG UNION CITY	GEARY		
<b>S</b> 1	DECVCIE* & HOT N	MIX HALLI ED & IN PLACE FOR I	OBSITE-PRICE PER TON: 500 TO 2,500 TONS:		
<u>5-7</u>	EL RENO				
	YUKON		GEARY		
	CALUMET	UNION CITY			
	MAPLE				
<b>S</b> 4	VIRGIN HOT MIX H	ALLED & IN PLACE FOR TORSE	ΓΕ-PRICE PER TON: 2,500 or MORE TONS:		
54	EL RENO	PIEDMONT	WALNUT		
	YUKON CALUMET	UNION CITY			
	MAPLE				
24	DECVCI E* HOT ME	V HALII ED & IN DI ACE EOD IO	BSITE-PRICE PER TON: 2,500 or MORE TONS:		
54					
	EL RENO YUKON		GEARY		
	CALUMET	UNION CITY			
	MAPLE				
	*up to 25% Recycle Mi	ix (64-22)			
	RESPECTFULLY SUE	BMITTED BY:			



### RETURN ONLY THE PAGES THAT YOU HAVE BID ON

**BID PROPOSAL** 

	CANADIAN COUNTY
DATE:	NAME OF FIRM:
	BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID
	PHALT - PLANT LOCATION:
*Specs for Cold	Lay:
<ul><li>Adhere t</li><li>Be unaft</li></ul>	table at a minimum temperature of zero degrees Fahrenheit without being heated to both concrete and asphaltic surfaces that are dry, damp or wet fected by salt or deicing compounds orm and not require mixing prior to use
Materials:	
Aggregate Grada specified in the cl	tion and Mixture design: design the mixture with the gradation selected and the asphalt content within the range hart below.
US Sieve 34" 1/2" 3/8" No. 4 No. 10 No. 40 No. 80 No. 200	% passing by weight-Type A 100 100 100 65-100 20-40 5-30 0-15 0-5
RESPECTFULL	Y SUBMITTED BY:



## RETURN ONLY THE PAGES THAT YOU HAVE BID ON

DATE:	NAME OF FIRM:		
	BIDDER AGREES TO COMPI	LY WITH ALL TERMS AND COND	DITIONS OF BID
DISTRICT YARD WIL	IILLING MACHINE SERVICE IN L HAUL AND TAKE MILLINGS <sup>8</sup> OL AND FLAGGING OPERATIO		гү
ROADWAY MILLING	- Price per Project Includes Power	Broom and Trimmer for Detailed W	ork and Clean-Up
PRICE PER SOUARE Y	ARD OF 0" TO 2" DEPTH COL	D MILLING - 0 TO 2,500 SY PER R	OADWAY MILE:
_			
YUKON \$	PIEDMONT \$	OKARCHE \$	WALNUT \$ GEARY \$
CALUMET\$	MUSTANG \$		
PRICE PER SQUARE Y	ARD OF 0" TO 2" DEPTH COL	D MILLING - 2,500+ SY PER ROAD	WAY MILE:
EL RENO \$	MAPLE \$	UNION CITY \$	WALNUT \$
YUKON \$	PIEDMONT \$	OKARCHE \$	WALNUT \$ GEARY \$
CALUMET\$	MUSTANG \$		
PRICE PER SQUARE Y	ARD OF 2" TO 4" DEPTH COL	D MILLING - 0 TO 2,500 SY PER R	OADWAY MILE:
EL RENO \$	MAPLE \$	UNION CITY \$	WALNUT \$ GEARY \$
YUKON \$	PIEDMONT \$	OKARCHE \$	GEARY \$
CALUMET\$	MUSTANG \$		
PRICE PER SQUARE Y	ARD OF 2" TO 4" DEPTH COL	D MILLING - 2,500+ SY PER ROAD	DWAY MILE:
EL RENO \$	MAPLE \$	UNION CITY \$	WALNUT \$
YUKON \$	PIEDMONT \$	OKARCHE \$	GEARY \$
CALUMET\$	MUSTANG \$		
DADKING LOTS AND	NON-ROADWAY PROJECTS - P	rice nor 9 Hour Day	
			MAI NITUT Ó
EL RENO \$	MAPLE \$	UNION CITY \$	WALNUT \$ GEARY \$
CALUMETS	MUSTANG \$	OKARCHE \$	GEART 5
CALONIL 14			
MOBILIZATION CHA	RGE - Price per Project Includes T	o and From Site**	
EL RENO \$	MAPLE \$	UNION CITY \$	WALNUT \$
YUKON \$	PIEDMONT \$	OKARCHE \$	GEARY \$
CALUMET\$	MUSTANG \$	<u></u>	
* If Milling Machine wai 15 minute increments :	its 30 Minutes for County District Nafter the initial 30 minutes continui	Yard Trucks a demurrage fee of \$ ng until the end of the standard 8 ho	per hour will be paid in ur day.
**Additional mobilization	on will be paid if machine is moved	with a trailer to additional site.	
RESPECTFULLY SUBM	IITTED BY:		



### RETURN ONLY THE PAGES THAT YOU HAVE BID ON

DATE:		<del></del>		
NAME OF FIRM:				
В	DDER AGREES TO C	OMPLY WITH A	LL TERMS AND CONDITIO	NS OF BID
ROAD ROCK: price per (All Current ODOT Specific		(please specify p	it)	
, oan and a ser apasim	FOB	FOB	FOB	FOB
*3/8" #2 cover				
*5/8" #3 cover				
5/8" #3 washed cover				
*3/8" #2 washed cover				-
4" shot				
3/8" rinsed shot				
*3/4" #1 cover		<del></del>		
5/8" crusher run	<del></del>			
½" crusher run			<del>-</del>	
%" crusher run	<del></del>			
1 ½" crusher run 2 ½" crusher run	<del></del>			
1 ½" coarse stone		•••	<del></del>	
Surge Rock 4";6";8"				
Screenings	<del></del>			
l" crusher run				
4" granite chips				
3/8" granite chips			<del></del>	
11/2" #57				
/2" Class B			_	
l" #67				
ΓBSC	-			<u> </u>
Aggregate Base				
Гуре "A" Rock				
12" Rip Rap		-	<u> </u>	
18"-24" Rip Rap				
<u>ON ALL SURGE ROCK</u>	, PLEASE SPECIFY 4", 6	<u>''<b>, 8</b>".</u>		
PROCESSED GYP-	PRICE PER TON:		(please specify pit)	
LOOLUULU GII.	FOB	FOB	FOB	
1/2" crusher run	100	1 010		
3/4" crusher run				
1 ½" crusher run		·		
2" crusher run		•		
2" clean				
3/4" clean				
5" surge			<del></del>	
Screenings				
Pit run			<del></del>	
	MITTED BY:			



## RETURN ONLY THE PAGES THAT YOU HAVE BID ON

DATE:		CANADIAN 	COUNTY	
NAME OF FIRM:				
E	SIDDER AGREES TO	COMPLY WITH A	LL TERMS	S AND CONDITIONS OF BID
HAULING OF ROCI	K - END DUMP TRAII	LER - PRICE PER T	ON MILE.	
FROM RICHARD SP	UR: \$ FROM	1 COOPERTON: \$		FROM TISHOMINGO: \$
FROM GRANITE:	\$ FROM	CARNEGIE: \$		FROM WATONGA: \$
FROM YUKON:	\$ FROM	M DAVIS: \$		
		ABOVE HAULING	LIST NU	MBER OF END DUMP TRAILERS THAT ARE
AVAILABLE:				
THIS MAY DETERN	<u> INE BID AWARD. (M</u>	<u>IUST HAVE A MIN</u>	<u>IMUM OF</u>	(6) SIX TRUCKS)
HAULING OF ROCI	K - BELLY DUMP TRA	AILER - PRICE PER	R TON MIL	<u>E.</u>
FROM RICHARD SP	UR: \$ FROM	I COOPERTON: \$_		FROM TISHOMINGO: \$
FROM GRANITE:	\$ FROM	I CARNEGIE: \$		FROM WATONGA: \$
FROM YUKON:	\$ FROM	1 DAVIS: \$		
ATTENTION VEND AVAILABLE:		BOVE HAULING	LIST NUM	IBER OF BELLY DUMP TRAILERS THAT ARE
				(4) (3) (4) (5)
THIS MAY DETERN	<u> MINE BID AWARD. (M</u>	<u>IUST HAVE A MIN</u>	<u>IMUM OF</u>	(6) SIX TRUCKS)
RESPECTFULLY SU	BMITTED BY:			



Date Issued:

May 6, 2024

Bid Number:

**SIX MONTH BIDS** 

Closing Date:

May 24, 2024 at 4:00pm

PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036

May 28, 2024 during the Commissioner's Meeting that begins at 9:00am Opening Date:

Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ AFFIDAVIT~ Six Month Bids

State of Oklahoma ) County of Canadian) §

I, Lindsey Garrett, Assistant Purchasing Agent, in and for said County and State, do hereby certify that "Notice to Bidder" was sent to the following:

**Bid Clerk** 

projects@bidclerk.com

**Bid News Construction** 

projects@isqft.com

**Online Data Services** 

5425 Peachtree Parkway NW Peachtree Corners, GA 30092

ePlan

1400 Forum Blvd Ste 7B

Columbia, MO 65203

**Reed Construction Data** 

30 Tech. Pkwy South, Ste 100

Norcross, GA 30092

**Arcosa Specialty Materials** Attn: Dillon Price & Tony Nutter

1550 Double Dr. Norman, OK 73069

Asphalt & Fuel Supply LLC 4200 E Skelly Drive, Suite 600

Tulsa, OK 74135-3210

**Brown Transportation** 

PO Box 1748

El Reno, OK 73036

**Bomhak Trucking** 

**Atlas Paving Co** Atlas Asphalt Products Inc. Attn: Tyle Attn: Tyle

PO Box 75727 PO Box 75727 Oklahoma City, OK 73147

Oklahoma City, OK 73147

Ardmore, OK 73402

**Coastal Energy Corporation** 

Attn: Chad Odle

**Box 218** 

**#1 Coastal Drive** 

Willow Springs, MO 65793

Craftco, Inc.

**PO Box 400** 

6600 N. Industrial Boulevard

Edmond, OK 73034

**Dolese Bros Co** 

8300 N. Oklahoma Ave

Oklahoma City, OK 73114-7502 projects@dolese.com

**Dollar Trucking** PO Box 636

Hennessey, OK 73742

**Ergon Asphalt & Emulsions Inc** 

Attn: Johnny

8233 W Reno

9301 SW Koch Street Lawton, OK 73505

Envirotech Services, Inc Attn: Len Gardner

910 54<sup>th</sup> Avenue, Ste 230 Greenley, CO 80634

lgardner@envirotechservices.com

PO Box 75608

Oklahoma City, OK 73147

Farmers Supply & Transportation Co

PO Box 443

PO Box 243

Cheyenne, OK 73628

G.W. Van Keppel Co. Haskell Lemon Construction Co Hoskins Gypsum Co LLC

Longdale, OK 73755

Oklahoma City, OK 73127

201 N. Choctaw Avenue, El Reno, OK 73036 405.295.6125 ~ Fax 405.422.2437 www.canadiancountv.org Page 1 of 2



Logan County Asphalt 2905 Commerce Blvd Guthrie, OK 73044

Oklahoma Cement Solutions Attn: Dan Richwine 13133 Chinkapin Oak Place Choctaw, OK 73020

Schwarz Asphalt LLC 8251 W Reno Oklahoma City, OK 73127

Shoe ValDoc Construction 6600 SW 29th St Oklahoma City, OK 73179-6002

Sunbelt Equipment & Supply 103147 S Highway 18 Meeker, OK 74855

Western Aggregates LLC 8251 West Reno Ave Oklahoma City, OK 73127

Scotwood Industries LLC 12980 Metcalf Ave, Ste 240 Overland Park, KS 66213

FirstWater Contracting, LLC P.O. Box 94250 Oklahoma City, OK 73143 Martin Marietta Materials 8524 S. Western Ave. STE 118 Oklahoma City, OK 73139-9248

Pateyn Trucking PO Box 879 Mustang, OK 73064

Schwarz Paving Company, Inc 8251 W Reno Oklahoma City, OK 73127

SoilChem, LLC 2160 N. Main St. #C-35 Newcastle, OK 73065-5149

Trinitas Materials LLC PO Box 94250 Oklahoma City, OK 73143

Wright Asphalt Products Co 4609 W Meadowlark Battlefield, MO 65619

Scotwood Industries, Inc P.O. Box 414809 Kansas City, MO 64141-4809 Material Service of Oklahoma

Attn: Larry Stewart PO Box 179

Pawnee, OK 74058

Railroad Yard PO Box 2283

Stillwater, OK 74076

Share Corp 7821 N. Faulkner Rd Milwaukee, WI 53224

Stewart Stone PO Box 179 Pawnee, OK 74058

Vance Brothers Inc 4908 N Bryant

Oklahoma City, OK 73121

Zum Mallen Rock & Grain 3212 192<sup>nd</sup> St. NE Okarche, OK 73772

A&A Trucking, Inc P.O. Box 75608

Oklahoma City, OK 73147

Witness my hand and seal this 6<sup>th</sup> day of May, 2024.

Lindsey Garrett, Assistant Purchasing Agent (SEAL)



If you have any questions or need additional information, please contact: Shelly Means, Purchasing Agent, 405.295.6125