

SA&I 1-4040 (2000)

Canadian _____ County, Oklahoma
COUNTY PURCHASING OFFICE
Canadian _____ County Court House
El Reno _____, Oklahoma
Phone: (405) 422-2441

INVITATION TO BID

DATE ISSUED
January 27, 2014
Page 1 of 2

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE
SIDE RELATING TO SUBMISSION OF THIS BID.
Notarized Affidavit completions and signature required on reverse side.

BID NUMBER: #2014-#18 Wheel Loader / District #1
BID CLOSING DATE AND HOUR: Feb. 14, 2014 at 4:00 pm
REQUIRED DELIVERY DATE: SEE SPECIFICATIONS
____ Days after award of Purchase Order

TERMS: Net, FOB this bid will open February 18, 2014 at 9:30am
DATE OF DELIVERY: SEE SPECIFICATIONS

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
1 or more			<p>Canadian County Distirct #1 is seeking bids for one or more 2009 or newer wheel loaders This will be a lease purchase.</p> <p>See Specifications attached.</p> <p>Delivery time will have an effect on the awarding of this bid.</p> <p>The Board of Canadian County Commissioners reserves the right to reject any and all bids or to award all or any portion of the items bid. All data will be considered in the awarding of the bid including the delivery time.</p> <p><u>The reverse of this sheet must be completed and returned or the bid will be rejected.</u></p> <p>Contact person: Justin Atkinson, Foreman - District #1 1103 N Shepard Avenue El Reno, OK 73036 (405) 262-4673</p>		<p>\$ _____</p> <p>Total</p>

APPROVED
Date JAN 27 2014
Phil Casper

Officer of Department Head

STATE OF OKLAHOMA
CANADIAN COUNTY
FILED OR RECORDED
JAN 27 2014
SHELLEY DICKERSON
COUNTY CLERK
14032

TERMS AND CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, Canadian County Courthouse, 201 N. Choctaw Avenue, El Reno, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Canadian County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until 03/18/2014
(DATE)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day

of _____, 20 _____

(SEAL)

Firm: _____

My commission expires _____

Signed by: _____ Title: _____
(Manual Signature of Undersigned)

NOTARY PUBLIC (CLERK OR JUDGE)

Address: _____ Phone: _____

City: _____ State: _____

Zip: _____

Please mail sealed bids to:
Canadian County Clerk's Office
Attn: Purchasing
PO Box 458
El Reno, OK 73036

Street Address:
201 N Choctaw Avenue
El Reno, OK 73036



Date Issued: January 27, 2014
Bid Number: **2014-#18**
Closing Date: February 14, 2014 at 4:00pm
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036
Opening Date: February 18, 2014 at 9:30am
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ SPECIFICATIONS ~

Wheel Loader / District #1

Canadian County District #1 is seeking bids for a lease purchase for 1 or more 2009 or newer wheel loader.

Canadian County requests vendor's bid to include 60 and 84 month full-payout financing to be completed on an SA&I 12b (2001) lease-purchase agreement and all associated documents in compliance with the State of Oklahoma County Purchasing requirements. Sample documents are not required with this bid request. Vendor shall state the interest rate and monthly payments and the total of payment including interest (Lease-Purchase Price).

60 Month Lease proposal:
Interest rate _____ % Monthly Payment: \$ _____ Total of Payment with interest: \$ _____

84 Month Lease proposal:
Interest rate _____ % Monthly Payment: \$ _____ Total of Payment with interest: \$ _____

See Specifications attached.

For Information Contact:

Justin Atkinson, Foreman

Phone: (405) 262-4673

Hours: Monday – Friday 7:00am to 3:00pm

Address: 1103 N Shepherd Avenue, El Reno, OK 73036

If you have any questions or need additional information, please contact:
Sherry Murray, Purchasing Agent, 405.295.6125 or 405.422.2441
smurray@okcana.cogov.net

It is the intent of the following bid request to acquire one used wheel loaders via lease purchase with less than 725 hours and a 2009 year model or newer. Units offered under this advertisement shall be standard production model of the latest design in that years production. Bidders must submit with their bid printed specifications and advertising literature on the unit they propose to furnish. The bidder shall list on a separate sheet of paper **any variations from or exceptions to the conditions and specifications of this bid. failure to comply may result in bid disqualification.** This sheet shall be labeled "Exceptions to bid conditions and Specifications." Prices quoted shall include all transportation, make ready, and delivery to Canadian County. Bid award will be based on the best value offered. The quality of the articles to be supplied, their conformity with the specifications, dealer product support capability, past dealer performance, purchase price, unit resale value, and delivery date shall be considered in the award.

Canadian County reserves the right to reject any or all bids, waive any informality in bids and accept in whole or in part such bids as deemed in the best interests of Canadian County.

COMPLY ?

BASIC SPECIFICATIONS

- Y ___ N ___ Engine rated gross power shall be at least 217hp
 Y ___ N ___ Machine operating weight (including optional counterweight) shall be no less than 43000 lb.
 Y ___ N ___ Rated bucket capacity shall be 4.5 cubic yards.
 Y ___ N ___ Minimum breakout force shall be 32563 lb with 4.5yd) quick attach general purpose bucket.

ENGINE

- Engine shall be manufactured by the equipment manufacturer.
 Y ___ N ___ Engine shall be EPA Tier 3 compliance.
 Y ___ N ___ Engine shall be 6.6 L six-cylinder, with electronically controlled fuel injection for precise timing.
 Y ___ N ___ Machine shall be standard with two 1400 CCA maintenance free batteries mounted in bolt-on battery boxes.
 Y ___ N ___ Engine and cooling compartments shall be completely separated.

POWER

TRAIN/TRANSMISSION

- Y ___ N ___ Transmission shall be manufactured by the equipment manufacturer.
 Y ___ N ___ Machine shall have a countershaft powershift transmission.
 Y ___ N ___ Machine shall have a forward/neutral/reverse switch standard on the implement control joystick.
 Y ___ N ___ Machine shall have four forward and four reverse speeds with a maximum of 24.8 mph.
 Y ___ N ___ Machine shall have ground accessible ports to sample engine and transmission oil.
 Y ___ N ___ Machine shall have transmission oil sight gauge and fill spout on the same side of the machine.

STEERING

- Y ___ N ___ Steering articulation angle shall be 40°.
 Y ___ N ___ High impact rubber steering stops shall be standard.
 Y ___ N ___ Steering console and gauge panel shall be adjustable.

BRAKES

- Y___ N___ Fully enclosed hydraulic wet-disc brakes with Integrated braking system
- Y___ N___ Indicator light shall alert operator if brake pressure drops.
- Y___ N___ Machine shall have continually charged nitrogen accumulators to provide stopping capability after loss of engine power.

HYDRAULIC SYSTEM

- Y___ N___ Hydraulic system shall be manufacturer designed and modular.
- Y___ N___ Minimum hydraulic output at 2300 engine rpm and 1,000 psi 90 gal/min.
- Y___ N___ Maximum hydraulic cycle time shall be 10.0 seconds.
- Y___ N___ Machine shall feature pilot safety valve to disable implement functions.
- Y___ N___ Implement hydraulics shall be load-sensing.
- Y___ N___ Low effort joystick control shall offer simultaneous lift and tilt functions.
- Y___ N___ Machine shall have pressure taps to allow quick diagnosis of complete hydraulic system.
- Y___ N___ Machine shall have a hydraulically driven demand fan.
- Y___ N___ Machine shall have two section implement control valve for lift and tilt functions an a additional 3rd valve control switch.
- Y___ N___ A Ride Control system shall be provided for smooth operation in rough roading conditions. Ride Control system shall incorporate multiple accumulators for maximum performance at multiple load levels.

AXLES

- Y___ N___ Axles shall be manufactured by the equipment manufacturer.
- Y___ N___ The rear axle shall oscillate +/-13° .
- Y___ N___ Rear axle shall have a remote trunnion lubrication fitting to simplify maintenance.
- Y___ N___ Front axle shall contain a means of locking the front differential with a foot pedal in the cab, without stopping the machine. Axle shall automatically stay locked until equal torque is sensed on both wheels.
- Y___ N___ Limited Slip Differentials shall be provided on front and rear axles.
- Y___ N___ Seals on the axle and housing shall keep oil in and lock contaminants out to prevent contamination of internal components.
- Y___ N___ Axles shall have Duo-cone seals between brake and final drives.
- Y___ N___ Machine shall have axle seal guards standard.
- Y___ N___ Planetary final drives shall be lubricated from the main oil sump.
- Y___ N___ Final drives shall have high contact ratio gears for quiet, durable operation.

WHEELS

Standard tire size shall be L3 Michelin XHA2 23.5R25 Radials

OPERATORS STATION

- Y___ N___ Machine shall have one ingress/egress door.
- Y___ N___ Personal storage areas shall include places to store a lunch box, thermos, cup, coat rack and a lockable storage area.
- Y___ N___ Hydraulic joystick control shall operate both lift and tilt functions. Joystick shall integrate transmission direction switch.
- Y___ N___ An joystick control shall also provide actuation of the third function on the joystick, for activation of all three functions simultaneously.
- Y___ N___ An Engine Speed Control feature shall be provided so engine rpm can be set and maintained with a switch in the cab.
- Y___ N___ An air-suspension seat shall be provided.
- Y___ N___ Seat shall include a 3" wide retractable seat belt.
- Y___ N___ Front and rear wipers with washers shall be standard.

- Y___ N___ Steps leading up to the cab shall be wide and angled out for secure footing.
- Y___ N___ A 12V converter for powering electronics, a radio installation package, sun visor for windshield, roll-down sun screen for rear window, external mirror package and auxiliary lighting packages shall be supplied from the manufacturer.
- Y___ N___ Machine cab shall meet ROPS and FOPS criteria as well as regulations for sound exposure.
- Y___ N___ Rear window shall have an electric defroster.
- Y___ N___ Warning/indicator and diagnostic functions shall include: Primary steering malfunction, electrical system voltage low, coolant temperature, engine oil pressure low, parking brake applied, brake charge pressure low, transmission oil temperature, transmissi
- Y___ N___ A factory installed AM/FM radio with speakers shall be provided.

**LOADER
LINKAGE**

- Y___ N___ Electronic "quick coupler" shall be provided for a toolcarrier.
- Y___ N___ Standard configuration shall be a quick coupler system.

**WORK TOOL
OPTIONS**

- Y___ N___ Third function hydraulics shall be provided for use with work tools that require additional hydraulic
- Y___ N___ Bucket lift circuit shall have four positions: raise, hold, lower and float.
- Y___ N___ Controls shall be adjustable from automatic kickout horizontal to full lift.
- Y___ N___ Tilt circuit shall have three positions: tilt back, hold and dump.
- Y___ N___ An automatic bucket positioner shall be provided that can be adjusted to desired loading angle and does not require visual spotting.

SERVICE

- Y___ N___ Radiator and oil coolers shall be separated.
- Y___ N___ Machine shall have a hydraulic oil sight gauge.
- Y___ N___ All service points shall be accessible from ground level, on the same side of the machine.
- Y___ N___ Machine shall have ground level valve access.
- Y___ N___ Radiator coolant and transmission and hydraulic oil levels shall have sight gauges.
- Y___ N___ Spin on filters for engine oil and hydraulic oil shall be vertically mounted for easier servicing.
- Y___ N___ Scheduled oil sampling ports shall be factory installed for improved access to engine, transmission and hydraulic oils.
- Y___ N___ Machine shall have a self-diagnostic transmission and data link.
- Y___ N___ Machine error codes shall be accessible from gauge panel.
- Y___ N___ Standard service features shall include: Standard hydraulic oil cooler; adjustment free brakes; adjustment free engine fuel system; grouped grease fittings; positive torque hose clamps; braided, color coded and numbered wiring.
- Y___ N___ Adjustment free brakes shall be standard.
- Y___ N___ Machine shall have grouped grease fittings.

**MINIMUM
SERVICE
FILL
CAPACITIES**

- Y___ N___ Fuel tank shall have a 83 gal capacity.
- Y___ N___ Cooling system shall have a 11 gal capacity.
- Y___ N___ Crankcase shall have a 7.9 gal capacity.
- Y___ N___ Transmission shall have a 9 gal capacity.
- Y___ N___ Hydraulic tank shall have a 30 gal capacity.

Y___ N___ Front differential and final drive shall be 9.5 gal. Rear differential and final drive shall be 9.5 gal .

**OWNING
AND
OPERATING
COSTS**

- Y___ N___ Extended Life Coolant/Antifreeze shall allow for up to 6,000 hours between changes.
- Y___ N___ Machine shall have a recommended oil change interval of 500 hours.
- Y___ N___ With required oil sampling, hydraulic oil shall have a 4,000 hour change interval.
- Y___ N___ Machine shall have a recommended 1,000 hour hydraulic filter change.
- Y___ N___ Machine shall have a minimum drain interval of 2,000 hours for transmission oil.
- Y___ N___ Machine shall have service interval of a 500 hour engine oil change.

**ADDITIONAL
FEATURES**

- Y___ N___ Plastic fenders shall be standard.
- Y___ N___ Machine shall have a Quick Coupler.
- Y___ N___ Machine shall 3rd hydraulic control function controlled from hydraulic control joystick.
- Y___ N___ Machine shall have a set of carriage forks 96 in with 72 inch tines
- Y___ N___ A 4,5 yard GP bucket with bolt on cutting edges and with quick coupling shall be provided

A 6 month or 500 hour FMW for the shall be included in the cost of the machine, additional factory warranty maybe purchased till machine has 10000 hours or is 10 years old

(EQUIPMENT PROPOSED COMPLIES):

YES _____ NO _____

LIST ALL EXCEPTIONS:

DEALER _____ PHONE _____
SIGNATURE _____ DATE _____

BID SHEET
DEALER:
ADDRESS:
CITY, STATE, ZIP:
TELEPHONE:
SIGNATURE:

Machine provided must be available for inspection and immediate delivery

MAKE

MODEL

PURCHASE PRICE

60 MONTH LEASE PAYMENT

84 MONTH LEASE PAYMENT

ANNUAL PERCENTAGE RATE



Date Issued: January 27, 2014
Bid Number: **2014-#18**
Closing Date: February 14, 2014 at 4:00pm
PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036
Opening Date: February 18, 2014 at 9:30am
Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

~ AFFIDAVIT~

Wheel Loader / District #1

State of Oklahoma)
County of Canadian) §

I, Sherry Murray, Purchasing Agent, in and for said County and State, do hereby certify that "Invitations to Bid" were sent to the following:

Auto Crane Company 4707 N Mingo Road Tulsa, OK 74117	ATC Freightliner Attn: Jane Kirton 5301 I-40 West Oklahoma City, OK 73128	Bid News emailed: project@bidnews.com
Bob Howard, Downtown Ford Lincoln Mercury 200 West Reno Oklahoma City, OK 73162	Bruckner's Attn: Ken Schmitz 3824 West Reno Oklahoma City, OK 73147	Buckley's Great Plains Equipment 2712 S Division Guthrie, OK 73044
C L Boyd PO Box 26427 Oklahoma City, OK 73126	Central Ford New-Holland 8324 W I-40 Oklahoma City, OK 73128	Contractors Equipment 3320 S Quapaw Oklahoma City, OK 73119
Crescent Machinery 1204 SW 29 th Oklahoma City, OK 73129	Darr Equipment Co 4504 W Reno Oklahoma City, OK 73127-6412	Ditch Witch of Oklahoma 4501 E 2 nd Street Edmond, OK 73034
Enid Mack Sales PO Box 5009 Enid, OK 73702-5009	ePlan 4115 South Providence, Suite 105 Columbia, MO 65203	Francis Tuttle Vo-Tech Center Attn: Bid Assistance – Judy Robbins 12777 North Rockwell Oklahoma City, OK 73142
Frontier International Trucks 1023 North Garnett Road Tulsa, OK 74116	Grissoms/John Deere 223 N Jim Thorpe Blvd Prague, OK 74864	High Plains Equipment 8236 W I-40 Service Road Oklahoma City, OK 73128
Hoidale Co Inc Attn: Chad Wilkening 6617 W Reno Oklahoma City, OK 73127	J & R Equipment Attn: Mark Womack 25-C N Council Oklahoma City, OK 73127	Jack Davis Equipment 5110 E Owen Garriott Enid, OK 73101
Joe Cooper Ford Attn: Roy D Wells 2500 W Reno Oklahoma City, OK 73107	Keystone Equipment PO Box 1187 McAlester, OK 74502	Kirby-Smith Machinery Inc PO Box 270360 Oklahoma City, OK 73137

M & D Equipment
7336 Sears Terrace
Oklahoma City, OK 73149-2622

MHC Kenworth
Attn: Don Potter
5701 SW 5th Street
Oklahoma City, OK 73128

Midwestern Equipment
15 SW 29th
Oklahoma City, OK 73109

Morris Cochran Equipment
PO Box 380
Atoka, OK 74525

OCT Equipment
PO Box 270060
Oklahoma City, OK 73137-0060

OTC Equipment
7100 SW 3rd
Oklahoma City, OK 73107

Oklahoma Kenworth
PO Box 271720
Oklahoma City, OK 73127-1198

Oklahoma Red Inc
7513 NW 27th
Bethany, OK 73008

Oklahoma Territory
3839 West Reno Avenue
Oklahoma City, OK 73107

Oklahoma Truck
6405 NW 2nd
Oklahoma City, OK 73127

Online Data Services
3295 River Exchange Dr, Suite 213
Norcross, GA 30092

Power Products Company Inc
8117 Bourbon Street
Oklahoma City, OK 73137

R & D Equipment
PO Box 721645
Norman, OK 73070

R & L Equipment
PO Box 3327
Edmond, OK 73083

RCB Bank
Attn: David Schaller
1223 E Highland
Ponca City, OK 74601

Rike Equipment Sales
1129 N Aster
Broken Arrow, OK 74012

Robert's Truck Center
PO Box 24008
Oklahoma City, OK 73124

Rush Truck Center
8700 W I-40 Service Road
Oklahoma City, OK 73137

Select Trucks of OKC
5104 I-40 West
Oklahoma City, OK 73128

Southwest Marketing Services
PO Box 821983
North Richland Hills, TX 76182

Southwest Trailers
Attn: Kin
10400 West Reno
Oklahoma City, OK 73137

Stewart Wholesale
1407 Valley View Road
Shawnee, OK 74801

Sunbelt Equipment
Attn: Joe
Route 3 Box 225
Meeker, OK 74885

Tactical Vehicle Outfitters
8117 Bourbon Street
Oklahoma City, OK 73128

Tate & Sons
Attn: David Smith
1074 Cumberland Mansion
Yukon, OK 73099


Troy Jones Equipment
Route 4 Box 134
Elk City, OK 73644

Truck Works Inc
Attn: Michael Austin
220 West Sherman Street
Phoenix, AZ 85009

VanKeppel's
8233 West Reno
Oklahoma City, OK 73125

Warren CAT
PO Box 270720
Oklahoma City, OK 73136

Witness my hand and seal this 27th day of January, 2014.


Sherry Murray, Purchasing Agent

(SEAL)





Date Issued: January 27, 2014
Bid Number: **2014-#18**
Closing Date: February 14, 2014 at 4:00pm
 PO Box 458, 201 N. Choctaw Ave., El Reno, OK 73036
Opening Date: February 18, 2014 at 9:30am
 Commissioner's Meeting Room, 201 N. Choctaw Ave., El Reno, OK 73036

**TO HELP PREVENT BIDS FROM BEING REJECTED FOR LACK OF COMPLETION
PLEASE CHECK FOR THE FOLLOWING:**

- Is the Invitation to Bid Signed and Notarized? _____
- Are all applicable spaces filled in? _____
- Are all necessary papers enclosed? _____
- Is the Bid # and Opening Date on outside of return envelope? _____

Thank You,

Sherry Murray, Purchasing Agent