

Six
Month
Bid

STATE OF OKLAHOMA
CANADIAN COUNTY
FILED OR RECORDED

MAY 26 2026

SHERRY MURRAY
COUNTY CLERK

260514



July 1, 2026
Thru
December 31, 2026

Approved this 26th day of May, 2026
by the Canadian County Board of Commissioners

Chairman

Tracey Rider

Member

CRANSON

Member

Thomas Marsha



**Canadian County
Purchasing**

Date Issued: May 26, 2026
Bid Number: **SIX MONTH BIDS**
Closing Date: June 12, 2026 at 4:00pm
PO Box 458, 314 W. Rogers, El Reno, OK 73036
Opening Date: June 15, 2026 during the Commissioner's Meeting that begins at 9:00am
Commissioner's Meeting Room, 314 W. Rogers, El Reno, OK 73036

Notice to Bidder

Notice is hereby given that the Board of County Commissioners of Canadian County, Oklahoma will be soliciting a six month bid for the following materials for the period of July 1, 2026 through December 31, 2026:

• Road & bridge materials • concrete • kiln dust • hauling of rock • road rock • lubricant additives • milling machine service, etc.

Sealed bids will be received in the Canadian County Clerk's office until **June 12, 2026 by 4:00pm.**

Specifications and information are on file in the Canadian County Clerk's Office in El Reno, Oklahoma and are accessible @ **www.canadiancounty.org** by choosing the following:

- How Do I – Find – County Bids
- Bids for FY2026
- Six Month Bid 2026 – July 1 thru December 31, 2026

A copy of bid packet can be mailed upon request.

All bids must be in a sealed envelope, clearly marked bid with bid name and opening date.

All bids must be mailed or delivered to:

(Mailing)

Canadian County Clerk's Office
PO Box 458
El Reno, OK 73036

(Physical)

Canadian County Clerk's Office
314 W. Rogers
El Reno, OK 73036

Please follow all instructions for submitting bid proposal completely.

If you have any questions, please contact our office at (405) 295-6125.

Thank you,

Salena Rodgers, Purchasing Agent



**Canadian County
Purchasing**

**Six Month Bids
July 1 – December 31, 2026**

Date Issued: May 26, 2026
Bid Number: **SIX MONTH BIDS**
Closing Date: June 12, 2026 at 4:00pm
PO Box 458, 314 W. Rogers, El Reno, OK 73036
Opening Date: June 15, 2026 during the Commissioner's Meeting that begins at 9:00am
Commissioner's Meeting Room, 314 W. Rogers, El Reno, OK 73036

~ NOTICE TO BIDDERS ~

Sealed bids will be received by the Canadian County Purchasing Agent of Canadian County, Oklahoma at the Court House in El Reno until 4:00pm on the 12th day of June, 2026. Bids will open during the Commissioner's Meeting that begins at 9:00am on the 15th day of June, 2026.

Bids will be opened by the Board of Canadian County Commissioners on that date for the six month period of:
July 1, 2026 through December 31, 2026

All bids must be made on forms furnished by the County, signed and notarized and shall conform to the regulations and conditions contained herein.

The Canadian County Board of County Commissioners reserves the right to reject any all bids or to award all or any portion of the items bid.

Please mail sealed bids to:

Salena Rodgers, Purchasing Agent
Canadian County Clerk's Office
PO Box 458
El Reno, OK 73036

Street Address: 314 W. Rogers, El Reno, OK 73036

Please mark your envelope "Six Month Bid"

<hr/> <hr/> <hr/>	Salena Rodgers, Purchasing Agent Canadian County Clerk's Office PO Box 458 El Reno, OK 73036
SIX MONTH BID Closes: June 12, 2026 at 4:00pm	

Specifications and information are on file in the Canadian County Clerk's Office in El Reno, Oklahoma and are accessible @ **www.canadiancounty.org** by choosing the following:

- How Do I – Find – County Bids
- Bids for FY2026
- Six Month Bid 2026 – July 1 thru December 31, 2026

If you have any questions or need additional information, please contact:

Salena Rodgers, Purchasing Agent, 405.295.6125

405.295.6125 ~ Fax 405.422.2431

www.canadiancounty.org



~TABLE OF CONTENTS~

ITEM:	PAGE:
Bid Regulations and Conditions	4
Bid Contents	5
Vendor Performance	6
Affidavit of Non-Collusion	7
Asphaltic Material.....	17-19
Blended Supplementary Cementitious Materials (SCM)	11
Cement	11
Cement Slurry... ..	15
Cold Lay	22
Concrete – Furnished and Unloaded	9
Decomposed Granite.....	13
Dust Control.....	14
End Wings(NEW / USED).....	8
Fly Ash.....	12
Forming-Stay in Place	8
Guard Rail – Galvanized (NEW / USED)	8
GYP – Processed	24
H-Piling.....	8
Hauling of Road Rock.....	25
Hot Mix Asphalt	20
Hot Mix Asphalt Hauled & In Place.....	21
Kiln Dust.....	12
Milling Machine Service.....	23
Pipe Piling – New	8



~TABLE OF CONTENTS~

Pipe Piling – Used8

Quadrant Map 16

Quick Lime13

Railroad Flat Cars9

Railroad Tank Cars9

Road Rock24

Steel Sheet Piling – Interlocking9

Structural Steel8



~BID REGULATIONS AND CONDITIONS~

BIDDERS LIST:

- A. Vendors wishing to do business with the County should be included on the "Bidders List" maintained by the County Purchasing Agent. All vendors are eligible for consideration.
- B. Vendors wishing to be added to the "Bidders List" should contact the County Purchasing Office.
- C. Removal from the "Bidders List".
 1. Removal or Suspension. The Purchasing Agent may remove any vendor on the Bidders List for such period of time deemed necessary by the Purchasing Agent.
 2. Cause for Removal or Suspension. The following shall be deemed sufficient grounds for removal or suspension:
 - a) Three consecutive failures to respond to the Notice to Bidders.
 - b) Failure to submit certificate of compliance when required.
 - c) Consistent failure to conform to bid regulations, conditions, and/or specifications.
 - d) Failure to make timely deliveries.
 - e) Failure to keep bid firm for the time specified on the Notice of Bid.
 - f) Collusion with other bidders or prospective bidders to restrain competitive bidding.
 - g) Bankruptcy or other evidence of insolvency of the bidder.
 - h) Giving false or misleading information in an application for inclusion of the "Bidders List".
 - i) Any violation of these rules and regulations or other information suggesting that the bidder is no longer responsible and qualified to do business with the County.
 3. Notice of removal or suspension from the Bidders List will be sent to affected vendor. This action may be contested in writing to the Purchasing Agent within five working days.

BIDDING PROCEDURES:

- A. Solicitation of Bids.
 1. Concerning Solicitation. The Purchasing Agent provides fair and impartial consideration to all qualified bidders and seeks to obtain the highest practicable degree of full and free competition. All interested vendors are urged to apply for inclusion on the Bidders List.
 2. Bid Selection. The County Commissioners reserves the right to reject any or all bids or award all or any portion of the items bid including awarding by districts on any items bid. The Purchasing Agent will solicit phone bids from three or more vendors selected at random, if this occurs.
- B. Bid Form:
 1. Bids are submitted on the forms containing items and/or goods a vendor wished to bid. Return of bid constitutes a valid offer good for 30 days from the date of opening.
 2. Formal Requirements.
 - a) Written in Ink or Typewritten. All bids must be written legibly in ink or preferably typewritten.
 - b) Authorized Signature. The bid must bear the signature in ink by the person so authorized.
 - c) Notary Seal. Each bid must bear the signature and seal of an authorized Notary Public on the Affidavit of Non-Collusion.
 - d) Labeled and sealed envelope. Bidders name and address and closing date must appear on the face of the envelope.



HOLD HARMLESS AGREEMENT:

All bidders shall defend, indemnify and hold the County of Canadian County, State of Oklahoma, its commissioners, officers, deputies and employees harmless from and against any and all liability, loss, expense (including reasonable attorney's fees), or claims for injury or damages arising from, relating to, or connected with the performance of the bidding work.

BID CONTENTS:

1. **Entire Agreement.** The Bid Regulations and Conditions of this section together with the Notice of Bid and any other sheets or documents made a part of the bid package, shall constitute the entire agreement between parties.
2. **Modification.** An addendum will be issued, when deemed necessary, for any changes in, additions to, or waivers of specifications, or regulations and conditions of the bid. The Purchasing Agent must issue this addendum.
3. **Offer firm for thirty days.** Return of bid constitutes a valid offer guaranteed for a minimum of 30 days by vendor until bid is awarded. After bid is awarded offer is firm for six months.
4. **Items to be new or current.** Unless otherwise stated within the bid, goods and materials offered in the bid are to be new and of current design.
5. **Non-Acceptance of Split Award – “All or None Bid” –** The County Commissioners reserve the right to make and award on items or groups of items listed on the bid. If the vendor wishes to bid “All or None”, this must be clearly shown of the bid.
6. **Shipping Instructions.** Goods and materials are to be shipped F.O.B., the receiving officer or department. All freight is to be borne by the vendor and included in the bid price.
7. **Title and Risk of Loss.** Title of goods shall not pass from the vendor until such goods are received by requisitioning departments receiving officer. Risk of such loss prior to such receipt shall be borne by the vendor.
8. **Delivery.** Time is of the essence and deliveries are to be made within ten days after receipt of an order. Items to be picked up by the County shall be ready within 24 hours of notice.
9. **Inspection and Rejection.** All goods and materials shall be subject to inspection by the receiving officer at the time of delivery. Any goods not in complete conformance with the specifications, defective in materials of workmanship, or found to contain latent defects will be rejected. Such goods are to be removed and replaced by and at the cost of the vendor promptly after notifications of rejection. Risk or loss as to such rejected goods shall be borne by the vendor.
10. **Payment.** Payment by the County for goods received shall not constitute acceptance if subsequent discoveries reveal latent defects or a failure to meet bid specifications. Payment for a period delivery shall not be deemed acceptance of undelivered goods.
11. **Exemption from Taxes.** Purchases made by the County are exempt from State Sales Tax and from Federal Excise Tax. These taxes should not be included in bid prices. When required, the Purchasing Agent will supply the proper tax exemption certificate.

SUBMISSION PROCEDURES:

- A. **Sealed envelopes.** Bids must be submitted in a sealed envelope with the name and address of the vendor and date and time of closing clearly marked on the outside of the envelope.
- B. **Late Bids.** Bids received after the time and date of closing listed on Notice to Bidders will not be opened. These late bids will remain unopened and become a permanent part of the bid file.



AWARDING OF BIDS:

- A. Acceptance. The Purchasing Agent will compile the bids submitted. The County Commissioners will open and consider all bids. The Purchasing Agent will notify all successful bidders in writing prior to onset of the bidding period. **Vendors should not submit bids for items that are not on the six month bid request. Bids will be awarded only for items on the six month bid request.**

Purchases of items and supplies that are on this Six Month Bid list must be made from the vendor listed. This is an exclusive contract between Canadian County and the vendor for the time period mentioned on the "NOTICE TO BIDDERS". The county must be as sincere in fulfilling its obligation by buying from the vendor as it expects the vendor to be in holding the price stable to the bid period.

B. Grounds for Rejection:

1. Non-Responsive Bid. Any bid which does not meet the requirements or specifications of the bid, or is unsuitable for the intended use, or does not comply with these regulations and conditions may be rejected. The County Commissioners reserve the right to reject any or all bids when such is deemed in the best interest of the County.
2. Affidavit. The Non-Collusion Affidavit not signed and notarized and/or included with the bid.

PERFORMANCE BY SUCCESSFUL BIDDER:

A. Delivery of Goods:

1. Deliveries shall be made within ten days from the date ordered. Items to be picked up by the County shall be ready within 24 hours of Notice.
2. Deliveries are to be made to the requisitioning department and the vendor will be advised of such time of order.

SUB-LETTING:

- A. Any bid submitted with sub-letting to firm other than the bidding vendor will or shall be CLEARLY SPECIFIED ON THE BID SHEET.

THE USE OF RECYCLED MATERIALS:

- A. If a vendor has products using recyclable materials and regular materials, the vendor shall submit separate bids, using one bid for recyclable materials only and using one bid for regular materials.

CHANGING OF BID SPECIFICATIONS:

- A. Bid forms shall be filled out as specified. If a Vendor chooses to change the bid specifications, the bid will be subject to rejection by the Board of Canadian County Commissioners.

ALUMINIZED STEEL TYPE "2" PIPE SPECIFICATIONS:

- A. This proposal for furnishing Corrugated Aluminized Steel Type "2" Pipe as per Oklahoma State Highway Specifications, Section 726, 1999 Edition and Supplements, delivered F.O.B. to specified locations in Canadian County. Steel Sheet, aluminum-coated (type 2) by the hot-dip process for sewer and drainage pipe shall conform to the AASHTO M 274.



AFFIDAVIT MUST BE INCLUDED WITH YOUR BID OR BID WILL BE REJECTED BY THE BOARD OF CANADIAN COUNTY COMMISSIONERS.

RETURN THIS PAGE WITH THE BID

~AFFIDAVIT OF NON-COLLUSION OF BIDS~

STATE OF _____)

COUNTY OF _____)

I, the undersigned of lawful age, being first duly sworn on oath say that he or she is the agent authorized by the bidder to submit the attached bid. Affidavit further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or contract, or in any discussions between bidders and any state official concerning exchange of money or other things of value for special consideration in letting of a contract, that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma or other public entity thereof, any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

BUSINESS NAME: _____

ADDRESS: _____

PHONE NUMBER: _____ FAX NUMBER: _____

EMAIL: _____

SIGNATURE: _____

TITLE: _____

(NOTARIZATION)

SUBSCRIBED AND SWORN BEFORE ME THIS _____ DAY OF _____, 20__.

(NOTARY PUBLIC)

(COMMISSION EXPIRATION DATE)

(SEAL)



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

STAY IN PLACE FORMING OR TENSEL FORM:

(NEW Prime Material: PAINTED) Price per square foot:

22 gauge _____

24 gauge _____

26 gauge _____

NEW PIPE PILING: outside diameter – price per foot:

.50 (1/2) wall thickness

7" _____

7 5/8" _____

8 5/8" _____

9 5/8" _____

10 3/4" _____

12" _____

14" _____

USED PIPE PILING: outside diameter – price per foot:

.50 (1/2) wall thickness

7" _____

7 5/8" _____

8 5/8" _____

9 5/8" _____

10 3/4" _____

12" _____

14" _____

GALVANIZED GUARD RAILS: (NEW) per 12.6 ft. section: _____ (NEW) per 25 ft. section: _____
(NEW) per 12.6 ft. section Installed: _____ (NEW) per 25 ft. section Installed: _____

GALVANIZED GUARD RAILS: (USED) per 12.6 ft. section: _____ (USED) per 25 ft. section: _____
(USED) per 12.6 ft. section Installed: _____ (USED) per 25 ft. section Installed: _____

END WING: (NEW) price for each _____ (USED) price for each _____

STRUCTURAL STEEL: A 36 GRADE OR BETTER

(USED) _____ price per pound 3" to 6" angles, channels and flats

(NEW) _____ price per pound 3" to 6" angles, channels and flats

(NEW) _____ price per pound for 6" to 24" wide flange beams

(NEW) _____ price per pound for 25" to 36" wide flange beams

10 x 10 x 42 # H-PILING: (NEW) price per pound: _____

RESPECTFULLY SUBMITTED BY: _____



**Canadian County
Purchasing**

**Six Month Bids
July 1 – December 31, 2026**

RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

INTERLOCKING STEEL SHEET PILING: price per square foot:

GAUGE	(18" BLACK)	(18" GALVANIZED)	(19.7" BLACK)	(19.7" GALVANIZED)	(21.7" BLACK)	(21.7" GALVANIZED)
7 gauge	_____	_____	_____	_____	_____	_____
8 gauge	_____	_____	_____	_____	_____	_____
10 gauge	_____	_____	_____	_____	_____	_____
12 gauge	_____	_____	_____	_____	_____	_____

CONCRETE: FURNISHED AND UNLOADED: PRICE PER CUBIC YARD: (All current ODOT specifications apply including water/cement and air content)

PSI STRENGTHS: C A AA AA High Early 4000 PSI High Early-7 day cure time

GEARY:	_____	_____	_____	_____	_____
OKARCHE:	_____	_____	_____	_____	_____
PIEDMONT:	_____	_____	_____	_____	_____
CALUMET:	_____	_____	_____	_____	_____
EL RENO:	_____	_____	_____	_____	_____
YUKON:	_____	_____	_____	_____	_____
MAPLE:	_____	_____	_____	_____	_____
WALNUT:	_____	_____	_____	_____	_____
UNION CITY:	_____	_____	_____	_____	_____
MUSTANG	_____	_____	_____	_____	_____

VENDOR'S PRICE PER HOUR OF HOLDING TIME: \$ _____

WHEN DOES HOLDING TIME BEGIN? _____

IS THERE A MINIMUM ORDER AMOUNT TO PREVENT FREIGHT CHARGES? ☐ YES ☐ NO

WHAT IS THE MINIMUM ORDER AMOUNT? _____

VENDOR'S TIME FOR DELIVERY ONCE ORDER IS PLACED? _____

VENDORS BIDDING ON CONCRETE SHALL USE THE ENCLOSED TRUCKING DISTRICT MAPS FOR EACH LOCATION. THE PRICE BID PER LOCATION LISTED WILL BE USED IN THE BOUNDARY AREA.

INSURANCE: SUCCESSFUL BIDDER WILL BE REQUIRED TO PROVIDE ASSURANCE TO INDEMNIFY AND SAVE HARMLESS THE COUNTY FROM ANY LIABILITY OR DAMAGE TO PRIVATE OR PUBLIC PROPERTY OF LIFE SUSTAINED IN THE PROCESS OF TRANSPORTING.

RAILROAD TANK CARS WITH THE ENDS REMOVED-TANK CARS SHALL BE READY TO INSTALL. PRICE SHOULD INCLUDE DELIVERY.

PRICE PER FOOT: 8' _____ 8' 6" _____
9' _____ 9' 6" _____
11' 6" _____

1/2 TANK DELIVERED WITH MINIMUM 15" WIDE CHANNEL IRON FOOTERS, MINIMUM 3/4" THICK. PRICE SHOULD INCLUDE DELIVERY.

PRICE PER FOOT: 8' _____ 8' 6" _____
9' _____ 9' 6" _____
11' 6" _____

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

Soil Stabilization Materials:

Cement:

All Cement for soil stabilization shall meet the following:

Standard Specifications for: Portland Cement (ASTM C150 or AASHTO M85) or

Standard Specification for: Blended Hydraulic Cement (AASHTO C595 or AASHTO M240) or

Standard Specification for: Hydraulic Cement (ASTM C 1157)

Delivery of cement shall be made in Pneumatic trailers equipped with spreader bars that spread the material uniformly on the roadway. The cost of spreading the cement shall be included in the delivered cost of the material. Must meet current ODOT specifications.

Fly ash:

Fly ash should conform to AASHTO M295 Class C or Class F materials. No bottom ash or Fly ash that is not approved by the Oklahoma Department of Transportation will be accepted. Delivery of the material shall be quoted in end dump trucks with an alternate price delivered in a pneumatic trailer and spread with a spreader bar. Must meet current ODOT specifications.

Lime:

Lime shall be quick lime in accordance with AASHTO M 216 with an available lime index of at least 90% as per ASTM C 25. Only quicklime from sources approved by the Oklahoma Department of Transportation will be allowed. Hydrated lime will not be allowed. Lime shall be delivered in bottom drop pneumatic trailers. Must meet current ODOT specifications.

Cement Kiln Dust:

Cement Kiln Dust being a byproduct of the manufacture of cement should conform to the following specifications: When Tested by AASHTO T 405 the lower limits of the average of chemical properties of the material should meet or exceed the following specifications for one month before shipment. Must meet current ODOT specifications.

CKD Requirements

Calcium Oxides = greater than 35%

Alkali Equivalents = less than 8%

Total Sulfates = less than 10%

Loss on Ignition test = less than 30%

The vendor shall provide current tests report before shipment of the material to the county. Delivery of the material shall be quoted in end dump trucks with an alternate price delivered in a pneumatic trailer and spread with a spreader bar.

All vendors shall supply the name and contact information of a customer service representative to assist with installation questions and installation specifications for the materials quoted.

The material costs delivered to the following zones shall include all costs, not limited to: loading costs, fuel surcharges, toll fees, etc.



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

PRODUCT PRICE PER TON

And AREA:

Blended Supplementary Cementitious Materials (SCM):

(May contain varying amounts of Cement, Cement Kiln Dust and Fly Ash)

SCM: (Delivered in End Dump Trucks)

Geary _____ Material Source: _____

Okarche _____ Representative: _____

Piedmont _____ Contact Phone# _____

Calumet _____ 24 Hour Phone# _____

El Reno _____

Yukon _____

Maple _____

Walnut _____

Union City _____

Mustang _____

Up charge for pneumatic freight including spread fees \$ _____ cost per ton.

Notice required to vendor prior to delivery _____ hours.

Does the Vendor agree to deliver product within a two hour time window YES _____ NO _____

PRODUCT PRICE PER TON

And AREA:

CEMENT: (Pneumatic freight including spread fees)

Geary _____ Material Source: _____

Okarche _____ Representative: _____

Piedmont _____ Contact Phone# _____

Calumet _____ 24 Hour Phone# _____

El Reno _____

Yukon _____

Maple _____

Walnut _____

Union City _____

Mustang _____

Notice required to vendor prior to delivery _____ hours.

Does the Vendor agree to deliver product within a two hour time window YES _____ NO _____

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

PRODUCT

PRICE PER TON

And AREA

FLY ASH:

(Delivered in End Dump Trucks)

Geary _____

Material Source: _____

Okarche _____

Representative: _____

Piedmont _____

Calumet _____

Contact Phone# _____

El Reno _____

Yukon _____

24 Hour Phone # _____

Maple _____

Walnut _____

Union City _____

Mustang _____

Up charge for pneumatic freight including spread fees \$ _____ cost per ton.

Notice required to vendor prior to delivery _____ hours.

Does the Vendor agree to deliver product within a two hour time window YES _____ NO _____

PRODUCT

PRICE PER TON

And AREA:

KILN DUST:

(Delivered in End Dump Trucks)

Geary _____

Material Source: _____

Okarche _____

Representative: _____

Piedmont _____

Calumet _____

Contact Phone# _____

El Reno _____

Yukon _____

24 Hour Phone# _____

Maple _____

Walnut _____

Union City _____

Mustang _____

Up charge for pneumatic freight including spread fees \$ _____ cost per ton.

Notice required to vendor prior to delivery _____ hours.

Does the Vendor agree to deliver product within a two hour time window YES _____ NO _____

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

PRODUCT PRICE PER TON

And AREA:

QUICK LIME: (Delivered in bottom drop pneumatic trailers)

Geary _____
Okarche _____
Piedmont _____
Calumet _____
El Reno _____
Yukon _____
Maple _____
Walnut _____
Union City _____
Mustang _____

Material Source: _____

Representative: _____

Contact Phone# _____

24 Hour Phone# _____

Notice required to vendor prior to delivery _____ hours.

Does the Vendor agree to deliver product within a two hour time window YES _____ NO _____

PRODUCT PRICE PER TON

DECOMPOSED GRANITE:

(please specify pit)

(All Current ODOT Specifications Apply)

FOB _____

FOB _____

FOB _____

Price per ton:

\$ _____

\$ _____

\$ _____

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

PRODUCT:

DUST CONTROL FOR AIRBORNE SOIL PARTICLES AND AGGREGATES

Price Per Gallon

\$ _____ Material and Delivery

\$ _____ Material and Placement

Description:

A measured proportion of product is mixed with water and applied with a distributor truck or trailer. The distributor vehicle must be equipped with pumps, spray nozzles and gauges that control and apply the correct dosage rate based on soil description. The distributor system must apply a predetermine amount of gallons per minute of product.

Material:

Product needs to be an emulsified organic base material that is biodegradable. A non-hazardous, non-corrosive material that is environmentally friendly and water soluble.

Equipment:

A distributor vehicle that is equipped with a tank and spray bar. A pump driven system transfers the product from the tank to the spray bar. The spray bar is fitted with fan nozzles spaced every 18 inches at a height 10 to 18 inches above grade.

Product storage can be kept in a leak proof, weather tight container.

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

CEMENT SLURRY FOR SOIL STABILIZATION

Price per DRY/TON:

\$ _____ Quadrant 1: Canadian Rd to Calumet Rd / Waterloo Rd to I-40
\$ _____ Quadrant 2: Calumet Rd to Highway 81 / Waterloo Rd to I-40
\$ _____ Quadrant 3: Highway 81 to County Line Rd/ Waterloo Rd to I-40
\$ _____ Quadrant 4: Canadian Rd to Calumet Rd / I-40 to 89th St SW
\$ _____ Quadrant 5: Calumet Rd to Highway 81 / I-40 to 104th St SW
\$ _____ Quadrant 6: Highway 81 to County Line Rd / I-40 to 134th St SW

Map on next page

SPECS FOR CEMENT SLURRY:

DESCRIPTION

This material shall be delivered and applied into or onto the subgrade soil by the supplier at the specified rate determined by the County. Prior to delivery and application, the Supplier may be required to provide cement samples for laboratory testing to be mixed with native subgrade soil from the project site. The County will perform the required work to prepare the subgrade soil for application of the cement slurry, mix the cement slurry into the soil and perform the final shaping and compaction of the cement slurry modified subgrade soil.

MATERIALS

Cement shall conform to the requirements of ASTM C150/150M. Cement powder being used for slurry shall be stored in a weatherproof storage unit to prevent lumps, caking of cement and contamination of any foreign matter that may be deleterious to slurry mix.

The slurry mix shall contain a minimum of 55% cementitious material by mass.

The slurry mix shall contain a stabilizing agent capable of maintaining a homogenous mixture of cementitious material, in water, for a minimum of four hours after it has been batched.

MATERIAL TESTING

If tested, a 500 ml portion of the slurry will be removed from the middle of the load. The slurry suspension will be monitored with no vibration or agitation at ambient temperature for 30 minutes. Little or no separation of liquid or solid should occur. The Marsh Funnel Viscosity of the slurry shall be a minimum of 60 seconds when measured according to ASTM D6910

EQUIPMENT

The slurry plant shall be a hydraulic/pneumatic mixing plant with monitoring devices to regulate flow rates and line pressures. Slurry proportion shall be regulated by calibrated scales. All components of the slurry solution shall be mixed using a high energy static mixing apparatus. All mechanical mixing must be pump driven. Lime slaking tanks, paddle driven mixers and other similar technology shall not be employed.


The slurry plant should provide safe and easy access for the Engineer to obtain samples.

The cement slurry shall be delivered to the project site in a non-baffle tank vehicle that does not recirculate or agitate the slurry material by any means other than the motion of the vehicle in normal movement. Application of the cement slurry shall be uniformly placed onto or into substrate soil. The vehicle that places the slurry shall spread controlled slurry within a given area. Tickets shall be generated through the function of calibrated plant scales for the amount (per ton) of dry cementitious product delivered to the project site.

MEASUREMENT AND PAYMENT

Cement slurry for soil stabilization shall be measured by the dry ton of cement delivered and applied to the subgrade soil and shall include cement samples for laboratory testing. The County shall provide the supplier with water for slurry vehicle, tankers and an area to clean slurry vehicle.

RESPECTFULLY SUBMITTED BY: _____





RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____
NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

ASPHALTIC MATERIALS

FOB CANADIAN COUNTY JOBSITE-PRICE PER GALLON:

(Must meet current ODOT specifications)

SS 1	MINIMUM LOAD
CRS2	
CRS2+	DEMURRAGE CHARGE
AEP	
CRS-2S	
CQS-1F	
CHFRS-2P	PUMP CHARGE
TR-Fog	
CMS-1PC	APPLICATION OF MATERIALS:
CMS-1PF	PER GALLON \$
HFMS-2L	
HFRS-2L	

PRICES FOR PICKUP at plant location address: _____

CRS-2S	
CRS 2	
CRS2+	
TR-Fog	
SS 1	
CQS-1F	
CHFRS-2P	
CMS-1PC	
CMS-1PF	
HFMS-2L	
HFRS-2L	
AEP	

****Specs on pages 18 & 19****

RESPECTFULLY SUBMITTED BY: _____



SPECS FOR CRS2+ [EMULSIFIED ASPHALT PRODUCT]

<u>TEST ON EMULSION</u>	<u>TEST PROCEDURE (AASHTO)</u>	<u>SPECIFICATION</u>	
		<u>(MIN)</u>	<u>(MAX)</u>
Viscosity, Saybolt Furol @ 122°F, SFS	T59	125	400
Settlement test, 5 day %	T59		< 5%
Particle Charge Test	T59		positive
Sieve test, %	T59		< .10
Demulsibility, 35mL 0.08N DSS solution, %	T59	> 60	
Oil distillate, by volume of emulsion, %	T59		< 2

TEST ON RESIDUE FROM DISTILLATION

Penetration, 77°F	T49	100	200
Elastic Recovery, 50°F, %	T301	> 35	

*Exception to T59: Bring the temperature on the lower thermometer slowly to 350°F. Maintain at this temperature for 20 minutes. Complete total distillation in 60 minutes +/- 5

SPECS FOR CQS-1F & CHFRS-2P

CQS-1F

CQS-1F is a cationic emulsified asphalt product for use as a fast breaking, fast curing emulsion for use in fog seal applications. It shall be capable of allowing return to traffic (non-turning) in less than 1 hour at temperatures above 25°C and less than 50% humidity. It shall be delivered to the jobsite in a ready-to-apply dilution not to exceed water to residual asphalt ratio of 60:40. Application rate shall vary according to the demands of the pavement but shall typically be in the range of 0.08-0.12gal/s.y for use on chip seals, and 0.05-0.12 gal/s.y. over bituminous mixtures.

<u>Test on Emulsion</u>	<u>Method</u>	<u>Min.</u>	<u>Max.</u>
Viscosity @ 25°C, SSF	ASTM D88	40	500
Sieve Test, %	ASTM D244		0.10
24-Hour Storage Stability, % (Note 1)	ASTM D244		1
Residue from Distillation @ 260°C, %	ASTM D244	60	
Oil portion from distillation ml of oil Per 100 g emulsion (Note 2)	ASTM D244		1
Emulsion Particle Charge	ASTM D244	positive	
<u>Test on Residue from Distillation:</u>			
Penetration @ 25°C, 100 g, 5 sec, dmm	ASTM D5	40	120

(CONTINUED ON PAGE 19)



SPECS FOR CQS-1F & CHFRS-2P Continued

CHFRS-2P

Description: A high-float, polymer-modified cationic water-based emulsified asphalt product primarily used for chip seals.

Properties:

Boiling Point	212°F
% Volatiles	None
Appearance	Brown Liquid
Flammability	Non-Flammable
Density	8.4 lbs/gal
Solubility	Soluble in Water
Odor	Petroleum Odor

<u>Property</u>	<u>Test Procedure(AASHTO)</u>	<u>Min</u>	<u>Max</u>
Viscosity, Saybolt-Furol, 122° F	T59	100	400
Sieve Test, %	T59		0.1
Demulsibility, 35ml 0.02 N CaCl ₂ , %	T59	60	
Distillation Test :			
Residue by distillation, % by weight	T59	65	
Oil Distillate, % by volume	T59		0.5
Tests on Residue from Distillation:			
Penetration, 25°C (77°F), 100g, 5 sec	T49	80	130
Float Test, 140°F, sec	T50	1800	
Solubility in Trichloroethylene, %	T44	95	
Elastic Recovery, 50°F, %	T301	55	
Handling	Protect emulsion from freezing Avoid overheating Avoid excessive pumping with high shear pumps		
Storage & Application	Storage Temperature (°F) 50-185 Application Temperature (°F) 110-160		



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____ NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

S3 VIRGIN HOT MIX ASPHALT – FOB PLANT LOCATION: _____
SPECIFY LOAD MINIMUM _____ PRICE PER TON: _____

S3 RECYCLE* HOT MIX ASPHALT– FOB PLANT LOCATION: _____
up to 25% Recycle Mix (64-22) SPECIFY LOAD MINIMUM _____ PRICE PER TON: _____

S4 VIRGIN HOT MIX ASPHALT– FOB PLANT LOCATION: _____
SPECIFY LOAD MINIMUM _____ PRICE PER TON: _____

S4 RECYCLE* HOT MIX ASPHALT– FOB PLANT LOCATION: _____
up to 25% Recycle Mix (64-22) SPECIFY LOAD MINIMUM _____ PRICE PER TON: _____

*up to 25% Recycle Mix (64-22)

RESPECTFULLY SUBMITTED BY: _____

Note for Hot Mix Hauled & In Place:

All mixes must include processed native materials, as pertains to Okla. Statute Tit. 19 § 1501(3)(J). When a county solicits bids for the purchase of processed native materials for road and bridge improvements, the county may accept all bids received, with the lowest and best bid from those accepted to be selected at time of opening of any construction project. The selection of the bid shall be based upon availability, bid price, plus transportation costs.



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____ NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

S3 VIRGIN HOT MIX HAULED & IN PLACE-FOB JOBSITE-PRICE PER TON: 500 TO 2,500 TONS:

EL RENO _____	PIEDMONT _____	WALNUT _____
YUKON _____	MUSTANG _____	GEARY _____
CALUMET _____	UNION CITY _____	
MAPLE _____	OKARCHE _____	

S3 RECYCLE* HOT MIX HAULED & IN PLACE-FOB JOBSITE-PRICE PER TON: 500 TO 2,500 TONS:

EL RENO _____	PIEDMONT _____	WALNUT _____
YUKON _____	MUSTANG _____	GEARY _____
CALUMET _____	UNION CITY _____	
MAPLE _____	OKARCHE _____	

S3 VIRGIN HOT MIX HAULED & IN PLACE-FOB JOBSITE-PRICE PER TON: 2,500 or MORE TONS:

EL RENO _____	PIEDMONT _____	WALNUT _____
YUKON _____	MUSTANG _____	GEARY _____
CALUMET _____	UNION CITY _____	
MAPLE _____	OKARCHE _____	

S3 RECYCLE* HOT MIX HAULED & IN PLACE-FOB JOBSITE-PRICE PER TON: 2,500 or MORE TONS:

EL RENO _____	PIEDMONT _____	WALNUT _____
YUKON _____	MUSTANG _____	GEARY _____
CALUMET _____	UNION CITY _____	
MAPLE _____	OKARCHE _____	

S4 VIRGIN HOT MIX HAULED & IN PLACE-FOB JOBSITE-PRICE PER TON: 500 TO 2,500 TONS:

EL RENO _____	PIEDMONT _____	WALNUT _____
YUKON _____	MUSTANG _____	GEARY _____
CALUMET _____	UNION CITY _____	
MAPLE _____	OKARCHE _____	

S4 RECYCLE* & HOT MIX HAULED & IN PLACE-FOB JOBSITE-PRICE PER TON: 500 TO 2,500 TONS:

EL RENO _____	PIEDMONT _____	WALNUT _____
YUKON _____	MUSTANG _____	GEARY _____
CALUMET _____	UNION CITY _____	
MAPLE _____	OKARCHE _____	

S4 VIRGIN HOT MIX HAULED & IN PLACE-FOB JOBSITE-PRICE PER TON: 2,500 or MORE TONS:

EL RENO _____	PIEDMONT _____	WALNUT _____
YUKON _____	MUSTANG _____	GEARY _____
CALUMET _____	UNION CITY _____	
MAPLE _____	OKARCHE _____	

S4 RECYCLE* HOT MIX HAULED & IN PLACE-FOB JOBSITE-PRICE PER TON: 2,500 or MORE TONS:

EL RENO _____	PIEDMONT _____	WALNUT _____
YUKON _____	MUSTANG _____	GEARY _____
CALUMET _____	UNION CITY _____	
MAPLE _____	OKARCHE _____	

*up to 25% Recycle Mix (64-22)

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

COLD LAY ASPHALT - PLANT LOCATION: _____

Bulk Plant Pickup: _____

50# Bag: _____

***Specs for Cold Lay:**

- Be workable at a minimum temperature of zero degrees Fahrenheit without being heated
- Adhere to both concrete and asphaltic surfaces that are dry, damp or wet
- Be unaffected by salt or deicing compounds
- Be uniform and not require mixing prior to use

Materials:

Aggregate Gradation and Mixture design: design the mixture with the gradation selected and the asphalt content within the range specified in the chart below.

<u>US Sieve</u>	<u>% passing by weight-Type A</u>
3/4"	100
1/2"	100
3/8"	100
No. 4	65-100
No. 10	20-40
No. 40	5-30
No. 80	0-15
No. 200	0-5

RESPECTFULLY SUBMITTED BY: _____



Canadian County
Purchasing

Six Month Bids
July 1 – December 31, 2026

RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____ NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

SEEKING BIDS FOR MILLING MACHINE SERVICE INCLUDING OPERATOR
DISTRICT YARD WILL HAUL AND TAKE MILLINGS*
ALL TRAFFIC CONTROL AND FLAGGING OPERATIONS TO BE PROVIDED BY COUNTY

ROADWAY MILLING - Price per Project Includes Power Broom and Trimmer for Detailed Work and Clean-Up

PRICE PER SQUARE YARD OF 0" TO 2" DEPTH COLD MILLING - 0 TO 2,500 SY PER ROADWAY MILE:

EL RENO \$ _____	MAPLE \$ _____	UNION CITY \$ _____	WALNUT \$ _____
YUKON \$ _____	PIEDMONT \$ _____	OKARCHE \$ _____	GEARY \$ _____
CALUMET\$ _____	MUSTANG \$ _____		

PRICE PER SQUARE YARD OF 0" TO 2" DEPTH COLD MILLING - 2,500+ SY PER ROADWAY MILE:

EL RENO \$ _____	MAPLE \$ _____	UNION CITY \$ _____	WALNUT \$ _____
YUKON \$ _____	PIEDMONT \$ _____	OKARCHE \$ _____	GEARY \$ _____
CALUMET\$ _____	MUSTANG \$ _____		

PRICE PER SQUARE YARD OF 2" TO 4" DEPTH COLD MILLING - 0 TO 2,500 SY PER ROADWAY MILE:

EL RENO \$ _____	MAPLE \$ _____	UNION CITY \$ _____	WALNUT \$ _____
YUKON \$ _____	PIEDMONT \$ _____	OKARCHE \$ _____	GEARY \$ _____
CALUMET\$ _____	MUSTANG \$ _____		

PRICE PER SQUARE YARD OF 2" TO 4" DEPTH COLD MILLING - 2,500+ SY PER ROADWAY MILE:

EL RENO \$ _____	MAPLE \$ _____	UNION CITY \$ _____	WALNUT \$ _____
YUKON \$ _____	PIEDMONT \$ _____	OKARCHE \$ _____	GEARY \$ _____
CALUMET\$ _____	MUSTANG \$ _____		

PARKING LOTS AND NON-ROADWAY PROJECTS - Price per 8 Hour Day

EL RENO \$ _____	MAPLE \$ _____	UNION CITY \$ _____	WALNUT \$ _____
YUKON \$ _____	PIEDMONT \$ _____	OKARCHE \$ _____	GEARY \$ _____
CALUMET\$ _____	MUSTANG \$ _____		

MOBILIZATION CHARGE - Price per Project Includes To and From Site**

EL RENO \$ _____	MAPLE \$ _____	UNION CITY \$ _____	WALNUT \$ _____
YUKON \$ _____	PIEDMONT \$ _____	OKARCHE \$ _____	GEARY \$ _____
CALUMET\$ _____	MUSTANG \$ _____		

* If Milling Machine waits 30 Minutes for County District Yard Trucks a demurrage fee of \$ _____ per hour will be paid in 15 minute increments after the initial 30 minutes continuing until the end of the standard 8 hour day.

**Additional mobilization will be paid if machine is moved with a trailer to additional site.

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON
BID PROPOSAL
CANADIAN COUNTY

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

<u>ROAD ROCK: price per ton:</u> (All Current ODOT Specifications Apply)	(please specify pit)			
FOB _____	FOB _____	FOB _____	FOB _____	FOB _____
*3/8" #2 cover	_____	_____	_____	_____
*5/8" #3 cover	_____	_____	_____	_____
*5/8" #3 washed cover	_____	_____	_____	_____
*3/8" #2 washed cover	_____	_____	_____	_____
1/4" shot	_____	_____	_____	_____
3/8" rinsed shot	_____	_____	_____	_____
*3/4" #1 cover	_____	_____	_____	_____
5/8" crusher run	_____	_____	_____	_____
1/2" crusher run	_____	_____	_____	_____
3/4" crusher run	_____	_____	_____	_____
1 1/2" crusher run	_____	_____	_____	_____
2 1/2" crusher run	_____	_____	_____	_____
1 1/2" coarse stone	_____	_____	_____	_____
Surge Rock 4";6";8"	_____	_____	_____	_____
Screenings	_____	_____	_____	_____
1" crusher run	_____	_____	_____	_____
1/4" granite chips	_____	_____	_____	_____
3/8" granite chips	_____	_____	_____	_____
1 1/2" #57	_____	_____	_____	_____
1/2" Class B	_____	_____	_____	_____
1" #67	_____	_____	_____	_____
TBSC	_____	_____	_____	_____
Aggregate Base	_____	_____	_____	_____
Type "A" Rock	_____	_____	_____	_____
12" Rip Rap	_____	_____	_____	_____
18"-24" Rip Rap	_____	_____	_____	_____
<u>ON ALL SURGE ROCK, PLEASE SPECIFY 4", 6", 8".</u>				

<u>PROCESSED GYP-</u>	<u>PRICE PER TON:</u>	(please specify pit)	
	FOB _____	FOB _____	FOB _____
1/4" crusher run	_____	_____	_____
1/2" crusher run	_____	_____	_____
3/4" crusher run	_____	_____	_____
1 1/2" crusher run	_____	_____	_____
2" crusher run	_____	_____	_____
2" clean	_____	_____	_____
3/4" clean	_____	_____	_____
6" surge	_____	_____	_____
Screenings	_____	_____	_____
Pit run	_____	_____	_____

RESPECTFULLY SUBMITTED BY: _____



RETURN ONLY THE PAGES THAT YOU HAVE BID ON

**BID PROPOSAL
CANADIAN COUNTY**

DATE: _____

NAME OF FIRM: _____

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS OF BID

HAULING OF ROCK - END DUMP TRAILER - PRICE PER TON MILE.

FROM RICHARD SPUR: \$ _____ FROM COOPERTON: \$ _____ FROM TISHOMINGO: \$ _____

FROM GRANITE: \$ _____ FROM CARNEGIE: \$ _____ FROM WATONGA: \$ _____

FROM YUKON: \$ _____ FROM DAVIS: \$ _____

ATTENTION VENDOR: FOR ALL THE ABOVE HAULING LIST NUMBER OF END DUMP TRAILERS THAT ARE AVAILABLE: _____ END

THIS MAY DETERMINE BID AWARD. (MUST HAVE A MINIMUM OF (6) SIX TRUCKS)

***NOTE: WHEN FUEL PRICES RISE ABOVE \$3.90 PER GALLON OF FUEL, A FUEL SURCHARGE OF 1% OF THE FREIGHT REVENUE FOR EACH \$0.10 PER GALLON INCREASE MAY APPLY. RATES BASED WEEKLY ON U.S. ENERGY INFORMATION ADMINISTRATION EIA MIDWEST (PADD 2) SITE.**

Midwest (PADD 2) Gasoline and Diesel Retail Prices

HAULING OF ROCK - BELLY DUMP TRAILER - PRICE PER TON MILE.

FROM RICHARD SPUR: \$ _____ FROM COOPERTON: \$ _____ FROM TISHOMINGO: \$ _____

FROM GRANITE: \$ _____ FROM CARNEGIE: \$ _____ FROM WATONGA: \$ _____

FROM YUKON: \$ _____ FROM DAVIS: \$ _____

ATTENTION VENDOR: FOR ALL THE ABOVE HAULING LIST NUMBER OF BELLY DUMP TRAILERS THAT ARE AVAILABLE: _____ BELLY

THIS MAY DETERMINE BID AWARD. (MUST HAVE A MINIMUM OF (6) SIX TRUCKS)

***NOTE: WHEN FUEL PRICES RISE ABOVE \$3.90 PER GALLON OF FUEL, A FUEL SURCHARGE OF 1% OF THE FREIGHT REVENUE FOR EACH \$0.10 PER GALLON INCREASE MAY APPLY. RATES BASED WEEKLY ON U.S. ENERGY INFORMATION ADMINISTRATION EIA MIDWEST (PADD 2) SITE.**

Midwest (PADD 2) Gasoline and Diesel Retail Prices

RESPECTFULLY SUBMITTED BY: _____



**Canadian County
Purchasing**

**Six Month Bids
July 1 – December 31, 2026**

Date Issued: May 26, 2026
Bid Number: **SIX MONTH BIDS**
Closing Date: June 12, 2026 at 4:00pm
PO Box 458, 314 W. Rogers, El Reno, OK 73036
Opening Date: June 15, 2026 during the Commissioner's Meeting that begins at 9:00am
Commissioner's Meeting Room, 314 W. Rogers, El Reno, OK 73036

~ AFFIDAVIT ~
Six Month Bids

State of Oklahoma)
County of Canadian) §

I, Salena Rodgers, Purchasing Agent, in and for said County and State, do hereby certify that "Notice to Bidder" was sent to the following:

Bid Clerk

projects@bidclerk.com

Bid News Construction

projects@isqft.com

Online Data Services

5425 Peachtree Parkway NW
Peachtree Corners, GA 30092

ePlan

1400 Forum Blvd Ste 7B
Columbia, MO 65203

A&A Trucking, Inc

P.O. Box 75608
Oklahoma City, OK 73147

Arcosa Specialty Materials

Attn: Dillon Price & Tony Nutter
1550 Double Dr.
Norman, OK 73069

Atlas Asphalt Products Inc

Attn: Tyle
PO Box 75727
Oklahoma City, OK 73147

Atlas Paving Co

Attn: Tyle
PO Box 75727
Oklahoma City, OK 73147

Baker Trucking LLC

8628 SW 2nd St
Oklahoma City, OK 73128
kirk@baker-trucking.com

Blessing Gravel, LLC

4109 South Hutchins Lane
Tishomingo, OK 73460

Bomhak Trucking

PO Box 400
El Reno, OK 73036

Brown Transportation

PO Box 1748
Ardmore, OK 73402

Coastal Energy Corporation

Attn: Chad Odle
Box 218
#1 Coastal Drive
Willow Springs, MO 65793

Dolese Bros Co

8300 N. Oklahoma Ave
Oklahoma City, OK 73114-7502
projects@dolese.com

Dollar Trucking

PO Box 636
Hennessey, OK 73742

Elite Mining and Materials

36198 EW 1330 Road
Wewoka, OK 74884

Envirotech Services, Inc

Attn: Len Gardner
910 54th Avenue, Ste 230
Greenley, CO 80634
lgardner@envirotechservices.com

Ergon Asphalt & Emulsions Inc

Attn: Johnny
9301 SW Koch Street
Lawton, OK 73505

Farmers Supply & Transportation Co

PO Box 443
Cheyenne, OK 73628

FirstWater Contracting, LLC

P.O. Box 94250
Oklahoma City, OK 73143

G.W. Van Keppel Co.

8233 W Reno
Oklahoma City, OK 73127

Haskell Lemon Construction Co

PO Box 75608
Oklahoma City, OK 73147

Hoskins Gypsum Co LLC

PO Box 243
Longdale, OK 73755

Logan County Asphalt

2905 Commerce Blvd
Guthrie, OK 73044



Canadian County
Purchasing

Six Month Bids
July 1 – December 31, 2026

Martin Marietta Materials
1100 Classen Dr. Ste 203
Oklahoma City, OK 73103

North Texas Natural Select Material
3064 S. Prairie Road
Tishomingo, OK 73460

Oklahoma Cement Solutions
Attn: Dan Richwine
13133 Chinkapin Oak Place
Choctaw, OK 73020

Oklahoma Concrete Industries
8725 Lehman Rd
El Reno, OK 73036
precastolutionsllc@gmail.com

Railroad Yard
PO Box 2283
Stillwater, OK 74076

Schwarz Asphalt LLC
8251 W Reno
Oklahoma City, OK 73127

Schwarz Paving Company, Inc
8251 W Reno
Oklahoma City, OK 73127
Richard.s@schwarzpaving.com

Scotwood Industries LLC
12980 Metcalf Ave, Ste 240
Overland Park, KS 66213

Share Corp
7821 N. Faulkner Rd
Milwaukee, WI 53224

Shoe ValDoc Construction
6600 SW 29th St
Oklahoma City, OK 73179-6002

SoilChem, LLC
2160 N. Main St. #C-35
Newcastle, OK 73065-5149

Sunbelt Equipment & Supply
P.O. Box 130
Meeker, OK 74855

Spence Trucking
Spencer.sonya8490@gmail.com

T.J. Campbell Construction Co.
PO Box 3788
Edmond, OK 73083
TJCEstimating@TJCampbell.com

Trinitas Materials LLC
PO Box 94250
Oklahoma City, OK 73143

Vance Brothers Inc
4908 N Bryant
Oklahoma City, OK 73121

Western Aggregates LLC
8251 West Reno Ave
Oklahoma City, OK 73127

Western Asphalt Plant, LLC
10332 N 2350 Rd
Weatherford, OK 73096
Western_asphalt@yahoo.com

Wright Asphalt Products Co
4609 W Meadowlark
Battlefield, MO 65619

ZRG Freight LLC
3212 192nd St. NE
Okarche, OK 73772

Witness my hand and seal this 26th day of May, 2026.

Salena Rodgers, Purchasing Agent (SEAL)



If you have any questions or need additional information, please contact:
Salena Rodgers, Purchasing Agent, 405.295.6125